

FORM
2

Rev
12/20

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402917449

(SUBMITTED)

Date Received:

01/13/2022

APPLICATION FOR PERMIT TO:

☒ Drill ☐ Deepen ☐ Re-enter ☐ Recomplete and Operate

Amend ☐

TYPE OF WELL OIL ☐ GAS ☐ COALBED ☒ OTHER: _____

Refill ☐

ZONE TYPE SINGLE ZONE ☒ MULTIPLE ZONES ☐ COMMINGLE ZONES ☐

Sidetrack ☐

Well Name: Stone Point 33-6 Well Number: 7-2
Name of Operator: RED WILLOW PRODUCTION COMPANY COGCC Operator Number: 81295
Address: P O BOX 369
City: IGNACIO State: CO Zip: 81137
Contact Name: Shelly Cowden Phone: (970)563-5194 Fax: ()
Email: scowden@rwpc.us

RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20090057

WELL LOCATION INFORMATION

Surface Location

QtrQtr: SWNE Sec: 7 Twp: 33N Rng: 6W Meridian: N
Footage at Surface: 1537 Feet FNL/FSL 618 Feet FEL/FWL FEL
Latitude: 37.121427 Longitude: -107.538259
GPS Data: GPS Quality Value: 1.8 Type of GPS Quality Value: PDOP Date of Measurement: 01/17/2019
Ground Elevation: 6755
Field Name: IGNACIO BLANCO Field Number: 38300

Well Plan: is ☐ Directional ☒ Horizontal (highly deviated) ☐ Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 8 Twp: 33N Rng: 6W Footage at TPZ: 883 FNL 515 FWL
Measured Depth of TPZ: 4200 True Vertical Depth of TPZ: 3047 FNL/FSL FEL/FWL

Base of Productive Zone (BPZ)

Sec: 4 Twp: 33N Rng: 6W Footage at BPZ: 1188 FSL 200 FEL
Measured Depth of BPZ: 14883 True Vertical Depth of BPZ: 3226 FNL/FSL FEL/FWL

Bottom Hole Location (BHL)

Sec: 4 Twp: 33N Rng: 6W Footage at BHL: 118 FSL 200 FEL
FNL/FSL FEL/FWL

LOCAL GOVERNMENT PERMITTING INFORMATION

County: LA PLATA

Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? No

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? ☐ Yes ☒ No

☐ If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: _____ Date of Final Disposition: _____

Comments: _____

SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION

Surface Owner of the land at this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Mineral Owner beneath this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Surface Owner Protection Financial Assurance (if applicable): _____ Surety ID Number (if applicable): _____

MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- ☒ Fee
☐ State
☐ Federal
☒ Indian
☐ N/A

LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

* If this Well is within a unit, describe a lease that will be developed by the Well.

* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

T33N-R6W, N.M.P.M., Sec 6: ALL
And additional acreage

Total Acres in Described Lease: 3720 Described Mineral Lease is: ☒ Fee ☐ State ☐ Federal ☐ Indian

Federal or State Lease # 750-17-2021

SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 2025 Feet
Building Unit: 2260 Feet
Public Road: 3535 Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.

Above Ground Utility: 3535 Feet

Railroad: 5280 Feet

Property Line: 215 Feet

- Building Unit – as defined in 100 Series Rules.

OBJECTIVE FORMATIONS

| Objective Formation(s) | Formation Code | Spacing Order Number(s) | Unit Acreage Assigned to Well | Unit Configuration (N/2, SE/4, etc.) |
|------------------------|----------------|-------------------------|-------------------------------|--------------------------------------|
| FRUITLAND COAL | FRLDC | 112-291 | 2880 | See Order |

Federal or State Unit Name (if appl):

Unit Number:

SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 660 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: Feet

Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers.

SPACING & FORMATIONS COMMENTS

DRILLING PROGRAMProposed Total Measured Depth: 4777 FeetTVD at Proposed Total Measured Depth 3291 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: _____ Feet ☒ No well belonging to another operator within 1,500 feetWill a closed-loop drilling system be used? YesIs H₂S gas reasonably expected to be encountered during drilling operations at concentrations greater thanor equal to 100 ppm? No If yes, attach an H₂S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? NoWill salt sections be encountered during drilling? NoWill salt based (>15,000 ppm Cl) drilling fluids be used? YesWill oil based drilling fluids be used? NoBOP Equipment Type: ☒ Annular Preventor ☒ Double Ram ☒ Rotating Head ☐ None

Beneficial reuse or land application plan submitted? _____

Reuse Facility ID: _____ or Document Number: _____

CASING PROGRAM

| Casing Type | Size of Hole | Size of Casing | Grade | Wt/Ft | Csg/Liner Top | Setting Depth | Sacks Cmt | Cmt Btm | Cmt Top |
|-------------|--------------|----------------|-------|-------|---------------|---------------|-----------|---------|---------|
| CONDUCTOR | 17+1/2 | 13+3/8 | J-55 | 54.4 | 0 | 140 | 200 | 140 | 0 |
| SURF | 12+1/4 | 9+5/8 | J-55 | 36 | 0 | 450 | 210 | 450 | 0 |
| 1ST | 8+3/4 | 7+0/0 | J-55 | 23 | 0 | 4777 | 95 | 4777 | 0 |
| 1ST LINER | 6+1/8 | 4+1/2 | L-80 | 11.6 | 0 | 12707 | | 12707 | 0 |

☐ Conductor Casing is NOT planned**POTENTIAL FLOW AND CONFINING FORMATIONS**

| Zone Type | Formation /Hazard | Top M.D. | Top T.V.D. | Bottom M.D. | Bottom T.V.D. | TDS (mg/L) | Data Source | Comment |
|-------------|---------------------|----------|------------|-------------|---------------|------------|--------------------------|--|
| Groundwater | Animas | 0 | 0 | 1788 | 1742 | 501-1000 | USGS | Water Resources Investigation Report 95-4190 |
| Groundwater | McDermitt | 1788 | 1742 | 2035 | 1971 | 1001-10000 | Electric Log Calculation | Pine River Unit 3-31 Pickett Plot |
| Groundwater | Ojo Alamo | 2035 | 1971 | 2164 | 2084 | 1001-10000 | Electric Log Calculation | Pine River Unit 3-31 Pickett Plot |
| Hydrocarbon | Kirtland Shale | 2164 | 2084 | 3853 | 2918 | 1001-10000 | Electric Log Calculation | Pine River Unit 3-31 Pickett Plot |
| Hydrocarbon | Fruitland Formation | 3853 | 2918 | 4521 | 3201 | >10000 | Electric Log Calculation | Pine River Unit 3-31 Pickett Plot and Rw Catalogue |
| Hydrocarbon | Pictured Cliffs | 4521 | 3201 | 4734 | 3291 | >10000 | Electric Log Calculation | Pine River Unit 3-31 Pickett Plot and Rw Catalogue |

OPERATOR COMMENTS AND SUBMITTAL

Comments

Insofar as this application for Permit to Drill concerns lands within the jurisdiction of the Southern Ute Indian Tribe, it is submitted to the Colorado Oil and Gas Conservation Commission, COGCC, in accordance with the terms of the Memorandum of Understanding dated Aug. 22, 1991 between the Bureau of Land Management, BLM, and the Commission and the separate Memorandum of Understanding dated Aug. 22, 1991 between the Bureau of Indian Affairs, BIA, the BLM and the Southern Ute Indian Tribe.

The trajectory of the wellbore will be as follows:

This Form 2 is for the 1st Lateral

The Completed interval will be within the authorized setbacks

This application is in a Comprehensive Area Plan No

CAP #: _____

Oil and Gas Development Plan Name _____

OGDP ID#: _____

Location ID: _____

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Shelly Cook-Cowden

Title: Env. Compliance Spec.

Date: 1/13/2022

Email: scowden@rwpc.us

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved: _____

Director of COGCC

Date: _____

Expiration Date: _____

API NUMBER

05

Conditions Of Approval

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

COA Type

Description

| | |
|--|--|
| | |
|--|--|

Best Management Practices

No BMP/COA Type

Description

| | |
|--|--|
| | |
|--|--|

Attachment List

Att Doc Num

Name

| | |
|-----------|----------------------|
| 402924326 | DIRECTIONAL DATA |
| 402924327 | FED. DRILLING PERMIT |
| 402924329 | WELL LOCATION PLAT |
| 402924332 | WELLBORE DIAGRAM |

Total Attach: 4 Files

General Comments

User Group

Comment

Comment Date

| | | |
|--|--|---------------------|
| | | Stamp Upon Approval |
|--|--|---------------------|

Total: 0 comment(s)

Public Comments

No public comments were received on this application during the comment period.

