

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 10/28/2020 Document Number: 402520421

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and

Operator Information

OGCC Operator Number: 96155 Contact Person: Bryce Maifeld Company Name: WHITING OIL & GAS CORPORATION Phone: (970) 396-8949 Address: 1700 LINCOLN STREET SUITE 4700 Email: WhitingEasternCO@whiting.com City: DENVER State: CO Zip: 80290 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No []

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 435421 Location Type: Production Facilities Name: Razor Number: 26 Production County: WELD Qtr Qtr: NESW Section: 26 Township: 10N Range: 58W Meridian: 6 Latitude: 40.808739 Longitude: -103.836811

Description of Corrosion Protection Description of Integrity Management Program Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465009 Flowline Type: Manifold Piping Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 435160 Location Type: Well Site [] Name: Razor Number: 26I Pad County: WELD No Location ID Qtr Qtr: NESE Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.808747 Longitude: -103.825819

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 6.625

Bedding Material: Native Materials Date Construction Completed: 10/21/2014

Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465023 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434157 Location Type: Well Site

Name: Razor Number: 26L Pad

County: WELD No Location ID

Qtr Qtr: NWSW Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.808739 Longitude: -103.839531

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 6.625

Bedding Material: Native Materials Date Construction Completed: 10/23/2014

Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465013 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 433131 Location Type: Well Site
Name: Razor Number: 26J Pad
County: WELD No Location ID
Qtr Qtr: NWSE Section: 26 Township: 10N Range: 58W Meridian: 6
Latitude: 40.809111 Longitude: -103.830547

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500
Bedding Material: Native Materials Date Construction Completed: 08/18/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465024 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 430308 Location Type: Well Site
Name: Razor Number: 26K Pad
County: WELD No Location ID
Qtr Qtr: NESW Section: 26 Township: 10N Range: 58W Meridian: 6
Latitude: 40.809183 Longitude: -103.835239

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 6.625
Bedding Material: Native Materials Date Construction Completed: 09/13/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465015 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 435160 Location Type: Well Site

Name: Razor Number: 26I Pad

County: WELD No Location ID

Qtr Qtr: NESE Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.808747 Longitude: -103.825819

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500

Bedding Material: Native Materials Date Construction Completed: 10/10/2014

Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465011 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 430308 Location Type: Well Site

Name: Razor Number: 26K Pad

County: WELD No Location ID

Qtr Qtr: NESW Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.809183 Longitude: -103.835239

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 6.625
Bedding Material: Native Materials Date Construction Completed: 09/12/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465029 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 433131 Location Type: _____ Well Site
Name: Razor Number: 26J Pad
County: WELD No Location ID
Qtr Qtr: NWSE Section: 26 Township: 10N Range: 58W Meridian: 6
Latitude: 40.809111 Longitude: -103.830547

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 6.625
Bedding Material: Native Materials Date Construction Completed: 08/16/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465030 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434157 Location Type: _____ Well Site

Name: Razor Number: 26L Pad

County: WELD No Location ID

Qtr Qtr: NWSW Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.808739 Longitude: -103.839531

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500

Bedding Material: Native Materials Date Construction Completed: 10/15/2014

Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI:

Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466889 Flowline Type: Process Piping Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Custody Transfer Point

Flowline Start Point Location Identification

Location ID: 435421 Location Type: Production Facilities

Name: Razor Number: 26 Production

County: WELD No Location ID

Qtr Qtr: NESW Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.808739 Longitude: -103.836811

Equipment at Start Point Riser: Meter

Flowline Description and Testing

Type of Fluid Transferred: Produced Water Pipe Material: Polyflow Max Outer Diameter:(Inches) 2.375

Bedding Material: Native Materials Date Construction Completed: 08/13/2019

Maximum Anticipated Operating Pressure (PSI): 550 Testing PSI: 620

Test Date: 08/13/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465016 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 433131 Location Type: Well Site
Name: Razor Number: 26J Pad
County: WELD No Location ID
Qtr Qtr: NWSE Section: 26 Township: 10N Range: 58W Meridian: 6
Latitude: 40.809111 Longitude: -103.830547

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500
Bedding Material: Native Materials Date Construction Completed: 08/16/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465027 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434157 Location Type: Well Site
Name: Razor Number: 26L Pad
County: WELD No Location ID
Qtr Qtr: NWSW Section: 26 Township: 10N Range: 58W Meridian: 6
Latitude: 40.808739 Longitude: -103.839531

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500
Bedding Material: Native Materials Date Construction Completed: 10/23/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465028 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 435160 Location Type: Well Site

Name: Razor Number: 26I Pad

County: WELD No Location ID

Qtr Qtr: NESE Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.808747 Longitude: -103.825819

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500

Bedding Material: Native Materials Date Construction Completed: 10/21/2014

Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465012 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434157 Location Type: Well Site

Name: Razor Number: 26L Pad

County: WELD No Location ID

Qtr Qtr: NWSW Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.808739 Longitude: -103.839531

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500
Bedding Material: Native Materials Date Construction Completed: 10/15/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465022 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 430308 Location Type: _____ Well Site
Name: Razor Number: 26K Pad
County: WELD No Location ID
Qtr Qtr: NESW Section: 26 Township: 10N Range: 58W Meridian: 6
Latitude: 40.809183 Longitude: -103.835239

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500
Bedding Material: Native Materials Date Construction Completed: 09/13/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465017 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 435160 Location Type: _____ Well Site

Name: Razor Number: 26I Pad

County: WELD No Location ID

Qtr Qtr: NESE Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.808747 Longitude: -103.825819

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 6.625

Bedding Material: Native Materials Date Construction Completed: 10/10/2014

Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465025 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 433131 Location Type: _____ Well Site

Name: Razor Number: 26J Pad

County: WELD No Location ID

Qtr Qtr: NWSE Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.809111 Longitude: -103.830547

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500

Bedding Material: Native Materials Date Construction Completed: 08/16/2014

Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465010 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434157 Location Type: Well Site
Name: Razor Number: 26L Pad
County: WELD No Location ID
Qtr Qtr: NWSW Section: 26 Township: 10N Range: 58W Meridian: 6
Latitude: 40.808739 Longitude: -103.839531

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 6.625
Bedding Material: Native Materials Date Construction Completed: 10/15/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465008 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 430308 Location Type: Well Site
Name: Razor Number: 26K Pad
County: WELD No Location ID
Qtr Qtr: NESW Section: 26 Township: 10N Range: 58W Meridian: 6
Latitude: 40.809183 Longitude: -103.835239

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500
Bedding Material: Native Materials Date Construction Completed: 09/12/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465019 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 435160 Location Type: Well Site

Name: Razor Number: 26l Pad

County: WELD No Location ID

Qtr Qtr: NESE Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.808747 Longitude: -103.825819

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500

Bedding Material: Native Materials Date Construction Completed: 10/10/2014

Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465014 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 435160 Location Type: Well Site

Name: Razor Number: 26l Pad

County: WELD No Location ID

Qtr Qtr: NESE Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.808747 Longitude: -103.825819

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500
Bedding Material: Native Materials Date Construction Completed: 10/21/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465026 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 433131 Location Type: _____ Well Site
Name: Razor Number: 26J Pad
County: WELD No Location ID
Qtr Qtr: NWSE Section: 26 Township: 10N Range: 58W Meridian: 6
Latitude: 40.809111 Longitude: -103.830547

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500
Bedding Material: Native Materials Date Construction Completed: 08/18/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465020 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434157 Location Type: _____ Well Site

Name: Razor Number: 26L Pad

County: WELD No Location ID

Qtr Qtr: NWSW Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.808739 Longitude: -103.839531

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500

Bedding Material: Native Materials Date Construction Completed: 10/23/2014

Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465007 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 433131 Location Type: _____ Well Site

Name: Razor Number: 26J Pad

County: WELD No Location ID

Qtr Qtr: NWSE Section: 26 Township: 10N Range: 58W Meridian: 6

Latitude: 40.809111 Longitude: -103.830547

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 6.625

Bedding Material: Native Materials Date Construction Completed: 08/18/2014

Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465021 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 430308 Location Type: Well Site
Name: Razor Number: 26K Pad
County: WELD No Location ID
Qtr Qtr: NESW Section: 26 Township: 10N Range: 58W Meridian: 6
Latitude: 40.809183 Longitude: -103.835239

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500
Bedding Material: Native Materials Date Construction Completed: 09/13/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465018 Flowline Type: Manifold Piping Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 430308 Location Type: Well Site
Name: Razor Number: 26K Pad
County: WELD No Location ID
Qtr Qtr: NESW Section: 26 Township: 10N Range: 58W Meridian: 6
Latitude: 40.809183 Longitude: -103.835239

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.500
Bedding Material: Native Materials Date Construction Completed: 09/12/2014
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

OPERATOR COMMENTS AND SUBMITTAL

Comments This is the first GIS alignment data submitted for the off-location flowlines that terminate at this facility.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 10/28/2020 Email: WhitingEasternCO@whiting.com

Print Name: Bryce Maifeld Title: Regulatory Specialist

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ **Director of COGCC** Date: _____

Conditions of Approval

COA Type

Description

--	--

Attachment Check List

Att Doc Num

Name

402520475	OFF-LOCATION FLOWLINE GEODATABASE SHP
-----------	---------------------------------------

Total Attach: 1 Files

General Comments

User Group

Comment

Comment Date

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)

