

OFFICE OF STATE OIL INSPECTOR
Oil and Gas Conservation
Department

Locate
Well
Correctly

BEST IMAGE
AVAILABLE



00255168

LOG OF OIL AND GAS WELL

RAMEY # 3

Company British-American Oil Producing Co. Address P. O. Box 620, Casper, Wyo.
State or Patented Patented Field Box 2649, Tulsa, Oklahoma
Well No. 3 Sec. 21 T. 9 N R. 53 W Meridian County Logan
Location 330 Ft. (S) of N Line and 330 Ft. (E) of W line of G Elevation 4135
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Date September 19, 1951

Signed C. Wm. Evelyn, Jr. Title Sup't., Northwestern District

The summary on this page is for the condition of the well as above date.
Commenced drilling 6-5-, 1951 Finished Drilling 6-14 1951

OIL SANDS OR ZONES

No. 1, from 4774 to 4815 No. 4, from to
No. 2, from 4880 to 4940 No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

No. 1, from to No. 3, from to
No. 2, from to No. 4, from to

CASING RECORD

Size	Weight per ft.	Threads per inch	Make	Amount	Kind of Shoe	Cut & Pulled from	Perforated From	to	Purpose
9 5/8"	25.4	8	Armco	218 KB	Texas	Pattern			
5 1/2"	15.5	8	Pitts	4981	Baker				

MUDDING AND CEMENTING RECORD

Size	Where Set	No. Sacks of Cement	Methods used	Mud Gravity	Amount of Mud Used
9 5/8"	218 KB	160 Sax	HOWCO		
5 1/2"	4981 KB	200 Sax	HOWCO		

PLUGS AND ADAPTERS

Heaving plug-Material Length Depth Set
Adapters-Material Size

SHOOTING RECORD

Size	Shell Used	Explosive Used	Quantity	Date	Depth Shot	Depth Cleaned Out

TOOLS USED

Rotary Tools used from 0 ft. to 4982 ft. and from ft. to ft.
Cable tools were used from 4964 ft. to ft. and from ft. to ft.
Drilled Cement Plug to

DATES

September 19 19 51 Put to producing 19
The production for the first 24 hours was 100 barrels of fluid of which
70 % was oil, 30 % emulsion; % sediment. Gravity Be, 38
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft.
of gas . Rock Pressure, lbs. per sq. in

EMPLOYEES

Driller , Driller
Driller , Driller

FORMATION RECORD

From	To	Total Feet	Formation
0	4635	4635	Shale & Lime
4635	4775	140	Sandy Shale
4775	4815	40	Sand
4815	4880	65	Sand & Shale
4880	4940	60	Sand
4940	4982	42	Sand & Shale
4982			Total Depth