




Loc  
Well  
Correctly

File in duplicate on Fee and Patented lands and in  
quadruplicate on State and School lands, with

OFFICE OF DIRECTOR

OIL AND GAS CONSERVATION COMMISSION,  
STATE OF COLORADO

|  |    |   |  |
|--|----|---|--|
|  |    | 0 |  |
|  | 21 |   |  |
|  |    |   |  |
|  |    |   |  |



OIL & GAS  
CONSERVATION COMMISSION

## LOG OF OIL AND GAS WELL

2

Field Walker Company McDermott-Barnhart  
County Logan Address Box 352 Sterling, Colorado  
Lease W. E. Whittier  
Well No. 3 Sec. 21 Twp. 9N Rge. 53W Meridian \_\_\_\_\_ State or Pat. Pat  
Location 990 (N) Ft. (S) of N Line and 1650 (E) Ft. (W) of E line of Sec 21 Elevation 4143  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Paul Speck, Jr. *Paul Speck Jr*  
Title Dist. Clerk

Date April 15, 1952

The summary on this page is for the condition of the well as above date.

Commenced drilling March 6, 19 52 Finished drilling March 30, 19 52

### OIL AND GAS SANDS OR ZONES

No. 1, from 4878 to 4944 J Sand No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

### IMPORTANT WATER SANDS

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

### CASING RECORD

| SIZE   | WT. PER FOOT | MAKE  | WHERE LANDED | NO. OF SKS. CEMENT | STOOD HOURS | PRESSURE TEST PSI |
|--------|--------------|-------|--------------|--------------------|-------------|-------------------|
| 10-3/4 | 32.75        | L. W. | 238.38       | 165 Sks            | 48          | 1000              |
| 5 1/2  | 15.5-14      | Spang | 5029.77      | 300 "              | 72          | 1200              |
|        |              |       |              |                    |             |                   |
|        |              |       |              |                    |             |                   |

### COMPLETION DATA

Total Depth 5030 ft. Cable Tools from \_\_\_\_\_ to \_\_\_\_\_ Rotary Tools from 0 to 5030  
Casing Perforations (prod. depth) from 4932 to 4935 ft. No. of holes 15  
Acidized with \_\_\_\_\_ gallons. Other physical or chemical treatment of well to induce flow \_\_\_\_\_  
Shooting Record 4932 to 4935 15 shots

Prod. began April 23 19 52 Making 26 bbls./day of 37 A. P. I. Gravity Fluid on 1" Pump ☒  
Tub. Pres. 120 lbs./sq. in. Csg. Pres. 50 lbs./sq. in. Gas Vol. \_\_\_\_\_ Mcf. Gas Oil Ratio \_\_\_\_\_  
Length Stroke 44 in. Strokes per Min. 14 Diam. Pump 1 1/2 in.  
B. S. & W. 0 %. Gas Gravity \_\_\_\_\_ BTU's/Mcf. \_\_\_\_\_ Gals. Gasoline/Mcf. \_\_\_\_\_

### WELL DATA

Indicate (yes or no) whether or not the following information was obtained.

Electrical Log Yes Date March 26 19 52 Straight Hole Survey Yes Type \_\_\_\_\_  
Date \_\_\_\_\_ 19 \_\_\_\_\_ Other Types of Hole Survey \_\_\_\_\_ Type \_\_\_\_\_  
Time Drilling Record Yes  
Core Analysis Yes Depth 4920 to 4962  
to \_\_\_\_\_

(Note—Any additional data can be shown on reverse side.)

### FORMATION RECORD

Show all formations, especially all sands and character and contents thereof.

| FORMATION | TOP  | BOTTOM | REMARKS |
|-----------|------|--------|---------|
| J-Sand    | 4878 | 4944   |         |
|           |      |        |         |
|           |      |        |         |
|           |      |        |         |

(Continue on reverse side)