Arizona Com. Pringlen Fed 3-5-24W6 Pakenham 100

Operator: Tourmaline Oil Corp.
Well: Arizona Com. Pringlen Fed 3-5-24W6
Field: Pakenham
Location: 3-5-24-W6
Date: 2-Jan-2024
Time: 10:00 - 22:00
Rig: Ensign 102
Elevation: 1000.0 m
Total Depth: 1000.0 m
Drilling Fluid: Water
Bit Size: 200 mm
Casing: 244.5 mm @ 0.0 m
Hole Size: 200 mm
Drilling Contractor: Ensign Energy Services Inc.
Drilling Supervisor: Jeff Bell
Logging Company: Schlumberger
Logging Engineer: Jeff Bell
Logging Date: 2-Jan-2024
Logging Time: 10:00 - 22:00
Logging Type: Gamma Ray
Logging Method: Wireline
Logging Speed: 1000 m/hr
Tool Type: Schlumberger Gamma Ray
Tool Serial: 12345
Tool Length: 1.0 m
Tool Diameter: 0.0 m
Tool Weight: 0.0 kg
Tool Position: Centered
Tool Orientation: Vertical
Tool Calibration: 2-Jan-2024
Tool Calibration Method: Factory
Tool Calibration Results: Pass
Tool Calibration Comments: None
Tool Calibration Operator: Jeff Bell
Tool Calibration Witness: None




Depth
Gamma Ray
0
150
Gamma Ray
0
150
Resistivity Deep - Deep
0.2
2000
Resistivity Deep - Deep
0.2
2000