

**FORM  
INSP**

Rev  
X/20

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:

03/07/2022

Submitted Date:

03/07/2022

Document Number:

702400004

**FIELD INSPECTION FORM**

Loc ID: 319876    Inspector Name: Revas, Robbie    On-Site Inspection:     2A Doc Num: \_\_\_\_\_

**Operator Information:**

OGCC Operator Number: 10711  
 Name of Operator: PAINTED PEGASUS PETROLEUM LLC  
 Address: 16820 BARKER SPRINGS RD #521  
 City: HOUSTON    State: TX    Zip: 77084

**Status Summary:**

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED

**Findings:**

1 Number of Comments  
0 Number of Corrective Actions  
 Corrective Action Response Requested

**ANY CORRECTIVE ACTION(S) FROM PREVIOUS INSPECTIONS THAT HAVE NOT BEEN ADDRESSED ARE STILL APPLICABLE**

**General Comment:**

**COGCC Comments**

| Comment  | User   | Date       |
|--|--------|------------|
| <p>COGCC Inspection Report Summary<br/>                     On Monday 3-7-2022 at approximately 1215 hrs. I, Inspector Robbie Revas, Conducted an on-site inspection:<br/>                     Operator: Painted Pegasus Petroleum<br/>                     Location name: GreeneMeier 9-30<br/>                     API #05-001-07100<br/>                     County: Adams<br/>                     Weather: Clear.<br/>                     Location: Snow covered.<br/>                     While there, I observed a wellsite and tank battery.<br/>                     Because P3 is not actively managing any of its Colorado Wells or Locations there is a direct threat to public health, safety and welfare, including the environment and wildlife resources. Therefore, the COGCC will undertake steps to, at a minimum, shut-in all of P3's wells and lock-out/tag-out P3's flow lines. COGCC may take additional actions to protect public health, safety and welfare, including the environment and wildlife resources, without providing advanced notice.<br/>                     During this inspection, I observed the following possible compliance issues:<br/>                     606 housekeeping: Trash and weeds all around location.<br/>                     See attached photos.<br/>                     No follow up on this site inspection needs to be conducted to ensure that Compliance issues are corrected to comply with COGCC rules.</p> | revasr | 03/07/2022 |

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

| Document Num | Description   | URL   |
|--------------|---------------|---|
| 702400005    | location pics | <a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5684215">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5684215</a> |