


# Site Map



## Site Information

Site	Powers X 22-67 HN
Date	12/13/21
Sampler Name	Andy Gootz
GEM 5000	6553

## GEM Calibrations

Calibration Gas	Time
Pure N2	1232
Fresh Air	1234
50 ppm CO, 10 ppm H2S	1237
15% CH4, 15% CO2, Bal N2	1240

## Bump Test

Time	Calibration Gas	CH4 (%)	CO2 (%)	O2 (%)	H2S (PPM)	CO (PPM)
1247	Readings	15.0	15.0	0.0	0	0
		14.9	14.9	0.0	0	0

## GEM Field Readings

Well	CH4 (%)	CO2 (%)	O2 (%)	H2S (PPM)	CO (PPM)	Time	Comments
SVPO1	0.0	0.2	20.6	0	0	1257	75 seconds
SVPO2	0.0	0.2	20.7	0	0	1300	75 seconds
SVPO3	0.0	0.2	20.8	0	0	1304	75 seconds
SVPO4	0.0	0.1	20.7	0	0	1308	75 seconds
SVPO5	0.0	0.2	20.8	0	0	1310	75 seconds

Site Notes and Observations (Stressed or lack of vegetation, bubbling in excavation, damage to SVPs, vehicular traffic, etc.)