

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402987790

Date Received:

03/17/2022

FIR RESOLUTION FORM

Overall Status:

CA Summary:

3 of 3 CAs from the FIR responded to on this Form

3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 46290

Name of Operator: KP KAUFFMAN COMPANY INC

Address: 1675 BROADWAY, STE 2800

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () Fax: ()

Email: _____

Additional Operator Contact:

Contact Name

Victoria Dizghinjili

Phone

303-825-4822

Email

vdizghinjili@kpk.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 699304438

Inspection Date: 10/28/2021

FIR Submit Date: 10/28/2021

FIR Status: _____

Inspected Operator Information:

Company Name: KP KAUFFMAN COMPANY INC

Company Number: 46290

Address: 1675 BROADWAY, STE 2800

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 333302

Location Name: VONASEK-62N67W Number: 27NESE County: WELD

Qtrqr: NESE Sec: 27 Twp: 2N Range: 67W Meridian: 6

Latitude: 40.109070 Longitude: -104.869590

FACILITY - API Number: 05-123-00 Facility ID: 239920

Facility Name: VONASEK Number: 1

Qtrqr: NESE Sec: 27 Twp: 2N Range: 67W Meridian: 6

Latitude: 40.109070 Longitude: -104.869590

CORRECTIVE ACTIONS:

1 CA# 157271

Corrective Action: Comply with Rule 605.d.

Date: 08/12/2021

Response: CA COMPLETED

Date of Completion: 11/15/2021

Operator Comment: Well head sign has been updated. Weeds have been removed from location. Please see attached picture. FIR #699303798 from 5-12-2021 has same CA

COGCC Decision: _____

COGCC
Representative:

2 CA# 157272

Corrective Action: comply with rule 605.h

Date: 08/12/2021

Response: CA COMPLETED

Date of Completion: 11/15/2021

Operator Comment: Labels and placards have been posted on tanks. Please see attached pictures. FIR #699303798 from 5-12-2021 has same CA.

COGCC Decision:

COGCC
Representative:

3 CA# 157273

Corrective Action: Comply with Rule 430

Date: 08/12/2021

Response: CA COMPLETED

Date of Completion: 03/01/2022

Operator Comment: Meter is a property of DCP. KPK has submitted a request to DCP to have the meter calibrated to comply with Rule 430.d.(1) Proof of calibration will be provided on a Field Inspection Resolution Report.

COGCC Decision:

COGCC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Victoria Dizghinjili

Signed:

Title: Engineering Tech

Date: 3/17/2022 1:00:23 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

Document Number	Description
402987822	Well sign updated PIC1
402987824	Tank placards PIC2

Total Attach: 2 Files