



Dataset: mallard_green_teal_34_27_4hn_ddr_rcbl_final.db: field/well/run/pass4main
 Total length: 20.48 ft
 Total weight: 204.00 lb
 O.D.: 3.13 in

Database File d:\work stuff active\all customers\mallard\mallard_green_teal_34_27_4hn
 Dataset Pathname run/pass4main
 Presentation Format RBL_AL~1
 Dataset Creation Thu Feb 24 21:26:10 2022
 Charted by Depth in Feet scaled 1:240



LTEN	Gamma Ray	3' Amplitude	0	AMPS1	150	WVF5FT	1	SECTORS	8
0	(lb) 250	(GAPI) 150	0	0	AMPS2 150	200	(usec) 1200		80

LSPD	340	TT3FT (usec)	240	3' Amplified Amplitude	0	AMPS3	150
(ft/min)	-40	CCL	40	(mV)	20	AMPS4	150
500	-500					AMPS5	150
						AMPS6	150
						AMPS7	150
						AMPS8	150









750
800
850
900
950
1000
1050
1100





1150
1200
1250
1300
1350
1400
1450
1500




1550
1600
1650
1700
1750
1800
1850
1900




1950
2000
2050
2100
2150
2200
2250
2300




2350
2400
2450
2500
2550
2600
2650
2700




2750
2800
2850
2900
2950
3000
3050
3100







3550
3600
3650
3700
3750
3800
3850
3900






Handwritten notes in Arabic script, including the number '1515' and some illegible text.

3950
4000
4050
4100
4150
4200
4250
4300




4350
4400
4450
4500
4550
4600
4650
4700









5150
5200
5250
5300
5350
5400
5450
5500



5550
5600
5650
5700
5750
5800
5850
5900









Repeat Pass

Database File d:\work stuff active\all customers\mallard\mallard_green_tea_34_27_4hn
 Dataset Pathname run/pass2main
 Presentation Format RBL_AL~1
 Dataset Creation Thu Feb 24 21:28:08 2022
 Charted by Depth in Feet scaled 1:240





LTEN 0 (lb 1000)	3' Travel Time 400 (u)sec 200	3' Amplitude 0 (mV) 100	0 AMPS1 150	5' Variable Density 10 (u)sec 1200	1 Sector Map 8
LSPD (ft/min) 500 -500	Casing Collar Locator GAMMA RAY (GAPI) 200	3' Amplified Amplitude 0 (mV) 20	0 AMPS2 150	-400.0 (V) 400.0	
	Temp (degF)		0 AMPS3 150		
			0 AMPS4 150		
			0 AMPS5 150		
			0 AMPS6 150		
			0 AMPS7 150		
			0 AMPS8 150		

Calibration Report

Database File d:\work stuff active\all customers\mallard\mallard_green_tea_34_27_4hn_d
 Dataset Pathname run/pass4main
 Dataset Creation Thu Feb 24 21:26:10 2022

Gamma Ray Calibration Report

Serial Number:	GCT275-00SA_base		
Tool Model:	GCT275-00SA		
Performed:	(Not Performed)		
Calibrator Value:	1.0	GAPI	
Background Reading:	0.0	cps	
Calibrator Reading:	1.0	cps	

Segmented Cement Bond Log Calibration Report

Serial Number: DD1_4.5
 Tool Model: Probe
 Calibration Casing Diameter: 5.500 in
 Calibration Depth: -8.983 ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.016	0.585	0.500	71.921	125.541	-1.513
CAL	0.008	0.727				
5'	0.006	0.452	0.500	71.921	160.070	-0.487
SUM						
S1	0.006	0.577	0.000	100.000	175.415	-1.128
S2	0.005	0.577	0.000	100.000	174.994	-0.900
S3	0.003	0.572	0.000	100.000	175.772	-0.595
S4	0.007	0.578	0.000	100.000	175.307	-1.304
S5	0.016	0.589	0.000	100.000	174.321	-2.724
S6	0.008	0.582	0.000	100.000	174.242	-1.447
S7	0.003	0.587	0.000	100.000	171.502	-0.587
S8	0.004	0.587	0.000	100.000	171.609	-0.749

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.008	0.727	1.000	0.000

Air Zero Calibration, performed Wed Feb 16 06:18:37 2022:

	Raw (v)		Calibrated (v)		Results	
	Zero		Zero		Offset	
3'	0.000		0.000		0.000	
5'	0.000		0.000		0.000	
SUM						
S1	0.000		0.000		0.000	
S2	0.000		0.000		0.000	
S3	0.000		0.000		0.000	
S4	0.000		0.000		0.000	
S5	0.000		0.000		0.000	
S6	0.000		0.000		0.000	
S7	0.000		0.000		0.000	
S8	0.000		0.000		0.000	