

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
402886084

Date Received:
12/02/2021

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

3 of 3 CAs from the FIR responded to on this Form

3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 46290
Name of Operator: KP KAUFFMAN COMPANY INC
Address: 1675 BROADWAY, STE 2800
City: DENVER State: CO Zip: 80202

Contact Name and Telephone:
Name: _____
Phone: () _____ Fax: () _____
Email: _____

Additional Operator Contact:

Contact Name	Phone	Email
<u>Victoria Dizghinjili</u>	<u>303-825-4822</u>	<u>vdizghinjili@kpk.com</u>

COGCC INSPECTION SUMMARY:

FIR Document Number: 699304530
Inspection Date: 11/23/2021 FIR Submit Date: 11/23/2021 FIR Status: _____

Inspected Operator Information:

Company Name: KP KAUFFMAN COMPANY INC Company Number: 46290
Address: 1675 BROADWAY, STE 2800
City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 311287

Location Name: AMOCO ENERGY SMITS UNIT C-62N66W Number: 28NWNW County: WELD
Qtrqtr: NWN Sec: 28 Twp: 2N Range: 66W Meridian: 6
W
Latitude: 40.114480 Longitude: -104.789960

FACILITY - API Number: 05-123-00 Facility ID: 240181

Facility Name: AMOCO ENERGY SMITS UNIT C Number: 1
Qtrqtr: NWN Sec: 28 Twp: 2N Range: 66W Meridian: 6
W
Latitude: 40.114480 Longitude: -104.789960

CORRECTIVE ACTIONS:

1 CA# 158041

Corrective Action: Comply with rule 1002.(2).D Conduct maintenance on equipment, cleanup stained material and review self inspection processes.

Date: 12/07/2021

Response: CA COMPLETED Date of Completion: 11/30/2021

Various stained soil have been cleaned up. Please see attached pictures.

Operator
Comment:

COGCC Decision: Approved

COGCC Representative: Approved with Inspection Doc # 702400284

2 CA# 158042

Corrective Action: Measure gas per Rule 430.

Date: 12/23/2021

Response: CA COMPLETED

Date of Completion: 12/02/2021

Operator Comment: Meter is property of DCP. KPK has submitted a request to DCP to have a meter calibrated to comply with Rule 430.d.(1). The proof will be provided via FIRR.

COGCC Decision: Approved

COGCC Representative: Approved with Inspection Doc # 702400284

3 CA# 158043

Corrective Action: Comply with Rule 606

Date: 12/07/2021

Response: CA COMPLETED

Date of Completion: 11/30/2021

Operator Comment: Weeds have been removed from location. Please see attached pictures.

COGCC Decision: Approved

COGCC Representative: Approved with Inspection Doc # 702400284

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Victoria Dizghinjili

Signed: _____

Title: Engineering Tech

Date: 12/2/2021 5:52:23 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

Document Number	Description
402886084	FIR RESOLUTION SUBMITTED
402886090	CA done PIC1
402886092	CA done PIC2
402886094	Ca done PIC3

Total Attach: 4 Files