

FORM  
2

Rev  
12/20

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403008945

(SUBMITTED)

Date Received:

04/08/2022

APPLICATION FOR PERMIT TO:

☒ Drill ☐ Deepen ☐ Re-enter ☐ Recomplete and Operate

Amend ☐

TYPE OF WELL OIL ☐ GAS ☐ COALBED ☒ OTHER: \_\_\_\_\_

Refill ☐

ZONE TYPE SINGLE ZONE ☒ MULTIPLE ZONES ☐ COMMINGLE ZONES ☐

Sidetrack ☐

Well Name: North Carracas 32-4 Well Number: 7F-5  
Name of Operator: RED WILLOW PRODUCTION COMPANY COGCC Operator Number: 81295  
Address: P O BOX 369  
City: IGNACIO State: CO Zip: 81137  
Contact Name: Shelly Cowden Phone: (970)563-5194 Fax: ( )  
Email: scowden@rwpc.us

RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20090057

WELL LOCATION INFORMATION

Surface Location

QtrQtr: SWSW Sec: 7 Twp: 32N Rng: 4W Meridian: N  
Footage at Surface: 254 Feet FSL 326 Feet FWL  
Latitude: 37.025937 Longitude: -107.333512  
GPS Data: GPS Quality Value: 1.8 Type of GPS Quality Value: PDOP Date of Measurement: 10/16/2016  
Ground Elevation: 6175  
Field Name: IGNACIO BLANCO Field Number: 38300

Well Plan: is ☐ Directional ☒ Horizontal (highly deviated) ☐ Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 7 Twp: 32N Rng: 4W Footage at TPZ: 232 FSL 1289 FWL  
Measured Depth of TPZ: 3235 True Vertical Depth of TPZ: 2804 FNL/FSL FEL/FWL

Base of Productive Zone (BPZ)

Sec: 7 Twp: 32N Rng: 4W Footage at BPZ: 248 FSL 1578 FWL  
Measured Depth of BPZ: 3532 True Vertical Depth of BPZ: 2865 FNL/FSL FEL/FWL

Bottom Hole Location (BHL)

Sec: 17 Twp: 323N Rng: 4W Footage at BHL: 305 FNL 200 FEL  
FNL/FSL FEL/FWL

## LOCAL GOVERNMENT PERMITTING INFORMATION

County: ARCHULETA

Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? No

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? ☐ Yes ☒ No

☐ If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: \_\_\_\_\_ Date of Final Disposition: \_\_\_\_\_

Comments: \_\_\_\_\_

## SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION

Surface Owner of the land at this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Mineral Owner beneath this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Surface Owner Protection Financial Assurance (if applicable): \_\_\_\_\_ Surety ID Number (if applicable): \_\_\_\_\_

### MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- ☒ Fee  
☐ State  
☐ Federal  
☒ Indian  
☐ N/A

### LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

\* If this Well is within a unit, describe a lease that will be developed by the Well.

\* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

T32N-R4W, N.M.P.M., Sec 7: ALL  
And additional acreage

Total Acres in Described Lease: 12327 Described Mineral Lease is: ☒ Fee ☐ State ☐ Federal ☐ Indian

Federal or State Lease # 750082008

### SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 696 Feet  
Building Unit: 696 Feet  
Public Road: 732 Feet  
Above Ground Utility: 5280 Feet

#### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

Railroad: 5280 Feet  
Property Line: 660 Feet

## OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
FRUITLAND COAL	FRLDC	112-287	7385	See Order

Federal or State Unit Name (if appl): Unit Number:

## SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 660 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 970 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: Feet

## Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers.

## SPACING & FORMATIONS COMMENTS

## DRILLING PROGRAM

Proposed Total Measured Depth: 12434 Feet TVD at Proposed Total Measured Depth 2880 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: Feet ☒ No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No If yes, attach an H<sub>2</sub>S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? Yes

Will oil based drilling fluids be used? No

BOP Equipment Type: ☒ Annular Preventor ☒ Double Ram ☒ Rotating Head ☐ None

Beneficial reuse or land application plan submitted?

Reuse Facility ID: or Document Number:

**CASING PROGRAM**

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	17+1/2	13+3/8	J-55	54.5	0	140	200	140	0
SURF	12+1/4	9+5/8	J-55	36	0	860	430	858	0
1ST	8+3/4	7+0/0	J-55	23	0	3958	365	3110	0
2ND LINER	6+1/4	4+1/2	J-55	11.6	2863	12512	0		

☐ Conductor Casing is NOT planned

**POTENTIAL FLOW AND CONFINING FORMATIONS**

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Confining Layer	San Jose	0	0	884	881	501-1000	USGS	Sands, Silts, Shale, Unconfined Aquifers
Groundwater	Not Present See comments	0	0	0	0	0-500	Other	In the area where we are drilling, Upper Animas or Animas McDermott formations are not present, they have been eroded away and the surface formation is San Jose.
Confining Layer	Nacimiento	884	881	2033	1994	501-1000	USGS	Sands, Silts, Shale, non potable water
Confining Layer	Ojo Alamo	2033	1994	2247	2201	1001-10000	Other	RW Investigation Stateline Sands, Silts, Shale, non potable water
Hydrocarbon	Kirtland Shale	2247	2201	2774	2633	>10000	Other	FCGS - Kutz Gas Field NM Shale, siltstone, sands, low gas saturations
Hydrocarbon	Kirtland Shale lwr	2774	2633	3004	2760	>10000	Other	FCGS - Kutz Gas Field NM Shale, siltstone, sands, low gas saturations
Hydrocarbon	Fruitland Formation	3004	2760	3240	2860	>10000	Other	RMAG Oil and Gas Fields 2014 Shale, siltstone, sands, low gas saturations
Hydrocarbon	Fruitland Coal	3240	2860	3417	2900	>10000	Other	RMAG Oil and Gas Fields 2014 Horizontal Target, CBM Coal
Hydrocarbon	Pictured Cliffs	3417	2900	0	0	>10000	Other	RMAG Oil and Gas Fields 2014 Gas Charged Marine Sandstone

**OPERATOR COMMENTS AND SUBMITTAL**

Comments: Insofar as this application for Permit to Drill concerns lands within the jurisdiction of the Southern Ute Indian Tribe, it is submitted to the Colorado Oil and Gas Conservation Commission ("COGCC") in accordance with the terms of the Memorandum of Understanding dated Aug. 22, 1991 between the Bureau of Land Management ("BLM") and the Commission and the separate Memorandum of Understanding dated Aug. 22, 1991 between the Bureau of Indian Affairs ("BIA") the BLM and the Southern Ute Indian Tribe.  
The trajectory of the wellbore will be as follows:  
This Form 2 is for the Lateral #2.  
The Completed interval will be within the authorized setbacks.

This application is in a Comprehensive Area Plan No CAP #: \_\_\_\_\_

Oil and Gas Development Plan Name \_\_\_\_\_ OGDID #: \_\_\_\_\_

Location ID: \_\_\_\_\_

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Shelly Cowden

Title: Env. Compliance Spec. Date: 4/8/2022 Email: scowden@rwpc.us



Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_  
Expiration Date: \_\_\_\_\_

API NUMBER

05

### Conditions Of Approval

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

COA Type

Description

### Best Management Practices

No BMP/COA Type

Description

### Attachment List

Att Doc Num

Name

403008996	DIRECTIONAL DATA
403008997	WELLBORE DIAGRAM
403008998	WELL LOCATION PLAT
403008999	FED. DRILLING PERMIT

Total Attach: 4 Files

### General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)

## **Public Comments**

No public comments were received on this application during the comment period.

