

Click here to reset the form

FORM  
21  
Rev 9/14

State of Colorado  
Oil and Gas Conservation Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203 (303)-894-2100 Fax: (303)-894-2109

MECHANICAL INTEGRITY TEST

1. Duration of the pressure test must be a minimum of 15 minutes.
2. An original pressure chart must accompany this report if this test was not witnessed by a OGCC representative. Injection wells tests must be witnessed by an OGCC representative.
3. For production wells, test pressures must be at a minimum of 300 psig.
4. New injection wells must be tested to maximum requested injection pressure.
5. For injection wells, test pressures must be at least 300 psig or average injection pressure, whichever is greater.
6. A minimum 300 psi differential pressure must be maintained between the tubing and tubing/casing annulus pressure.
7. Do not use this form if submitting under provisions of Rule 326.a.(1) B. or C.
8. OGCC notification must be provided 10 days prior to the test via Form 42.
9. Packers or bridge plugs, etc., must be set within 100 feet of the perforated interval to be considered a valid test.

FOR OGCC USE ONLY

Document Number:

Date Received:

Complete the  
Attachment Checklist

OGCC Operator Number: 17180  
Name of Operator: Citation Oil & Gas Corp.  
Address: 14077 Cutten Road  
City: Houston State: TX Zip: 77069  
API Number: 05-017-07072 OGCC Facility ID Number: 208137  
Well/Facility Name: Share 24-21 Well/Facility Number: #1  
Location Qtr: sesw Section: 21 Township: 13S Range: 42W Meridian: 6th PM

Contact Name and Telephone  
Dustin Fulton

No: (719) 343-3717  
Email: dfulton@cogc.com

	Oper	OGCC
Pressure Chart		
Cement Bond Log		
Tracer Survey		
Temperature Survey		
Inspection Number		

☒ SHUT-IN PRODUCTION WELL

☐ INJECTION WELL

Last MIT Date: 04/17/2017

Test Type:

☒ Test to Maintain SI/TA status

☐ 5- year UIC

☐ Reset Packer

☐ Verification of Repairs

☐ Annual UIC Test

Describe Repairs or Other Well Activities:

Casing Test

Use when perforations or open hole is isolated by bridge plug or cement plug; use if cased-hole only with plug back total depth.

Bridge Plug or Cement Plug Depth  
5090'

Wellbore Data at Time of Test

Injection/Producing Zone(s): MRRW  
Perforated Interval: 5127-5135  
Open Hole Interval: NA

Tubing Casing/Annulus Test

Tubing Size: NA Tubing Depth: Top Packer Depth: Multiple Packers?  
☐ Yes ☒ No

Test Data

Test Date <u>4/14/22</u>	Well Status During Test <u>Shut In</u>	Casing Pressure Before Test <u>0 PSI</u>	Initial Tubing Pressure <u>NA</u>	Final Tubing Pressure <u>NA</u>
Casing Pressure Start Test <u>390 PSI</u>	Casing Pressure - 5 Min. <u>390 PSI</u>	Casing Pressure - 10 Min. <u>390 PSI</u>	Casing Pressure Final Test <u>390 PSI</u>	Pressure Loss or Gain During Test <u>0 PSI</u>
Test Witnessed by State Representative? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		OGCC Field Representative (Print Name): <u>Brian Welsh</u>		

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Dustin Fulton

Signed: Dustin Fulton Title: Production Foreman

Date: 4-14-22

OGCC Approval: Brian Welsh Title: Field Inspector

Date: 4/14/22

Conditions of Approval, if any:

Form 42 # 403013661  
Insp # 701009800