

**LEGEND:**

- = AS-DRILLED WELLHEAD.
- ◆ = TOP OF GAS INTERVAL.
- = BOTTOM HOLE.
- ▲ = SECTION CORNERS LOCATED. (NAD 83)
- △ = SECTION CORNERS RE-ESTABLISHED. (Not Set on Ground.) (NAD 83)

# T4S, R96W, 6th P.M.

1953 Brass Cap, 1.4' High, T-Post, 5/8" Rebar  
 Lat: 39.666078°  
 Long: 108.145375°

1953 Brass Cap, 0.5' High, Mound of Stones  
 Lat: 39.666072°  
 Long: 108.135978°

1953 Brass Cap, 0.8' High, Mound of Stones  
 Lat: 39.666042°  
 Long: 108.126567°

**BASIS OF BEARINGS**

S89°54'00"W - 2647.29' (Meas.)      N89°55'01"W - 2650.56' (Meas.)

LINE TABLE		
LINE	DIRECTION	LENGTH
L1	S00°52'27"W	62.59'
L2	N88°56'51"W	188.70'
L3	N89°50'22"W	195.13'
L4	N89°46'38"W	215.17'

AS-DRILLED BJU  
 G35 FED 23C-35 496  
 Elev. Graded  
 Ground = 8174.4'

1995'

Wellbore

1953 Brass Cap,  
 0.5' High, T-Post  
 Lat: 39.658806°  
 Long: 108.126564°

1953 Brass Cap,  
 0.6' High, Stones,  
 T-Post, 5/8" Rebar  
 Lat: 39.658831°  
 Long: 108.145378°

1953 Brass Cap,  
 0.3' High, Mound  
 of Stones  
 Lat: 39.658633°  
 Long: 108.126569°

35  
 Top Of Gas Interval  
 Bottom Hole

LOT 1

LOT 2

LOT 3

LOT 4

1953 Brass Cap,  
 0.2' High, E-W  
 Fence, Mound of  
 Stones, T-Post  
 Lat: 39.651392°  
 Long: 108.146142°

1971 Brass Cap,  
 0.2' High, Mound  
 of Stones  
 Lat: 39.651386°  
 Long: 108.145378°

1917 Brass Cap,  
 1.3' High, E-W  
 Fence, 3" PVC Post  
 Lat: 39.651431°  
 Long: 108.136760°

Sec. Corner Re-Estab.  
 Mathematically Grant  
 Boundary Method  
 (Not Set)

1917 Brass Cap,  
 1.8' High, E-W  
 Fence, T-Post  
 Lat: 39.651464°  
 Long: 108.127369°

1953 Brass Cap,  
 0.8' High, N-E-W  
 Fence, 3" PVC Post  
 Lat: 39.651453°  
 Long: 108.126700°

PDOP = 1.7

<b>NAD 83 (AS-DRILLED LOCATION)</b>
LATITUDE = 39°39'38.14" (39.660593°)
LONGITUDE = 108°08'05.75" (108.134930°)
<b>NAD 27 (AS-DRILLED LOCATION)</b>
LATITUDE = 39°39'38.22" (39.660618°)
LONGITUDE = 108°08'03.46" (108.134294°)
<b>UTM NAD 27 (ZONE 12)</b>
N: 14415347.32' E: 2447003.34'
<b>NAD 83 (TOP OF GAS INTERVAL)</b>
LATITUDE = 39°39'27.85" (39.657737°)
LONGITUDE = 108°08'04.42" (108.134561°)
<b>NAD 27 (TOP OF GAS INTERVAL)</b>
LATITUDE = 39°39'27.94" (39.657762°)
LONGITUDE = 108°08'02.13" (108.133926°)
<b>UTM NAD 27 (ZONE 12)</b>
N: 14414310.44' E: 2447140.29'

**NOTE:**

- Distances referenced on plat to section lines are perpendicular.
- Wellbore data provided by Caerus Oil & Gas LLC.

<b>NAD 83 (BOTTOM HOLE)</b>
LATITUDE = 39°39'27.12" (39.657532°)
LONGITUDE = 108°08'04.98" (108.134715°)
<b>NAD 27 (BOTTOM HOLE)</b>
LATITUDE = 39°39'27.20" (39.657557°)
LONGITUDE = 108°08'02.69" (108.134080°)
<b>UTM NAD 27 (ZONE 12)</b>
N: 14414234.44' E: 2447099.25'



**CERTIFICATE**

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED AND LOCATION AS SHOWN WAS STAKED ON THE GROUND FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



REGISTERED PROFESSIONAL SURVEYOR  
 REGISTRATION NO. 38130  
 STATE OF COLORADO 04-05-22

REV: 1 04-05-22 M.D. (TGI AND BHL CHANGE)

**BASIS OF BEARINGS**  
 BEARINGS ARE A BASED ASSUMPTION THAT THE NORTH LINE OF THE NORTHEAST 1/4 OF SECTION 35 BEARS N89°55'01"W. MONUMENTS DESCRIBED HEREON.

**BASIS OF ELEVATION**  
 BENCH MARK (H79) LOCATED IN THE NE 1/4 OF SECTION 35, T4S, R98W, 6th P.M., TAKEN FROM THE BULL FORK, QUADRANGLE, COLORADO, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 8535 FEET.



**UELS, LLC**  
 Corporate Office \* 85 South 200 East  
 Vernal, UT 84078 \* (435) 789-1017



**Caerus Oil & Gas LLC**

**AS-DRILLED BJU G35 FED 23C-35 496**  
 SW 1/4 NE 1/4, SECTION 35, T4S, R96W, 6th P.M.  
 GARFIELD COUNTY, COLORADO

SURVEYED BY	DENNIS PETTY	01-19-21	SCALE
DRAWN BY	M.D.	06-14-21	1" = 1000'

**AS-DRILLED WELL LOCATION PLAT**