







Database File chevron\_guttersen\_d\_10-725\_rcbl.db  
 Dataset Pathname CBL2  
 Presentation Format rcbl\_hh  
 Dataset Creation Mon Mar 28 16:13:33 2022  
 Charted by Depth in Feet scaled 1:240


400	Travel Time (usec)	200	ing Co	0	Amplitude (mV)	100	-5	Sector 1	150	Variable Density 200 (usec) 1200	1 Cement Map 8
0	Gamma Ray (GAPI)	150	9 -1		Amplified Amplitude		-5	Sector 2	150		
50	TEMP (degF)	250	e Tens	0	(mV)	10	-5	Sector 3	150		
	TEMP		(lb)				-5	Sector 4	150		
	(degF)		(2000				-5	Sector 5	150		
							-5	Sector 6	150		
							-5	Sector 7	150		
							-5	Sector 8	150		



















91

92

94


95


1500


1550


1600


1650

































151

152

154





155






3700





3750

3800

3850












































236

6800

237

6850

238

6900

238


6950


Casing Collar Locator

Amplitude

Amplified Amplitude

Gamma Ray









# REPEAT PASS

0 PSI

Database File: chevron\_guttersen\_d\_10-725\_rcbl.db  
 Dataset Pathname: REPEATPASS1  
 Presentation Format: scbl03  
 Dataset Creation: Mon Mar 28 14:57:32 2022  
 Charted by: Depth in Feet scaled 1:240







Calibration Report

Database File chevron\_guttersen\_d\_10-725\_rcbl.db  
 Dataset Pathname CBL2  
 Dataset Creation Mon Mar 28 16:13:33 2022

Compensated Neutron Calibration Report

Serial Number: 070614\_#08275010  
 Tool Model: 275\_CNL

TANK CALIBRATION

Mon Feb 15 08:02:36 2016

	Tool Ratio	Tank Ratio	K-Factor
Tank Calibration	11.2663	11.6940	1.0380
	Detector	Readings	
	Short Space	905.06 cps	
	Long Space	80.33 cps	

Gamma Ray Calibration Report

Serial Number: FW1401-53  
 Tool Model: Probe275  
 Performed: (Not Performed)

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps  
 Calibrator Reading: 1.0 cps  
 Sensitivity: 1.0000 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number: FW1304-128  
 Tool Model: Probe 2.75 Radii W/Temp  
 Calibration Casing Diameter: 5.500 in  
 Calibration Depth: 271.117 ft

Master Calibration, performed Mon Mar 28 14:28:54 2022:


	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.007	0.642	1.000	71.921	109.411	1.721
CAL	-0.007	0.773				
5'	-0.006	0.587	1.000	71.921	119.603	1.771
SUM						
S1	0.007	0.635	0.000	100.000	159.353	-1.183
S2	-0.008	0.658	0.000	100.000	150.097	1.167
S3	-0.007	0.660	0.000	100.000	149.771	1.123
S4	-0.007	0.650	0.000	100.000	152.126	1.118
S5	-0.007	0.641	0.000	100.000	154.220	1.133
S6	-0.007	0.635	0.000	100.000	155.753	1.074
S7	-0.006	0.618	0.000	100.000	160.094	1.004
S8	-0.005	0.615	0.000	100.000	161.187	0.862


Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	-0.007	0.773	1.000	0.000

Air Zero Calibration, performed Mon Apr 29 13:01:32 2019:

	Raw (v)		Calibrated (v)		Results	
	Zero		Zero		Offset	
3'	0.000		0.000			0.000
5'	0.000		0.000			0.000
SUM						
S1	0.000		0.000			0.000
S2	0.000		0.000			0.000
S3	0.000		0.000			0.000
S4	0.000		0.000			0.000
S5	0.000		0.000			0.000
S6	0.000		0.000			0.000
S7	0.000		0.000			0.000
S8	0.000		0.000			0.000

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
HeadVolt	19.37		CHD-Titan Titan 1 7/16" GO Cablehead	1.00	1.44	5.00



Dataset: chevron\_guttersen\_d\_10-725\_rcbl.db: field/well/run1/CBL2  
 Total length: 20.24 ft  
 Total weight: 192.00 lb  
 O.D.: 2.75 in



Company CHEVRON  
 Well GUTTERSEN D10-725  
 Field WATTENBERG



Field WATTENBERG  
County WELD  
State COLORADO

Country USA