

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 04/18/2022 Document Number: 403018488

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

OGCC Operator Number: 95520 Contact Person: Dave Weinert Company Name: WESCO OPERATING INC Phone: (307) 577-5329 Address: 120 S DURBIN STREET Email: davew@kirkwoodcompanies.com City: CASPER State: WY Zip: 82602 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No [ ]

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 435765 Location Type: Production Facilities Name: Trelevan Tank Battery-LOCATION Number: County: MOFFAT Qtr Qtr: SW Section: 32 Township: 5n Range: 95w Meridian: 6 Latitude: 40.336982 Longitude: -108.091313

Description of Corrosion Protection

see attached submittal for the corrosion protection plan titled "Pipeline Preventive Maintenance Program - Trelevan - Danforth Hills Field" (includes intergrity management program)

Description of Integrity Management Program

see attached submittal for the integrity management program (included with corrosion protection plan)

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 477822 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Tank

Flowline Start Point Location Identification

Location ID: Location Type: Production Facilities [ ] Name: TRELEAVEN-GOVERNMENT-65N95W Number: 31NWNE

County: MOFFAT

No Location ID

Qtr Qtr: NWNE Section: 31 Township: 5N Range: 95W Meridian: 6

Latitude: 40.344937 Longitude: -108.101665

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Produced Water Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 01/03/1990

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 11/30/2006

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

This line was registered as an injection line, but has not been used for any purpose at least since the field was purchased by Wesco in September, 2010. The Trelevan #7 water disposal well was converted to a water well in 2006 by a previous operator. The "out of service" date for the line as listed above is based on the date indicated on the sundry (document # 1738183) submitted to the COGCC by a previous operator as the date that the conversion from water disposal well to water supply well was completed. The Trelevan #7 former water disposal well/water well was plugged in June, 2020. The COGCC engineers comments on the approved well abandonment report (COGCC document #402438210 - approved 10/8/2020) states in part "Converted to water well in 2006. Not COGCC jurisdiction". Wesco has placed this line in Out of Service status because we believe it meets the COGCC definition for "Out of Service".

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 477826 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 312890 Location Type: Well Site

Name: GOV'T-TRELEAVEN-65N95W Number: 32SWNW

County: MOFFAT No Location ID

Qtr Qtr: SWNW Section: 32 Township: 5N Range: 95W Meridian: 6

Latitude: 40.340947 Longitude: -108.095544

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 01/01/2000

Maximum Anticipated Operating Pressure (PSI): 80 Testing PSI: 200

Test Date: 10/17/2019

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 477825 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 312991 Location Type: Well Site   
Name: GOV'T TRELEAVEN-65N95W Number: 31NENE  
County: MOFFAT No Location ID  
Qtr Qtr: NENE Section: 31 Township: 5N Range: 95W Meridian: 6  
Latitude: 40.344607 Longitude: -108.096754

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 01/01/2000  
Maximum Anticipated Operating Pressure (PSI): 110 Testing PSI: 320  
Test Date: 10/16/2019

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 477823 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 312769 Location Type: Well Site   
Name: GOV'T-TRELEAVEN-65N95W Number: 31NENE  
County: MOFFAT No Location ID  
Qtr Qtr: NENE Section: 31 Township: 5N Range: 95W Meridian: 6  
Latitude: 40.346767 Longitude: -108.096504

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 01/01/2000  
Maximum Anticipated Operating Pressure (PSI): 100 Testing PSI: 200  
Test Date: 10/16/2019

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 477824 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 312767 Location Type: Well Site   
Name: GOVERNMENT TRELEAVEN-65N95W Number: 31SENE  
County: MOFFAT No Location ID  
Qtr Qtr: SENE Section: 31 Township: 5N Range: 95W Meridian: 6  
Latitude: 40.343277 Longitude: -108.097604

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 01/01/2000  
Maximum Anticipated Operating Pressure (PSI): 130 Testing PSI: 100  
Test Date: 08/12/2020

**OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 05/19/2022

**Pre-Abandonment 30-day Notice**

- Removed per Rule 1105.d.(2)
- Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:
  - A. A surface owner agreement executed by a surface owner allows abandonment in place.
  - B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
  - C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
  - D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
  - E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
  - F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
  - G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
  - H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.
- Abandoned In Place per Rule 1105.d.(3)

**Description of Pre-Abandonment Notice:**

Wesco is proposing to abandon this flowline in accordance with the procedure included in the attached approved BLM sundry. The well (Trelevan #6) which formerly utilized this flowline was permanently plugged and abandoned in 2021. The flowline was most recently pressured tested on August 12th, 2020 to 100 psi. A copy of the most recent (2020) pressure test chart is also attached.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 477827 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Tank

**Flowline Start Point Location Identification**

Location ID: 312850 Location Type: Production Facilities

Name: TRELEAVEN-GOV-65N95W Number: 29SWSW

County: MOFFAT No Location ID

Qtr Qtr: SWSW Section: 29 Township: 5N Range: 95W Meridian: 6

Latitude: 40.350117 Longitude: -108.092584

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Produced Water Pipe Material: Fiberspar Max Outer Diameter:(Inches) 2.000

Bedding Material: Native Materials Date Construction Completed: 06/01/2011

Maximum Anticipated Operating Pressure (PSI): 1300 Testing PSI: 1500

Test Date: 10/28/2019

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 477828 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 312766 Location Type: \_\_\_\_\_ Well Site

Name: TRELEAVEN-GOVERNMENT-65N95W Number: 32NESW

County: MOFFAT No Location ID

Qtr Qtr: NESW Section: 32 Township: 5N Range: 95W Meridian: 6

Latitude: 40.334877 Longitude: -108.089034

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 01/01/2000

Maximum Anticipated Operating Pressure (PSI): 80 Testing PSI: 200

Test Date: 10/16/2019

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**OPERATOR COMMENTS AND SUBMITTAL**

Comments Wesco is requesting permission to abandon the Government Trelevan #6 flowline in place. The line will be abandoned according to the attached approved BLM sundry.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 04/18/2022 Email: davew@kirkwoodcompanies.com

Print Name: Dave Weinert Title: HSE Coordinator

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 5/9/2022



## Conditions of Approval

**COA Type****Description**

	Pursuant to Rule 911.a. Closure of Oil and Gas Facilities, Operator will submit a Site Investigation and Remediation Workplan via Form 27 for COGCC prior approval before conducting flowline abandonment.
--	--

## Attachment Check List

**Att Doc Num****Name**

403018488	Form44 Submitted
403018535	ABANDONMENT IN PLACE DOCUMENTATION
403018890	PRESSURE TEST

Total Attach: 3 Files

## General Comments

**User Group****Comment****Comment Date**

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)