

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 04/07/2022 Document Number: 403008428

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

OGCC Operator Number: 10633 Contact Person: James Miller Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (720) 984-7460 Address: 1801 CALIFORNIA STREET #2500 Email: jmiller@civiresources.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No [ ]

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 405923 Location Type: Production Facilities Name: BARCLAY CRISMAN-63N66W Number: 20SWSW County: WELD Qtr Qtr: SWSW Section: 20 Township: 3N Range: 66W Meridian: 6 Latitude: 40.206176 Longitude: -104.806461

Description of Corrosion Protection

Description of Integrity Management Program

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473031 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 336242 Location Type: Well Site [ ] Name: BARCLAY CRISMAN-63N66W Number: 20NWSW County: WELD No Location ID

Qtr Qtr: NWSW Section: 20 Township: 3N Range: 66W Meridian: 6

Latitude: 40.208933 Longitude: -104.809036

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/23/2006

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473607 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336271 Location Type: \_\_\_\_\_ Well Site

Name: BARCLAY CRISMAN-63N66W Number: 20SESW

County: WELD No Location ID

Qtr Qtr: SESW Section: 20 Township: 3N Range: 66W Meridian: 6

Latitude: 40.204754 Longitude: -104.803626

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 04/28/1998

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473036 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336271 Location Type: Well Site  
Name: BARCLAY CRISMAN-63N66W Number: 20SESW  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 20 Township: 3N Range: 66W Meridian: 6  
Latitude: 40.204754 Longitude: -104.803626

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Date Construction Completed: 05/06/2007  
Maximum Anticipated Operating Pressure (PSI): Testing PSI:  
Test Date:

**OFF LOCATION FLOWLINE Pre-Abandonment Notice**

Date: 05/07/2022

**Pre-Abandonment 30-day Notice**

- Removed per Rule 1105.d.(2)
- Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:
  - A. A surface owner agreement executed by a surface owner allows abandonment in place.
  - B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
  - C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
  - D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
  - E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
  - F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
  - G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
  - H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.
- Abandoned In Place per Rule 1105.d.(3)

**Description of Pre-Abandonment Notice:**

The flowline serving the BARCLAY-CRISMAN 2-8-20 will be removed in its entirety via the open trench method. Once the flowline is removed, the trench will be backfilled and the land surface will be graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473028 Flowline Type: Wellhead Line Action Type:

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336242 Location Type: Well Site   
Name: BARCLAY CRISMAN-63N66W Number: 20NWSW  
County: WELD No Location ID  
Qtr Qtr: NWSW Section: 20 Township: 3N Range: 66W Meridian: 6  
Latitude: 40.208933 Longitude: -104.809036

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/17/2001  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473027 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 330862 Location Type: Well Site   
Name: BARCLAY CRISMAN-63N66W Number: 20SWSW  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 20 Township: 3N Range: 66W Meridian: 6  
Latitude: 40.204798 Longitude: -104.808880

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 08/24/2001  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473608 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 330717 Location Type: \_\_\_\_\_ Well Site

Name: BARCLAY CRISMAN-63N66W Number: 20NESW

County: WELD No Location ID

Qtr Qtr: NESW Section: 20 Township: 3N Range: 66W Meridian: 6

Latitude: 40.208476 Longitude: -104.803501

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 02/22/2000

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473026 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 328937 Location Type: \_\_\_\_\_ Well Site

Name: BARCLAY-CHRISMAN-63N66W Number: 20NWSW

County: WELD No Location ID

Qtr Qtr: NWSW Section: 20 Township: 3N Range: 66W Meridian: 6

Latitude: 40.207486 Longitude: -104.807041

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 10/30/1999

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**OPERATOR COMMENTS AND SUBMITTAL**

Comments This form 44 is being filed for a PRE-ABANDONMENT NOTIFICATION. This flowline (12324110\_FL) will be removed in its entirety. The subject flowline serviced the BARCLAY-CRISMAN2-8-20 (05-123-24110). GIS data has previously been submitted. It is anticipated that abandonment operations will start on or about 5/7/2022.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 04/07/2022 Email: flowlines@civiresources.com

Print Name: Stephany Olsen Title: Regulatory Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  **Director of COGCC** Date: 5/11/2022

## Conditions of Approval

**COA Type**

**Description**

--	--

### Attachment Check List

**Att Doc Num**

**Name**

403008428	Form44 Submitted
-----------	------------------

Total Attach: 1 Files

### General Comments

**User Group**

**Comment**

**Comment Date**

Engineer	Please submit GIS for this line with the abandoned status with the abandonment verification follow-up form.	05/11/2022
Engineer	Pursuant to Rule 911.a. Closure of Oil and Gas Facilities, Operator will submit a Site Investigation and Remediation Workplan via Form 27 for COGCC prior approval before conducting flowline abandonment.	05/11/2022

Total: 2 comment(s)