




# REPEAT SECTION

| | |
|---|---|
| Database File | civitas warner 2c-10h-e165copy.db |
| Dataset Pathname | pass3 |
| Presentation Format | sfww_cbl_oasis-sectors (2) |
| Dataset Creation | Mon Mar 21 17:56:56 2022 |
| Charted by | Depth in Feet scaled 1:240 |




## Calibration Report

| | |
|---|---|
| Database File | civitas warner 2c-10h-e165copy.db |
| Dataset Pathname | pass4 |
| Dataset Creation | Mon Mar 21 18:04:00 2022 |

### Gamma Ray Calibration Report

| | | |
|---|---|---|
| Serial Number: | FW1905-098 | |
| Tool Model: | GCT275-0000 | |
| Performed: | Mon May 4 14:03:10 2020 | |
| Calibrator Value: | 1.0 | GAPI |
| Background Reading: | 0.0 | cps |
| Calibrator Reading: | 1.0 | cps |
| Sensitivity: | 0.5800 | GAPI/cps |

### Segmented Cement Bond Log Calibration Report

| | | |
|---|---|---|
| Serial Number: | FW1905-055 | |
| Tool Model: | Probe | |
| Calibration Casing Diameter: | 4.500 | in |
| Calibration Depth: | 2836.667 | ft |

Master Calibration, performed Mon Mar 21 13:41:23 2022:

| | Raw (v) | | Calibrated (mv) | | Results | |
|---|---|---|---|---|---|---|
| | Zero | Cal | Zero | Cal | Gain | Offset |
| 3' | 0.000 | 1.092 | 0.800 | 71.921 | 65.157 | 0.775 |
| CAL | -0.000 | 1.251 | | | | |
| 5' | -0.000 | 0.863 | 0.800 | 71.921 | 82.376 | 0.827 |
| SUM | | | | | | |
| S1 | 0.001 | 1.052 | 0.000 | 71.921 | 68.406 | -0.050 |
| S2 | 0.001 | 1.051 | 0.000 | 71.921 | 68.484 | -0.041 |
| S3 | 0.000 | 1.060 | 0.000 | 71.921 | 67.835 | -0.016 |
| S4 | -0.001 | 1.063 | 0.000 | 71.921 | 67.636 | 0.050 |
| S5 | 0.000 | 1.093 | 0.000 | 71.921 | 65.829 | -0.010 |
| S6 | 0.001 | 1.119 | 0.000 | 71.921 | 59.328 | -0.073 |
| S7 | 0.000 | 1.123 | 0.000 | 71.921 | 59.092 | -0.030 |
| S8 | 0.000 | 1.101 | 0.000 | 71.921 | 65.360 | -0.030 |

Internal Reference Calibration, performed (Not Performed):

| | Raw (v) | | Calibrated (v) | | Results | |
|---|---|---|---|---|---|---|
| | Zero | Cal | Zero | Cal | Gain | Offset |
| CAL | 0.000 | 0.000 | -0.000 | 1.251 | 1.000 | 0.000 |

Air Zero Calibration, performed Tue Sep 21 11:19:14 2021:

| | Raw (v) | Calibrated (v) | Results |
|---|---|---|---|
| | Zero | Zero | Offset |
| 3' | 0.000 | 0.000 | 0.000 |
| 5' | 0.000 | 0.000 | 0.000 |
| SUM | | | |
| S1 | 0.000 | 0.000 | 0.000 |
| S2 | 0.000 | 0.000 | 0.000 |
| S3 | 0.000 | 0.000 | 0.000 |
| S4 | 0.000 | 0.000 | 0.000 |
| S5 | 0.000 | 0.000 | 0.000 |
| S6 | 0.000 | 0.000 | 0.000 |
| S7 | 0.000 | 0.000 | 0.000 |
| S8 | 0.000 | 0.000 | 0.000 |