

State of Colorado  
Oil and Gas Conservation Commission1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

OGCC RECEPTION

Receive Date:

04/13/2022

Document Number:

403013986

## Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

## Operator Information

OGCC Operator Number: 96730 Contact Person: Pamela Richards  
Company Name: WILLIFORD ENERGY COMPANY Phone: (918) 4952734  
Address: 6060 AMERICAN PLAZA SUITE 760 Email: prichards@willifordenergy.com  
City: TULSA State: OK Zip: 74135  
Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes ☒ No ☐

## OFF LOCATION FLOWLINE

## FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 476137 Location Type: Manifold  
Name: RHOADES UNIT TUBING FLOWLINE Number: 3213S48W  
County: CHEYENNE  
Qtr Qtr: NWNW Section: 32 Township: 13S Range: 48W Meridian: 6  
Latitude: 38.878230 Longitude: -102.814565

Description of Corrosion Protection

Description of Integrity Management Program

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

## FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 476165 Flowline Type: Manifold Piping Action Type:

## OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Manifold

## Flowline Start Point Location Identification

Location ID: 321625 Location Type: Well Site ☐  
Name: RHOADES 13-31-613S48W Number: 31NWSW  
County: CHEYENNE No Location ID

Qtr Qtr: NWSW Section: 31 Township: 13S Range: 48W Meridian: 6

Latitude: 38.870851 Longitude: -102.826716

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Other Pipe Material: Fiberglass Max Outer Diameter:(Inches) 2.000

Bedding Material: Native Materials Date Construction Completed: 09/01/1988

Maximum Anticipated Operating Pressure (PSI): 200 Testing PSI:

Test Date:

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date:

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476166 Flowline Type: Manifold Piping Action Type:

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 321658 Location Type:  Well Site ☐

Name: RHOADES 5-613S48W Number: 32SEnw

County: CHEYENNE No Location ID

Qtr Qtr: SEnw Section: 32 Township: 13S Range: 48W Meridian: 6

Latitude: 38.874763 Longitude: -102.808857

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Other Pipe Material: Fiberglass Max Outer Diameter:(Inches) 2.000

Bedding Material: Native Materials Date Construction Completed: 09/01/1988

Maximum Anticipated Operating Pressure (PSI): 200 Testing PSI:

Test Date:

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date:

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476292 Flowline Type: Manifold Piping Action Type:

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 321659 Location Type: Well Site ☐  
Name: RHOADES 44-31-613S48W Number: 31SESE  
County: CHEYENNE No Location ID  
Qtr Qtr: SESE Section: 31 Township: 13S Range: 48W Meridian: 6  
Latitude: 38.867974 Longitude: -102.817349

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: POLY PIPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 09/01/1988  
Maximum Anticipated Operating Pressure (PSI): 100 Testing PSI:                       
Test Date:                     

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date:                     

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476294 Flowline Type: Manifold Piping Action Type:                     

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 321656 Location Type: Well Site ☐  
Name: RHOADES-613S48W Number: 32NWNW  
County: CHEYENNE No Location ID  
Qtr Qtr: NWNW Section: 32 Township: 13S Range: 48W Meridian: 6  
Latitude: 38.878360 Longitude: -102.812849

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: POLYPIPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 09/01/1988  
Maximum Anticipated Operating Pressure (PSI): 100 Testing PSI:                       
Test Date:

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476291 Flowline Type: Manifold Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 321658 Location Type: \_\_\_\_\_ Well Site ☐  
Name: RHOADES 5-613S48W Number: 32SENW  
County: CHEYENNE No Location ID  
Qtr Qtr: SENW Section: 32 Township: 13S Range: 48W Meridian: 6  
Latitude: 38.874763 Longitude: -102.808857

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: POLY PIPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 09/01/1988  
Maximum Anticipated Operating Pressure (PSI): 100 Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476295 Flowline Type: Manifold Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 321654 Location Type: \_\_\_\_\_ Well Site ☐  
Name: RHOADES-613S48W Number: 32NWNE  
County: CHEYENNE No Location ID  
Qtr Qtr: NWNE Section: 32 Township: 13S Range: 48W Meridian: 6  
Latitude: 38.878475 Longitude: -102.802985

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: POLY PIPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 09/01/1988  
Maximum Anticipated Operating Pressure (PSI): 100 Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:****FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476167 Flowline Type: Manifold Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 321653 Location Type: \_\_\_\_\_ Well Site ☐  
Name: RHOADES UNIT-613S48W Number: 32NENE  
County: CHEYENNE No Location ID  
Qtr Qtr: NENE Section: 32 Township: 13S Range: 48W Meridian: 6  
Latitude: 38.878520 Longitude: -102.798360

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Other Pipe Material: Fiberglass Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 09/01/1988  
Maximum Anticipated Operating Pressure (PSI): 200 Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:****FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476158 Flowline Type: Manifold Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 321656 Location Type: \_\_\_\_\_ Well Site ☐

Name: RHOADES-613S48W

Number: 32NWNW

County: CHEYENNE

No Location ID

Qtr Qtr: NWNW Section: 32 Township: 13S Range: 48W Meridian: 6

Latitude: 38.878360 Longitude: -102.812849

Equipment at Start Point Riser: Well

#### **Flowline Description and Testing**

Type of Fluid Transferred: Other Pipe Material: Fiberglass Max Outer Diameter:(Inches) 2.000

Bedding Material: Native Materials Date Construction Completed: 09/01/1988

Maximum Anticipated Operating Pressure (PSI): 200 Testing PSI:

Test Date:

#### **OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date:

#### **Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

#### **FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476293 Flowline Type: Manifold Piping Action Type:

#### **OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

#### **Flowline Start Point Location Identification**

Location ID: 321653 Location Type: Well Site

Name: RHOADES UNIT-613S48W Number: 32NENE

County: CHEYENNE No Location ID

Qtr Qtr: NENE Section: 32 Township: 13S Range: 48W Meridian: 6

Latitude: 38.878520 Longitude: -102.798360

Equipment at Start Point Riser: Well

#### **Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: POLY PIPE Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 09/01/1988

Maximum Anticipated Operating Pressure (PSI): 100 Testing PSI:

Test Date:

#### **OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date:

#### **Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**Flowline Facility ID: 476169 Flowline Type: Manifold Piping Action Type: \_\_\_\_\_**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Manifold**Flowline Start Point Location Identification**

Location ID: 321654 Location Type: \_\_\_\_\_ Well Site ☐

Name: RHOADES-613S48W Number: 32NWNE

County: CHEYENNE No Location ID

Qtr Qtr: NWNE Section: 32 Township: 13S Range: 48W Meridian: 6

Latitude: 38.878475 Longitude: -102.802985

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Other Pipe Material: Fiberglass Max Outer Diameter:(Inches) 2.000

Bedding Material: Native Materials Date Construction Completed: 09/01/1988

Maximum Anticipated Operating Pressure (PSI): 200 Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or  
Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**Flowline Facility ID: 476296 Flowline Type: Manifold Piping Action Type: \_\_\_\_\_**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Manifold**Flowline Start Point Location Identification**

Location ID: 321625 Location Type: \_\_\_\_\_ Well Site ☐

Name: RHOADES 13-31-613S48W Number: 31NWSW

County: CHEYENNE No Location ID

Qtr Qtr: NWSW Section: 31 Township: 13S Range: 48W Meridian: 6

Latitude: 38.870851 Longitude: -102.826716

Equipment at Start Point Riser: Manifold**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: POLY PIPE Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 09/01/1988

Maximum Anticipated Operating Pressure (PSI): 100 Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476168 Flowline Type: Manifold Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 321659 Location Type: \_\_\_\_\_ Well Site ☐

Name: RHOADES 44-31-613S48W Number: 31SESE

County: CHEYENNE No Location ID

Qtr Qtr: SESE Section: 31 Township: 13S Range: 48W Meridian: 6

Latitude: 38.867974 Longitude: -102.817349

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Other Pipe Material: Fiberglass Max Outer Diameter:(Inches) 2.000

Bedding Material: Native Materials Date Construction Completed: 09/01/1988

Maximum Anticipated Operating Pressure (PSI): 200 Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**OPERATOR COMMENTS AND SUBMITTAL**

Comments

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 04/13/2022 Email: prichards@willifordenergy.com

Print Name: Pamela Richards Title: Operations Tech

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 5/18/2022





## Conditions of Approval

**COA Type**

**Description**

## Attachment Check List

**Att Doc Num**

**Name**

403013986	Form44 Submitted
403014004	OFF-LOCATION FLOWLINE GIS KML
403014005	OFF-LOCATION FLOWLINE GIS KML
403014006	OFF-LOCATION FLOWLINE GIS KML
403014007	OFF-LOCATION FLOWLINE GIS KML
403014024	OFF-LOCATION FLOWLINE GIS KML
403014028	OFF-LOCATION FLOWLINE GIS KML
403014029	OFF-LOCATION FLOWLINE GIS KML
403014030	OFF-LOCATION FLOWLINE GIS KML
403014031	OFF-LOCATION FLOWLINE GIS KML
403014032	OFF-LOCATION FLOWLINE GIS KML
403014033	OFF-LOCATION FLOWLINE GIS KML
403014034	OFF-LOCATION FLOWLINE GIS KML
403053556	OFF-LOCATION FLOWLINE GIS KML

Total Attach: 14 Files

## General Comments

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)