


ANALYTICAL REPORT

Eurofins TestAmerica, Denver
4955 Yarrow Street
Arvada, CO 80002
Tel: (303)736-0100

Laboratory Job ID: 280-150984-1
Client Project/Site: 909j water sampling

For:
Evergreen Natural Resources LLC
27000 Hwy 12
Trinidad, Colorado 81082

Attn: Stacey Wiseman



Authorized for release by:
7/29/2021 8:35:05 AM

Danielle Harrington, Project Manager II
(303)736-0176
Danielle.Harrington@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions	3
Case Narrative	4
Detection Summary	6
Method Summary	7
Sample Summary	8
Client Sample Results	9
Surrogate Summary	11
Chronicle	12
Chain of Custody	13

Definitions/Glossary

Client: Evergreen Natural Resources LLC
Project/Site: 909j water sampling

Job ID: 280-150984-1

Qualifiers

GC VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.

Metals

Qualifier	Qualifier Description
^6+	Interference Check Standard (ICSA and/or ICSAB) is outside acceptance limits, high biased.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
B	Compound was found in the blank and sample.

General Chemistry

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Evergreen Natural Resources LLC
Project/Site: 909j water sampling

Job ID: 280-150984-1

Job ID: 280-150984-1

Laboratory: Eurofins TestAmerica, Denver

Narrative

CASE NARRATIVE

Client: Evergreen Natural Resources LLC

Project: 909j Water Sampling

Report Number: 280-150984-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

This report may include reporting limits (RLs) less than Eurofins TestAmerica's standard reporting limit. The reported sample results and associated reporting limits are being used specifically to meet the needs of this project. Note that data are not normally reported to these levels without qualification because they are inherently less reliable and potentially less defensible than required by the latest industry standards.

Receipt

The sample was received on 7/21/2021. Unless otherwise noted below, the sample arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.9° C.

GC/MS Volatiles, 8260B

The method 8260B MS/MSD could not be performed, due to insufficient sample volume. Method precision and accuracy have been verified by the acceptable LCS/LCSD analysis data.

No other anomalies were observed.

GC Volatiles, 8015C

The method 8015C MS/MSD could not be performed, due to insufficient sample volume. Method precision and accuracy have been verified by the acceptable LCS/LCSD analysis data.

Surrogate a,a,a-Trifluorotoluene for method 8015C was recovered above the QC limits in sample 257767. This anomaly is due to obvious matrix interferences; therefore, corrective action is deemed unnecessary. Sample data should be considered biased high.

No other anomalies were observed.

GC Semivolatiles, 8015C

The method 8015C MS/MSD could not be performed, due to insufficient sample volume. Method precision and accuracy have been verified by the acceptable LCS/LCSD analysis data.

The following samples 257767 (280-150984-1) were yellow/green in color.

No other anomalies were observed.

Total Metals, MCAWW 200.7, MCAWW 200.8

Iron is present at a level greater than the reporting limit in the method blank associated with QC batch 280-544391. As the associated sample amounts are ten times greater than the method blank concentration, corrective action is deemed unnecessary.

The interference check standard solution (ICSA) associated with batch 280-544479 had results for one or more elements at a level greater than the limit of detection (LOD). The initial ICSA result(24.8 ppb) was > LOD (10 ppb)for Sr. The laboratory has verified using mass spec that this element is a trace impurity in the ICSA standard. These results are not indicative of a matrix interference.

Case Narrative

Client: Evergreen Natural Resources LLC
Project/Site: 909j water sampling

Job ID: 280-150984-1

Job ID: 280-150984-1 (Continued)

Laboratory: Eurofins TestAmerica, Denver (Continued)

The accuracy and precision of the Sodium MS/MSD performed on a laboratory generated sample could not be reliably evaluated, as the concentrations present in the parent sample were 4 times greater than the matrix spike concentration. The acceptable LCS analysis data indicated that the analytical system was operating within control; therefore, corrective action is deemed unnecessary.

The Method 200.8 MS/MSD was performed on sample from another client and/or lot and was outside control limits.

No other anomalies were observed.

General Chemistry, Various Methods

The accuracy and precision of the Sulfate MS/MSD performed on a laboratory generated sample could not be reliably evaluated, as the concentrations present in the parent sample were 4 times greater than the matrix spike concentration. The acceptable LCS analysis data indicated that the analytical system was operating within control; therefore, corrective action is deemed unnecessary.

All other MS/MSDs were performed on samples from other clients and/or jobs and were in control.

The Total Dissolved Solids Sample Duplicates were performed on samples 257767 and were in control.

All other Sample Duplicates were performed on samples from another client and/or lot and were in control.

No other anomalies were observed.



Detection Summary

Client: Evergreen Natural Resources LLC
 Project/Site: 909j water sampling

Job ID: 280-150984-1

Client Sample ID: 257767

Lab Sample ID: 280-150984-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	6.8		0.50		ug/L	1		8260B	Total/NA
Ethylbenzene	1.4		0.50		ug/L	1		8260B	Total/NA
m-Xylene & p-Xylene	2.7		0.50		ug/L	1		8260B	Total/NA
o-Xylene	0.89		0.50		ug/L	1		8260B	Total/NA
Xylenes, Total	3.6		0.50		ug/L	1		8260B	Total/NA
Naphthalene	4.0		1.0		ug/L	1		8260B	Total/NA
Gasoline Range Organics (GRO)-C6-C10	91		25		ug/L	1		8015C	Total/NA
Barium	990		10		ug/L	1		200.7 Rev 4.4	Total/NA
Calcium	2.9		0.20		mg/L	1		200.7 Rev 4.4	Total/NA
Iron	5800	B	100		ug/L	1		200.7 Rev 4.4	Total/NA
Potassium	3600		3000		ug/L	1		200.7 Rev 4.4	Total/NA
Magnesium	1.1		0.20		mg/L	1		200.7 Rev 4.4	Total/NA
Manganese	67		10		ug/L	1		200.7 Rev 4.4	Total/NA
Sodium	690		5.0		mg/L	1		200.7 Rev 4.4	Total/NA
Strontium	670	^6+	10		ug/L	1		200.7 Rev 4.4	Total/NA
Bromide	2.0		0.23		mg/L	1		300.0	Total/NA
Nitrate as N	0.14		0.10		mg/L	1		300.0	Total/NA
Chloride	280		5.1		mg/L	5		300.0	Total/NA
Fluoride	5.1		0.20		mg/L	1		300.0	Total/NA
Phosphorus, Total	0.057		0.050		mg/L	1		365.1	Total/NA
Total Alkalinity	1200		10		mg/L	1		SM 2320B	Total/NA
Bicarbonate Alkalinity as CaCO3	1100		10		mg/L	1		SM 2320B	Total/NA
Carbonate Alkalinity as CaCO3	80		10		mg/L	1		SM 2320B	Total/NA
Specific Conductance	2800		1.0		umhos/cm	1		SM 2510B	Total/NA
Total Dissolved Solids	1700		20		mg/L	1		SM 2540C	Total/NA
pH	8.5	HF	0.1		SU	1		SM 4500 H+ B	Total/NA
Field pH	8.31				SU	1		Field Sampling	Total/NA
Field Conductivity	2719				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	21.4				Degrees C	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Denver

Method Summary

Client: Evergreen Natural Resources LLC
Project/Site: 909j water sampling

Job ID: 280-150984-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL DEN
8015C	Nonhalogenated Organics using GC/FID -Modified (Gasoline Range Organics)	SW846	TAL DEN
8015C	Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)	SW846	TAL DEN
200.7 Rev 4.4	Metals (ICP)	EPA	TAL DEN
200.8	Metals (ICP/MS)	EPA	TAL DEN
300.0	Anions, Ion Chromatography	MCAWW	TAL DEN
365.1	Phosphorus, Total	EPA	TAL DEN
SM 2320B	Alkalinity	SM	TAL DEN
SM 2510B	Conductivity, Specific Conductance	SM	TAL DEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL DEN
SM 2540D	Solids, Total Suspended (TSS)	SM	TAL DEN
SM 4500 H+ B	pH	SM	TAL DEN
Field Sampling	Field Sampling	EPA	TAL DEN
200.7	Preparation, Total Metals	EPA	TAL DEN
200.8	Preparation, Total Metals	EPA	TAL DEN
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	TAL DEN
365.2/365.3/365	Phosphorus, Total	MCAWW	TAL DEN
5030B	Purge and Trap	SW846	TAL DEN
5030C	Purge and Trap	SW846	TAL DEN

Protocol References:

EPA = US Environmental Protection Agency

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL DEN = Eurofins TestAmerica, Denver, 4955 Yarrow Street, Arvada, CO 80002, TEL (303)736-0100

Sample Summary

Client: Evergreen Natural Resources LLC
Project/Site: 909j water sampling

Job ID: 280-150984-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
280-150984-1	257767	Water	07/20/21 13:00	07/21/21 10:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Client Sample Results

Client: Evergreen Natural Resources LLC
Project/Site: 909j water sampling

Job ID: 280-150984-1

Client Sample ID: 257767

Lab Sample ID: 280-150984-1

Date Collected: 07/20/21 13:00

Matrix: Water

Date Received: 07/21/21 10:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	6.8		0.50		ug/L			07/23/21 12:34	1
Ethylbenzene	1.4		0.50		ug/L			07/23/21 12:34	1
Toluene	ND		0.50		ug/L			07/23/21 12:34	1
m-Xylene & p-Xylene	2.7		0.50		ug/L			07/23/21 12:34	1
o-Xylene	0.89		0.50		ug/L			07/23/21 12:34	1
Xylenes, Total	3.6		0.50		ug/L			07/23/21 12:34	1
Naphthalene	4.0		1.0		ug/L			07/23/21 12:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 127		07/23/21 12:34	1
Toluene-d8 (Surr)	99		80 - 125		07/23/21 12:34	1
4-Bromofluorobenzene (Surr)	102		78 - 120		07/23/21 12:34	1
Dibromofluoromethane (Surr)	97		77 - 120		07/23/21 12:34	1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Gasoline Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	91		25		ug/L			07/22/21 13:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	167	S1+	82 - 110		07/22/21 13:04	1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DRO [C10-C36]	ND		0.47		mg/L		07/22/21 14:00	07/26/21 13:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	78		50 - 115	07/22/21 14:00	07/26/21 13:00	1

Method: 200.7 Rev 4.4 - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	ND		100		ug/L		07/26/21 09:20	07/27/21 12:08	1
Barium	990		10		ug/L		07/26/21 09:20	07/27/21 12:08	1
Calcium	2.9		0.20		mg/L		07/26/21 09:20	07/27/21 12:08	1
Iron	5800	B	100		ug/L		07/26/21 09:20	07/27/21 12:08	1
Potassium	3600		3000		ug/L		07/26/21 09:20	07/27/21 12:08	1
Magnesium	1.1		0.20		mg/L		07/26/21 09:20	07/27/21 12:08	1
Manganese	67		10		ug/L		07/26/21 09:20	07/27/21 12:08	1
Sodium	690		5.0		mg/L		07/26/21 09:20	07/27/21 12:08	1
Strontium	670	^6+	10		ug/L		07/26/21 09:20	07/27/21 12:08	1

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Selenium	ND		5.0		ug/L		07/27/21 08:51	07/27/21 17:11	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromide	2.0		0.23		mg/L			07/21/21 16:37	1
Nitrate as N	0.14		0.10		mg/L			07/21/21 16:37	1
Chloride	280		5.1		mg/L			07/21/21 16:51	5
Nitrite as N	ND		0.10		mg/L			07/21/21 16:37	1
Fluoride	5.1		0.20		mg/L			07/21/21 16:37	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: Evergreen Natural Resources LLC
 Project/Site: 909j water sampling

Job ID: 280-150984-1

Client Sample ID: 257767

Lab Sample ID: 280-150984-1

Date Collected: 07/20/21 13:00

Matrix: Water

Date Received: 07/21/21 10:00

General Chemistry (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	ND		5.0		mg/L			07/21/21 16:37	1
Phosphorus, Total	0.057		0.050		mg/L		07/22/21 09:01	07/23/21 12:24	1
Total Alkalinity	1200		10		mg/L			07/23/21 01:02	1
Bicarbonate Alkalinity as CaCO3	1100		10		mg/L			07/23/21 01:02	1
Carbonate Alkalinity as CaCO3	80		10		mg/L			07/23/21 01:02	1
Total Dissolved Solids	1700		20		mg/L			07/23/21 11:10	1
Total Suspended Solids	ND		4.0		mg/L			07/21/21 14:56	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Specific Conductance	2800		1.0		umhos/cm			07/22/21 11:59	1
pH	8.5	HF	0.1		SU			07/22/21 18:21	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Prepared	Analyzed	Dil Fac
Field pH	8.31				SU			07/20/21 13:00	1
Field Conductivity	2719				umhos/cm			07/20/21 13:00	1
Field Temperature	21.4				Degrees C			07/20/21 13:00	1

Surrogate Summary

Client: Evergreen Natural Resources LLC
Project/Site: 909j water sampling

Job ID: 280-150984-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (70-127)	TOL (80-125)	BFB (78-120)	DBFM (77-120)
280-150984-1	257767	97	99	102	97
LCS 280-544049/4	Lab Control Sample	94	98	102	95
LCSD 280-544049/5	Lab Control Sample Dup	93	97	103	95
MB 280-544049/9	Method Blank	95	97	102	99

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Gasoline Range Organics)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TFT1 (82-110)
280-150984-1	257767	167 S1+
LCS 280-543963/3	Lab Control Sample	109
LCSD 280-543963/4	Lab Control Sample Dup	109
MB 280-543963/8	Method Blank	104

Surrogate Legend

TFT = a,a,a-Trifluorotoluene

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTPH1 (50-115)
280-150984-1	257767	78
LCS 280-543938/2-A	Lab Control Sample	88
LCSD 280-543938/3-A	Lab Control Sample Dup	96
MB 280-543938/1-A	Method Blank	72

Surrogate Legend

OTPH = o-Terphenyl (Surr)

Lab Chronicle

Client: Evergreen Natural Resources LLC
 Project/Site: 909j water sampling

Job ID: 280-150984-1

Client Sample ID: 257767

Lab Sample ID: 280-150984-1

Date Collected: 07/20/21 13:00

Matrix: Water

Date Received: 07/21/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	544049	07/23/21 12:34	RJS	TAL DEN
Total/NA	Analysis	8015C		1	5 mL	5 mL	543963	07/22/21 13:04	CAS	TAL DEN
Total/NA	Prep	3510C			1054.8 mL	1 mL	543938	07/22/21 14:00	KPM	TAL DEN
Total/NA	Analysis	8015C		1			544256	07/26/21 13:00	JSM	TAL DEN
Total/NA	Prep	200.7			50 mL	50 mL	544056	07/26/21 09:20	MAB	TAL DEN
Total/NA	Analysis	200.7 Rev 4.4		1			544479	07/27/21 12:08	LMT	TAL DEN
Total/NA	Prep	200.8			50 mL	50 mL	544213	07/27/21 08:51	MAB	TAL DEN
Total/NA	Analysis	200.8		1			544536	07/27/21 17:11	LMT	TAL DEN
Total/NA	Analysis	300.0		1	5 mL	5 mL	543787	07/21/21 16:37	JMB	TAL DEN
Total/NA	Analysis	300.0		1	5 mL	5 mL	543788	07/21/21 16:37	JMB	TAL DEN
Total/NA	Analysis	300.0		5	5 mL	5 mL	543788	07/21/21 16:51	JMB	TAL DEN
Total/NA	Prep	365.2/365.3/365			50 mL	50 mL	543920	07/22/21 09:01	MRU	TAL DEN
Total/NA	Analysis	365.1		1			544141	07/23/21 12:24	SPG	TAL DEN
Total/NA	Analysis	SM 2320B		1			544076	07/23/21 01:02	ECC	TAL DEN
Total/NA	Analysis	SM 2510B		1			543972	07/22/21 11:59	ECC	TAL DEN
Total/NA	Analysis	SM 2540C		1	50 mL	100 mL	544090	07/23/21 11:10	LRB	TAL DEN
Total/NA	Analysis	SM 2540D		1	250 mL	250 mL	543852	07/21/21 14:56	LRB	TAL DEN
Total/NA	Analysis	SM 4500 H+ B		1			544075	07/22/21 18:21	ECC	TAL DEN
Total/NA	Analysis	Field Sampling		1			544365	07/20/21 13:00	C1A	TAL DEN

Laboratory References:



TAL DEN = Eurofins TestAmerica, Denver, 4955 Yarrow Street, Arvada, CO 80002, TEL (303)736-0100

WEIGHT	LTR	WGT	DIMENSIONAL WEIGHT	LARGE PACKAGE	SHIPPER RELEASE
	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>

ins. Environment Testing
TestAmerica
1441851
Saver



UPS Next Day Air
EXTREMELY URGENT **Saver** 1P



SHIPMENT ID NUMBER
523R 1179 YBT

UPS **UPS Next Day Air Saver**
Shipping Document

SHIPMENT FROM
UPS ACCOUNT NO. 5 2 3 R 1 1

REFERENCE NUMBER
WATER DEPT.

DICKIE SINTAS
TELEPHONE 719-846-7898

EVERGREEN NATURAL RESOURCES LLC
27000 HWY 12

TRINIDAD CO 81082

EXTREMELY URGENT DELIVERY TO
TELEPHONE

DANIELLE HARRIN 303-421-6611

TEST AMERICA

4955 YARROW ST

ARVADA CO 80002

RRD 31.5A 07/2020
0201952542609 6/12 RRD

United Parcel Service, Louisville, KY

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11