

FORM

21

Rev 11/20

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403050771

Date Received:

05/19/2022

MECHANICAL INTEGRITY TEST

- 1. Duration of the pressure test must be a minimum of 15 minutes.
2. An original pressure chart must accompany this report if this test was not witnessed by an OGCC representative.
3. For production wells, test pressures must be at a minimum of 300 psig.
4. New injection wells must be tested to maximum requested injection pressure.
5. For injection wells, test pressures must be at least 300 psig or average injection pressure, whichever is greater.
6. A minimum 300 psi differential pressure must be maintained between the tubing and tubing/casing annulus pressure.
7. Do not use this form if submitting under provisions of Rule 326.a(1)B. or C.
8. Written OGCC notification must be provided 10 days prior to the test via Form 42, Field Operations Notice
9. Packers or bridge plugs, etc., must be set within 100 feet of the perforated interval to be considered a valid test.

Complete the Attachment

Checklist

OP OGCC

OGCC Operator Number: 100322 Contact Name: Gabriel Barragan
Name of Operator: NOBLE ENERGY INC Phone: (281) 413-9348
Address: 2001 16TH STREET SUITE 900
City: DENVER State: CO Zip: 80202 Email: RBUARORegulatory@chevron.co
API Number: 05-123-25820 OGCC Facility ID Number: 295834
Well/Facility Name: MCMILLEN G Well/Facility Number: 19-20
Location QtrQtr: SWNW Section: 19 Township: 4N Range: 65W Meridian: 6

SHUT-IN PRODUCTION WELL INJECTION WELL Last MIT Date:
Test Type:
[X] Test to Maintain SI/TA status 5-Year UIC Reset Packer
Verification of Repairs Annual UIC TEST
Describe Repairs or Other Well Activities:

Wellbore Data at Time of Test Casing Test
Injection Producing Zone(s) Perforated Interval Open Hole Interval
NB-CD 6906-7195
Use when perforations or open hole is isolated by bridge plug or cement plug; use if cased-hole only with plug back total depth.
Bridge Plug or Cement Plug Depth 6901

Table with 5 columns: Test Date, Well Status During Test, Casing Pressure Before Test, Initial Tubing Pressure, Final Tubing Pressure. Row 1: 04-23-2022, TEMPORARILY ABANDONED, 0, 0, 0

Table with 5 columns: Casing Pressure Start Test, Casing Pressure - 5 Min., Casing Pressure - 10 Min., Casing Pressure Final Test, Pressure Loss or Gain. Row 1: 363, 359, 358, 357, -6

Test Witnessed by State Representative? OGCC Field Representative

OPERATOR COMMENTS:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Sr. Regulatory Analyst Print Name: Julie Webb
Title: Sr. Regulatory Analyst Email: Julie.webb@chevron.com Date: 5/19/2022

Based on the information provided herein, this Notice (Form 21) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: McFarland, Nick

Date: 5/23/2022

CONDITIONS OF APPROVAL, IF ANY:

Attachment List

| <u>Att Doc Num</u> | <u>Name</u> |
|---------------------------|--------------------|
| 403050771 | FORM 21 SUBMITTED |
| 403050777 | FORM 21 ORIGINAL |
| 403050778 | PRESSURE CHART |

Total Attach: 3 Files

General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|--------------------------|---|----------------------------|
| Engineer | 5A filed. Balance Plug set @ 6388' - 6901' w/ 35 sks of cement | 05/23/2022 |

Total: 1 comment(s)