

FORM  
2

Rev  
12/20

# State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402880545

**(SUBMITTED)**

Date Received:

05/25/2022

## APPLICATION FOR PERMIT TO:

Drill  Deepen  Re-enter  Recomplete and Operate

Amend

TYPE OF WELL OIL  GAS  COALBED  OTHER: \_\_\_\_\_

Refile

ZONE TYPE SINGLE ZONE  MULTIPLE ZONES  COMMINGLE ZONES

Sidetrack

Well Name: CC Federal

Well Number: 0697-15-17W

Name of Operator: LARAMIE ENERGY LLC

COGCC Operator Number: 10433

Address: 1700 LINCOLN ST STE 3950

City: DENVER

State: CO

Zip: 80203

Contact Name: Katy Middleton

Phone: (970)985-8240

Fax: ( )

Email: kmiddleton@laramie-energy.com

## RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20210135

## WELL LOCATION INFORMATION

### Surface Location

QtrQtr: SENE Sec: 15 Twp: 6S Rng: 97W Meridian: 6

Footage at Surface: 1489 Feet FNL/FSL 662 Feet FEL/FWL FEL

Latitude: 39.526131 Longitude: -108.199096

GPS Data: GPS Quality Value: 1.8 Type of GPS Quality Value: PDOP Date of Measurement: 09/16/2020

Ground Elevation: 8516

Field Name: GRAND VALLEY Field Number: 31290

Well Plan: is  Directional  Horizontal (highly deviated)  Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

### Subsurface Locations

#### Top of Productive Zone (TPZ)

Sec: 15 Twp: 6S Rng: 97W Footage at TPZ: 1133 FSL 1522 FWL  
Measured Depth of TPZ: 8138 True Vertical Depth of TPZ: 6826 FNL/FSL FEL/FWL

#### Base of Productive Zone (BPZ)

Sec: 15 Twp: 6S Rng: 97W Footage at BPZ: 1133 FSL 1522 FWL  
Measured Depth of BPZ: 10825 True Vertical Depth of BPZ: 9513 FNL/FSL FEL/FWL

#### Bottom Hole Location (BHL)

Sec: 15 Twp: 6S Rng: 97W Footage at BHL: 1133 FSL 1522 FWL  
FNL/FSL FEL/FWL

## LOCAL GOVERNMENT PERMITTING INFORMATION

County: GARFIELD

Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? No

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location?  Yes  No

If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: \_\_\_\_\_ Date of Final Disposition: \_\_\_\_\_

Comments: s: Garfield County is the local government with jurisdiction over the siting of this proposed oil and gas location, Advance Notice was sent to Garfield County's Community Development Department, notifying Garfield County of Laramie's intentions to submit an Oil and Gas Development Plan to COGCC. The notification included the proposed locations, including the Cascade Creek 0697-15-08 well pad. The notice letter was sent on July 14, 2021, to Garfield County pursuant to COGCC Rule 302.e.  
Garfield County, the local government with jurisdiction over the siting of this proposed oil and gas location, determined that per the Garfield County Land Use and Development Code Table 3-403: Use Table, "Oil and Gas Drilling and Production" and "Hydraulic Fracturing, Remote Surface Location" are a use by right if 1) the Location does not require an Alternative Location Analysis or 2) the Operator does not request higher permissible noise and light levels from Garfield County. The CC 0697-15-08 Well Pad Location did not require an Alternative Location Analysis and Laramie did not request from Garfield County increased permissible noise and light levels from Garfield County. Therefore, "Oil and Gas Drilling and Production" and "Hydraulic Fracturing, Remote Surface Location" are a use-by-right and are exempt from Land Use Regulation in the Resource Lands Zone District.

## SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION

Surface Owner of the land at this Well's Oil and Gas Location:  Fee  State  Federal  Indian

Mineral Owner beneath this Well's Oil and Gas Location:  Fee  State  Federal  Indian

Surface Owner Protection Financial Assurance (if applicable): \_\_\_\_\_ Surety ID Number (if applicable): \_\_\_\_\_

### MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- Fee  
 State  
 Federal  
 Indian  
 N/A

### LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

\* If this Well is within a unit, describe a lease that will be developed by the Well.

\* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

See Attached Lease Map.

Total Acres in Described Lease: 160 Described Mineral Lease is:  Fee  State  Federal  Indian

Federal or State Lease # COC 056300

**SAFETY SETBACK INFORMATION**

Distance from Well to nearest:

Building: 1391 Feet  
 Building Unit: 5280 Feet  
 Public Road: 5280 Feet  
 Above Ground Utility: 5280 Feet  
 Railroad: 5280 Feet  
 Property Line: 319 Feet

**INSTRUCTIONS:**

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

**OBJECTIVE FORMATIONS**

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
WILLIAMS FORK-ILES	WFILS	1-229	0	All, T6S R97W

Federal or State Unit Name (if appl): \_\_\_\_\_

Unit Number: \_\_\_\_\_

**SUBSURFACE MINERAL SETBACKS**

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? No

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: \_\_\_\_\_ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: 1117 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: 359 Feet

**Exception Location**

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

**SPACING & FORMATIONS COMMENTS**

## DRILLING PROGRAM

Proposed Total Measured Depth: 10825 Feet

TVD at Proposed Total Measured Depth 9513 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: \_\_\_\_\_ Feet  No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No If yes, attach an H<sub>2</sub>S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? No

BOP Equipment Type:  Annular Preventor  Double Ram  Rotating Head  None

Beneficial reuse or land application plan submitted? \_\_\_\_\_

Reuse Facility ID: \_\_\_\_\_ or Document Number: \_\_\_\_\_

## CASING PROGRAM

<u>Casing Type</u>	<u>Size of Hole</u>	<u>Size of Casing</u>	<u>Grade</u>	<u>Wt/Ft</u>	<u>Csg/Liner Top</u>	<u>Setting Depth</u>	<u>Sacks Cmt</u>	<u>Cmt Btm</u>	<u>Cmt Top</u>
CONDUCTOR	26	18	SA-53B	47.44	0	90	150	90	0
SURF	14+3/4	9+5/8	J-55	36	0	2530	1130	2530	0
1ST	8+3/4	4+1/2	P110IC	11.6	2700	10825	1796	10825	2700

Conductor Casing is NOT planned

## POTENTIAL FLOW AND CONFINING FORMATIONS

<u>Zone Type</u>	<u>Formation /Hazard</u>	<u>Top M.D.</u>	<u>Top T.V.D.</u>	<u>Bottom M.D.</u>	<u>Bottom T.V.D.</u>	<u>TDS (mg/L)</u>	<u>Data Source</u>	<u>Comment</u>
Groundwater	Uinta	30	30	410	410	0-500	CGS	CGS - Nearby Springs
Confining Layer	Green River/ Mahogany	410	410	2666	2378			Confining layer/Oil Shale. Mahogany permeability has been determined to be approximately 30 Nano Darcie
Confining Layer	Wasatch	2666	2378	5227	4378			
Hydrocarbon	Wasatch 'G' Sand	5227	4378	5499	4588	>10000	Produced Water Sample	Gas well water analysis: API :05045200130001, 05045200230000, 05045106860000 Section 5, Section 9 & Section 15 T6S R97W. Salt Water. TDS: 750-2050 mg/L)
Hydrocarbon	Fort Union	5499	4588	7184	5912	1001-10000	Produced Water Sample	Gas well water analysis: 05045122270000-0100 Salt Water
Hydrocarbon	Ohio Creek	7184	5912	7393	6100	>10000	Other	SWD well water analysis: API: 05045068710000. CC 604-01 (Sec 4 6S 97W) Salt Water. TDS 10,850 mg/L
Hydrocarbon	Williams Fork	7393	6100	8138	6826	>10000	Other	SWD well water analysis: API: 05045068710000. CC 604-01 (Sec 4 6S 97W) Salt Water. TDS 10,850 mg/L
Hydrocarbon	Top of Gas	8138	6826	9662	8350	>10000	Produced Water Sample	Gas well water analysis: API :05045200130001, 05045200230000, 05045106860000 Section 5, Section 9 & Section 15 T6S R97W. Salt Water
Hydrocarbon	Cameo	9662	8350	10060	8748	>10000	Produced Water Sample	Gas well water analysis: API :05045200130001, 05045200230000, 05045106860000 Section 5, Section 9 & Section 15 T6S R97W. Salt Water
Hydrocarbon	Base Cameo Coal	10060	8748	10075	8763	>10000	Produced Water Sample	Gas well water analysis: API :05045200130001, 05045200230000, 05045106860000 Section 5, Section 9 & Section 15 T6S R97W. Salt Water
Hydrocarbon	Rollins	10075	8763	10325	9013	>10000	Produced Water Sample	Gas well water analysis: API :05045200130001, 05045200230000, 05045106860000 Section 5, Section 9 & Section 15 T6S R97W. Salt Water
Hydrocarbon	Cozzette	10325	9013	10545	9233	>10000	Produced Water Sample	Gas well water analysis: API : 05045152520000 Section 17 T6S R97W
Hydrocarbon	Corcoran	10545	9233	10825	9513	>10000	Produced Water Sample	Gas well water analysis: API : 05045152520000 Section 17 T6S R97W

### OPERATOR COMMENTS AND SUBMITTAL

Comments



403042927	DEVIATED DRILLING PLAN
403042928	DEVIATED DRILLING PLAN
403042929	LEASE MAP
403042930	WELL LOCATION PLAT
403059470	OffsetWellEvaluations Data
403059471	FED. DRILLING PERMIT

Total Attach: 7 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)



**Public Comments**

No public comments were received on this application during the comment period.

