

RECEIVED FROM HS.FLDX441 (307) 234-3586  
NO.FECX621 GENE SPENCER  
HS.DIV2561 DON BAILEY

05/20/89 17.20  
DOM ADM  
DOM ENG

\*\*\*\*\*  
\* WATER ANALYSIS REPORT \*  
\* ##### \*  
\* HALLIBURTON SERVICES \*  
\* DENVER DIVISION LAB \*  
\* BOX 1510 \*  
\* EVANSVILLE, WY 82636 \*  
\*\*\*\*\*  
DATE: 20 May 89



TO: Gene Spencer  
Halliburton Services  
Sterling CO

CC: D.E. Bailey

RESPECTFULLY SUBMITTED,

BY: N.K. Reeves

\*\*\*\*\*

COMPANY: Berenergy

REPORT NO: W89-0202

WELL NAME: Eliff 1-1

DATE REC'D: 17 May 89

LOCATION:

LAB CHARGES: \$50.00

FORMATION: D Sand at <sup>4670</sup>~~5600~~

CHARGED TO: Sterling

\*\*\*\*\*

\*\*\*\*\*

SPECIFIC GRAVITY -----	1.010	
PH -----	7.9	
IRON (FE) -----	< 1	MPL
POTASSIUM (K) -----	23	"
SODIUM (NA) -----	3269	"
CALCIUM (CA) -----	19	"
MAGNESIUM (MG) -----	2	"
CHLORIDES (CL) -----	4130	"
SULFATES (SO4) -----	< 10	"
CARBONATES (CO3) -----	nil	"
BICARBONATES (HCO3) -----	1677	"
TDS -----	9120	"
RESISTIVITY-----	0.7	OHMS AT 70 DEGREES F

REMARKS:

\*\*\*\*\*

NOTICE: THIS REPORT IS FOR INFORMATION ONLY AND THE CONTENT IS LIMITED TO THE SAMPLE DESCRIBED. HALLIBURTON MAKES NO WARRANTIES, EXPRES OR IMPLIED, AS TO THE ACCURACY OF THE CONTENTS OR RESULTS. ANY USER OF THIS REPORT AGREES HALLIBURTON SHALL NOT BE LIABLE FOR ANY LOSS OR DAMAGE, REGARDLESS OF CAUSE, RESULTING FROM THE USE HEREOF.