

[illegible]

Service Order #: 411195

Date: 03-MAR-22

Well Name	Location	County	St	API#		
INGRAM 1		WELD	CO			
Formation	Cement Via	Type Of Service	Well Type	Age	AFE#	PO#
	TUBING	PLUG		REWORK		

Customer: BISON OIL & GAS III

 Remarks: 300 SKS, 61.5 BBLS CMT
 15 SKS, 2.9 BBLS FOR TOP OFF
 ETOC 500' - SURFACE

Customer Rep: DAVID

PH:

WELLBORE DATA				
Type	Size	Weight	Depth	Volume
Surface Casing:	8.625	24.0	204.0	
Production Casing:				
Intermediate:				
Drill Pipe:				
Tubing:	2.875	6.5	500.0	

Type	Size	Depth (Top)	Depth (Bot)	Volume
Liner:				
Open Hole:	10	204.0	500.0	

OTHER DATA		
BHT	Max PSI	Total Depth

Packer or Retainer Type / Depth:

Perf Depths:	#	Total
	0	0
	0	
	0	

TIME	PUMP RATES		DENSITY	PRESS	STG TOT	TOTAL	REMARKS
	WATER (gpm)	PUMP (bpm)	(lb/gal)	(psi)	(bbbls)	(bbbls)	
17:15	0	0.1	6.88	2,058	0.2	0.2	PSI TESTED
17:16	0	0.0	6.88	6	0.0	0.2	H2O SPACER
17:18	0	0.0	6.88	137	3.3	3.5	GOT CIRCULATION / OFF LINE
17:21	95	2.9	15.82	256	0.0	4.5	START CMT
17:37	0	3.5	16.22	433	61.5	66.0	CMT TO SURFACE / OFF LINE
19:36	44	0.0	15.81	12	0.0	106.5	RESTART CMT TO TOP OFF
19:39	0	0.1	15.83	12	3.0	109.4	OFF LINE

Summary

Max Fl. Rate	Avg Fl. Rate	Max Psi	Avg Psi
3.5	5.2	2,735	291

Customer Acknowledgement:

Service Rating:

- ☐
- Satisfactory
-
- ☐
- Unsatisfactory

Cementer:

BOHLEN

PRODUCTS USED

 CLASS G CMT, 1.15 YIELD, 15.8 LBS/GAL,
 4.99 GAL/SKS

BISON
INGRAM 1

