

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 403096246			
Date Received: 07/06/2022			

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the COGCC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

OGCC Operator Number: <u>96850</u>	Contact Name <u>Melissa Luke</u>
Name of Operator: <u>TEP ROCKY MOUNTAIN LLC</u>	Phone: <u>(970) 263-2721</u>
Address: <u>1058 COUNTY ROAD 215</u>	Fax: ()
City: <u>PARACHUTE</u> State: <u>CO</u> Zip: <u>81635</u>	Email: <u>mlopez@terraep.com</u>

FORM 4 SUBMITTED FOR:

Facility Type: WELL

API Number : 05- 103 11151 00 ID Number: 294122

Name: FEDERAL RGU Number: 432-6-297

Location QtrQtr: NESW Section: 6 Township: 2S Range: 97W Meridian: 6

County: RIO BLANCO Field Name: SULPHUR CREEK

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
335602	FEDERAL RGU 23-6-297

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

- Change of Location for Well * As-Built GPS Location Report As-Built GPS Location Report with Survey

* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude _____ Longitude _____

GPS Quality Value: _____ Type of GPS Quality Value: _____ Measurement Date: _____

Well Ground Elevation: _____ feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: _____ (Vertical, Directional, Horizontal)

Change of Surface Footage From:		FNL/FSL	FEL/FWL
Change of Surface Footage To:			
Current Surface Location From	QtrQtr <u>NESW</u> Sec <u>6</u>	Twp <u>2S</u> Range <u>97W</u> Meridian <u>6</u>	
New Surface Location To	QtrQtr _____ Sec _____	Twp _____ Range _____ Meridian _____	
Change of Top of Productive Zone Footage From:		FNL	FEL
Change of Top of Productive Zone Footage To:			
Current Top of Productive Zone Location	Sec <u>6</u>	Twp <u>2S</u> Range <u>98W</u>	
New Top of Productive Zone Location	Sec _____	Twp _____ Range _____	**

Change of **Base of Productive Zone** Footage **From:**

FNL

FEL

Change of **Base of Productive Zone** Footage **To:**

**

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

2155 FNL

1848 FEL

Change of **Bottomhole** Footage **To:**

**

Current **Bottomhole** Location

Sec

Twp

Range

** attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

- Building: _____ Feet
- Building Unit: _____ Feet
- Public Road: _____ Feet
- Above Ground Utility: _____ Feet
- Railroad: _____ Feet
- Property Line: _____ Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? _____

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: _____ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. _____

LOCATION CHANGE COMMENTS

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

- Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

Field inspection will be conducted to document Rule 1004.c. compliance

Comments:

ENGINEERING AND ENVIRONMENTAL WORK

- REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

- REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned _____

Has Production Equipment been removed from site? _____

Mechanical Integrity Test (MIT) required. Date of last MIT _____

TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

- NOTICE OF INTENT/REQUEST FOR APPROVAL Approximate Start Date 09/01/2022
- SUBSEQUENT REPORT Date of Activity _____

- | | | |
|---|--|--|
| <input type="checkbox"/> Bradenhead Plan | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement |
| <input type="checkbox"/> Change Drilling Plan | <input checked="" type="checkbox"/> Repair Well | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change | | |
| <input type="checkbox"/> Underground Injection Control | | |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.) | | |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) | | |
| <input type="checkbox"/> Other | | |

- Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID _____ Pit Name _____

(No Sample Provided)

- Subsequent well operations with heavy equipment (Rule 312)
(No Well Provided)

COMMENTS:

TEP Rocky Mountain LLC (TEP) is requesting approval to find and repair a leak in the production casing of the Federal RGU 432-6-297 well per the following proposed procedure.

1. MIRU service unit, kill well.
2. NU BOP and test.
3. POOH 2-3/8" tubing while TUBOSCOPE/SCANNING, and inspecting tbg. Scan entire string leaving final 10-15jts of tbg in hole for tail string. (Note condition of scanned pipe with engineer to discuss if we keep or replace tail string at final landing).
4. RIH with 4-1/2" TSBP using only YB tbg pulled from well. If necessary pickup makeup tbg that is YB, WB or new P-110
5. Set BP at 5660'. (COGCC TOC – 5040' - COGCC)
6. Pull casing slips and lay down parted casing.
7. RIH latch onto fish and pull test csg
8. Manually backoff production casing with string shot appx 1 jt below joint of parted csg
9. POOH with casing and lay down. (hopefully pins looking up at us; if we break at collar and come out with pins on bottom discuss possible second backoff as we have better luck with good screw in with pins up)
10. RIH with new casing and screw back into existing casing, fully torque (appx 2650ft-lbs) pressure test csg and pull test appx 65k. Land in minimum tension (appx 55k)
11. Pressure test casing.
12. RIH and retrieve RBP. POOH ENTIRE STRING – including tail string, visually inspect tbg and tally
13. RIH with production tubing while HYDROTESTING. Land tubing at same depth +/- 11,732' depending on rig tag depth appx +/-175' off tag depth
- a. Note – Run lower grade pipe on bottom of string. Clearly notate within daily operation activity details the makeup of the string (grade, color, depths)
14. RDMO service unit.

GAS CAPTURE

VENTING AND FLARING:

Operation type: _____ Operational phase requiring venting/flaring: _____

Reason for venting/flaring: _____

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: _____ mcf estimated measured

Total duration of emission event: _____ hours consecutive cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: _____

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

CASING PROGRAM

(No Casing Provided)

POTENTIAL FLOW AND CONFINING FORMATIONS

H2S REPORTING

- Intentional release of H2S gas due to Upset Condition or malfunction.
- Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: _____ in ppm (parts per million)

Date of Measurement or Sample Collection _____

Description of Sample Point:

Absolute Open Flow Potential _____ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: _____

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: _____

COMMENTS:

OIL & GAS LOCATION UPDATES

OGDP ID _____ OGDP Name _____

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____	Vapor Recovery Towers _____		

OTHER PERMANENT EQUIPMENT UPDATES

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

[Empty text box for other location changes and updates]

POTENTIAL OGDG UPDATES

PROPOSED CHANGES TO AN APPROVED OGDG

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- Add Oil and Gas Location(s)
- Add Drilling and Spacing Unit(s)
- Amend Oil and Gas Location(s)
- Amend Drilling and Spacing Unit(s)
- Remove Oil and Gas Location(s)
- Remove Drilling and Spacing Unit(s)
- Oil and Gas Location attachment or plan updates
- Amend the lands subject to the OGDG
- Other

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

[Empty text box for detailed description of changes]

Best Management Practices

No BMP/COA Type

Description

No BMP/COA Type	Description

Operator Comments:

[Empty text box for operator comments]

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Melissa Luke

Title: Regulatory Specialist Email: mlopez@terraep.com Date: 7/6/2022

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Katz, Aaron Date: 7/21/2022

CONDITIONS OF APPROVAL, IF ANY:**Condition of Approval****COA Type****Description**

1) Report work completed with a Form 4 Sundry REPORT OF WORK DONE - Repair Well noting final pressure test results and include any operational or job summaries. If the wellbore geometry changes submit an updated WBD.

2) If wellbore geometry changes or cement work is executed, submit information on a Form 5

3) Complete a bradenhead test following completion of the repair (This test will satisfy the annual BH testing requirements)

Operator will implement measures to capture, combust, or control emissions to protect health and safety, and to ensure that vapors and odors from well completion(s), well repair/maintenance, well perforating, temporary abandonment activities, additional equipment installation, and/or testing operations with a workover rig, wireline rig, or other heavy equipment do not constitute a nuisance or hazard to public health, welfare and the environment.

1) Report work completed with a Form 4 Sundry REPORT OF WORK DONE - Repair Well noting final pressure test results and include any operational or job summaries. If the wellbore geometry changes submit an updated WBD.

2) If wellbore geometry changes or cement work is executed, submit information on a Form 5

3 COAs

General Comments**User Group****Comment****Comment Date**

Engineer

Repair is to replace leaking production casing with new joints of casing.

07/11/2022

Total: 1 comment(s)

Attachment List**Att Doc Num****Name**

403096246

SUNDRY NOTICE APPROVED-OBJ-SBSQ-OPS-REPAIR

403112225

FORM 4 SUBMITTED

Total Attach: 2 Files