

Aota Technical, LLC
 CPX Piceance Holdings, LLC
 Tepee Park Ranch
Temporary Water Support Pad 25B
Access Road Map
 Garfield County
 SW1/4SE1/4 Sec. 25, T7S R94W, 6th P.M.

Date: 6/3/22
 Figure No.: **Figure 5**

Legend



Working Pad Surface	Forest Service Road	Rule 1202.c NSO Habitats
Oil and Gas Location	Private Road	Cutthroat Trout Designated Crucial Habitat
2,000' from Access Road	Private Road Reroute and Access	USFS Lynx Habitat
Parcels	Reclaimed Private Road	Denning
Forest Service Jurisdiction	National Hydrography Dataset	
Access Road	Perennial Stream	
	Intermittent Stream	

Notes:
 (1) Beaver Creek also designated as 1202.c Native Fish and Other Native Aquatic Species Conservation Waters.
 (2) Tepee Creek also designated as 1202.c Sporth Management Waters.
 (3) Rule 309.e.(1) Other Consultation Habitat is not present.

Scale: 0 150 300 450 600 Feet

Data Sources: COGCC GIS Online

SW1/4SE1/4 Section 25
T. 7 S., R. 94 W.
Garfield County




Proposed Support Pad Center
N:1580817.52
E:2341312.05
Exist. Elev.: 9068.7
Proposed Pad Elev.: 9065.7

- *Notes**
- 1) Design Cut Slope: 1.5:1
Design Fill Slope : 1.5:1
 - 2) CY soil based on topsoil depth
 - 3) 20% Swell Factor Applied to Earthwork Cut Volumes.

DISTURBANCE AREAS
Oil and Gas Location: ±4.13 ac
Working Pad Surface: ±1.83 ac

Workin Pad Surface: 328'x232'

Proposed Road Length: 411 lf
Road Width: 20 ft
Total Disturbance: 0.20 ac



ESTIMATED EARTHWORK QUANTITIES (cy)				
ITEM	CUT	FILL	TOPSOIL	EXCESS
PAD	24,790	22,560	2,900	20
TRENCH	0	0		0
TOTALS	24,790	22,560	2,900	20

REVISED: 6/01/22

136 East Third Street
Rifle, Colorado 81650
Ph. (970) 625-1330
Fax (970) 625-2773


BOOKCLIFF
Survey Services, Inc.

SCALE: 1" = 80'
DATE: 12/15/21
PROJECT: CPX
DFT: cs

Construction Plan Prepared for:

CPX Piceance Holdings, LLC

Temporary Water Support Pad 25B
CONSTRUCTION LAYOUT DRAWING
PLAN VIEW



SCALE: Horiz.: 1" = 80'
Vert.: 1" = 40'


- *Notes
- 1) Design Cut Slope: 1.5:1
Design Fill Slope : 1.5:1
 - 2.) Topsoil based on 6" Soil Depth.
 - 3) 20% Swell Factor Applied to Earthwork Cut Volumes.

ESTIMATED EARTHWORK QUANTITIES (cy)				
ITEM	CUT	FILL	TOPSOIL	EXCESS
Road	4,280	120	230	3,930



REVISED: 6/01/22

SCALE: 1" = 80'
DATE: 1/21/22
PROJECT: CPX
DFT: cs

Construction Plan Prepared for:
 CPX Piceance Holdings, LLC
Temporary Water Support Pad 25B
ROAD RE-ALIGNMENT PROFILE