

**FORM
INSP**Rev
X/20**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

07/28/2022

Submitted Date:

08/19/2022

Document Number:

695106584**FIELD INSPECTION FORM**Loc ID 308639 Inspector Name: Beardslee, Tom On-Site Inspection ☐ 2A Doc Num: _____**Operator Information:**OGCC Operator Number: 10705Name of Operator: EVERGREEN NATURAL RESOURCES LLCAddress: 1875 LAWRENCE ST STE 1150City: DENVER State: CO Zip: 80202**Status Summary:**

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☐ NO FOLLOW UP INSPECTION REQUIRED

Findings:4 Number of Comments0 Number of Corrective Actions☐ Corrective Action Response Requested**ANY CORRECTIVE ACTION(S) FROM
PREVIOUS INSPECTIONS THAT HAVE NOT
BEEN ADDRESSED ARE STILL APPLICABLE****Contact Information:**

Contact Name	Phone	Email	Comment
Distribution, Evergreen	719-846-7898	cogcc.evergreen@enrllc.com	All Inspections

Inspected Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
277817	WELL	PR	02/01/2012	CBM	071-08382	SPIRIT MOUNTAIN 32-28	PR

General Comment:

Inspected Facilities

Facility ID: 277817 Type: WELL API Number: 071-08382 Status: PR Insp. Status: PR

Complaint

Comment:

Field Inspector Assigned: Tom E. Beardslee

Complaint Received:

Date: 7-26-2022

Complaint Contacted:

Date: 8-18-2022 Time 1200 Hrs

Location #: 308639

Inspection Document #: 695106584

Nature of complaint: Noise

Field Inspector Actions:

On 7-26-2022, I was contacted by complaint specialist Megan Adamczyk in reference to a complaint received by the COGCC in reference to noise. The complaint stated the noise was occurring in the area near his residence @ 23017 Eagle Ct, Aguilar, CO. 81020 originating from the Evergreen Natural Resources real location Spirit Mountain 32-28.

On 7-26-2022, I attempted to make contact with the complainant by phone, had to leave a message with no response until 8-18-2022. I performed a complete site inspection of the Evergreen Natural Resources location, which was approx. 1691feet to the south of the complainants' home. At the time of the inspection, I performed a sound study, which indicated the calculated max db was 45.5 db.

No violation of COGCC rules were observed at the time of the inspection.

All information reviewed and site inspection information were submitted to the complaint specialist for further review.

Corrective Action:

Date:

Completion

Operation:

Date Flowback:

Contractor:

Comment:

Corrective Action:

Date:

COGCC Comments

Comment	User	Date
	beardslt	07/28/2022

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
695106587	INSP. PHOTOS	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5837509
695106588	sound study	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5837510