

**FORM
INSP**Rev
X/20**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

09/01/2022

Submitted Date:

09/01/2022

Document Number:

694500509

FIELD INSPECTION FORMLoc ID 424085 Inspector Name: NEIDEL, KRIS On-Site Inspection ☐ 2A Doc Num: _____**Operator Information:**

OGCC Operator Number: 10525

Name of Operator: SANTA FE NATURAL RESOURCES INC

Address: 4833 FRONT STREET UNIT B 506

City: CASTLE ROCK State: CO Zip: 80104

Status Summary:☐ THIS IS A FOLLOW UP INSPECTION☒ FOLLOW UP INSPECTION REQUIRED☐ NO FOLLOW UP INSPECTION REQUIRED**Findings:**

2 Number of Comments

1 Number of Corrective Actions

☒ Corrective Action Response Requested**ANY CORRECTIVE ACTION(S) FROM
PREVIOUS INSPECTIONS THAT HAVE NOT
BEEN ADDRESSED ARE STILL APPLICABLE****Contact Information:**

Contact Name	Phone	Email	Comment
Burger, Craig		craig.burger@state.co.us	
marshall, jace	405-252-4637	jmarshall@gulfportenergy.com	
Fischer, Alex		alex.fischer@state.co.us	
Burn, Diana		diana.burn@state.co.us	
Hughes, Jim		jimo.hughes@state.co.us	

General Comment:

on 9/1/2022 COGCC staff, Kris Neidel was present to observe gas sampling at the State #41-14-1 well. As previously documented; The well was PA by Gulfport (previous operator), a detection of methane gas was measured at the PA wellhead on August 2. 9/1/22 gas sampling is a follow up to previous inspections and the August 2 sampling. Gulfport contractor (Ken) had previously placed a large plastic bag over the wellhead and annulus space and secured it with tape. At the time of inspection, the bag was observed, the bag did not appear to be inflated. Absaroka Solutions staff, John Brouwer punctured the bag with a probe to sample the wellhead on the east side where previous detections were found. The following are the results of the field sampling: 1%CH₄. 1.8% CO₂, 17.3%O₂. COGCC staff also measured CH₄ from inside the bag with a separate PID. Mr. Brouwer collected a gas sample for Lab Analysis. The results should be shared with COGCC. See attached Photos.

LocationOverall Good: ☐

Emergency Contact Number:

Comment: Corrective Action: Date: **Good Housekeeping:**

Type	TRASH		
Comment:	some small pieces of plastic are around the location.		
Corrective Action:	All trash should be removed prior to Reclamation.		Date: 09/22/2022

Overall Good: ☐**Spills:**

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment: ☐ Multiple Spills and Releases?**Venting:**

Yes/No			
Comment:			
Corrective Action:		Date:	

Flaring:

Type		
Comment:		
Corrective Action:		Date:

Attached DocumentsYou can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
694500511	photo	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5846601