


Data Collection Report

Gauge Information	
Serial Number	563535
Model	3KPSIXP2I
Message Store	-----
Units	PSI

Run Info	
Start Time	8/31/22 9:40:38 AM
Stop Time	8/31/22 10:22:51 AM
Logging Interval	60

HA-3 Bradenhead Test(braden)

HA-3 Bradenhead Test: Bradenhead Pressure vs. Time



Serial Number 563535
 Model 3KPSIXP2I
 Units PSI
 Firmware Version R0223 Message Store -----
 Run Index HA-3 BH Test: BH Pres
 Logging Type Actual
 Logging Interval 60
 Start Time 8/31/2022 9:40
 Stop Time 8/31/2022 10:22
 Time Reading

Event Event Data

0	
0	
0	
0	0
5	0
60	0
120	-0.7
180	0
240	0 Start Test
300	0
360	0
420	0
480	0
540	0
600	0
660	0
720	0
780	0
840	0
900	0
960	0
1020	0
1080	0
1140	0
1200	0
1260	0
1320	0
1380	0
1440	0
1500	0
1560	0
1620	0
1680	0
1740	0
1800	0
1860	0
1920	0
1980	0
2040	0 End Test
2100	0
2160	0
2220	0

Battery OK
 Logging Interval, 60
 Tare, -2.8
 Tare, -2.7

2280	0
2340	0
2400	0
2460	0
2520	0


Data Collection Report

Gauge Information	
Serial Number	563535
Model	3KPSIXP2I
Message Store	-----
Units	PSI

Run Info	
Start Time	8/31/22 9:40:32 AM
Stop Time	8/31/22 10:22:56 AM
Logging Interval	60

HA-3 Bradenhead Test (Prod Case)

HA-3 Bradenhead Test: Production Casing Pressure vs Time



Serial Number 563535
 Model 3KPSIXP2I
 Units PSI
 Firmware Version R0224 Message Store -----
 Run Index HA-3 BH Test: Casing Pres
 Logging Type Actual
 Logging Interval 60
 Start Time 8/31/2022 9:40
 Stop Time 8/31/2022 10:22
 Time Reading

Event Event Data
 Battery OK
 Logging Interval, 60
 Tare, -0.5

0	
0	
0	
0	0
60	0
120	0
180	695.6
240	695.6 Start Test
300	695.6
360	695.6
420	695.6
480	695.6
540	695.6
600	695.6
660	695.6
720	695.6
780	695.6
840	695.6
900	695.6
960	695.6
1020	695.6
1080	695.6
1140	695.6
1200	695.7
1260	695.6
1320	695.6
1380	695.6
1440	695.6
1500	695.6
1560	695.7
1620	695.7
1680	695.7
1740	695.7
1800	695.7
1860	695.7
1920	695.7
1980	695.7
2040	695.7 End Test
2100	0
2160	0
2220	0
2280	0

2340	0.1
2400	0.1
2460	0.1
2520	0.1