

# **VERDAD RESOURCES**

**WATTENBERG FIELD**

**1N-65W-22 FAWN 2734 & 2833 PAD**

**FAWN 2833-03H**

**Plan A**

**Design #1**

## **Anticollision Summary Report**

**30 July, 2022**

## Anticollision Summary Report

<b>Company:</b>	VERDAD RESOURCES	<b>Local Co-ordinate Reference:</b>	Well FAWN 2833-03H
<b>Project:</b>	WATTENBERG FIELD	<b>TVD Reference:</b>	RKB = 20' @ 5127.00usft (RIG)
<b>Reference Site:</b>	1N-65W-22 FAWN 2734 & 2833 PAD	<b>MD Reference:</b>	RKB = 20' @ 5127.00usft (RIG)
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	FAWN 2833-03H	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	3.28 usft	<b>Output errors are at</b>	2.45 sigma
<b>Reference Wellbore</b>	Plan A	<b>Database:</b>	EDM 5000.16 Single User Db
<b>Reference Design:</b>	Design #1	<b>Offset TVD Reference:</b>	Offset Datum

<b>Reference</b>	Design #1		
<b>Filter type:</b>	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
<b>Interpolation Method:</b>	Stations	<b>Error Model:</b>	ISCWSA
<b>Depth Range:</b>	Unlimited	<b>Scan Method:</b>	Closest Approach 3D
<b>Results Limited by:</b>	Maximum centre distance of 1,500.00usft	<b>Error Surface:</b>	Pedal Curve
<b>Warning Levels Evaluated at:</b>	2.45 Sigma	<b>Casing Method:</b>	Added to Error Values

<b>Survey Tool Program</b>	<b>Date</b>	7/30/2022			
<b>From (usft)</b>	<b>To (usft)</b>	<b>Survey (Wellbore)</b>	<b>Tool Name</b>	<b>Description</b>	
0.00	2,250.00	Design #1 (Plan A)	ISCWSA MWD	Fixed:v2:standard declination	
2,250.00	18,388.38	Design #1 (Plan A)	ISCWSA MWD	Fixed:v2:standard declination	

<b>Summary</b>						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
1N-65W-09 Offsets Incomplete						
ROBIN 9-10HZ - KMG PR Well - Actual BKR Surveys	8,170.26	17,999.00	1,146.40	955.07	5.992	CC, ES
ROBIN 9-10HZ - KMG PR Well - Actual BKR Surveys	8,200.00	17,999.00	1,147.30	955.41	5.979	SF
ROBIN 9-11HZ - KMG PR Well - Actual BKR Surveys	8,206.71	18,218.00	1,019.48	840.64	5.701	CC, ES
ROBIN 9-11HZ - KMG PR Well - Actual BKR Surveys	8,250.00	18,218.00	1,021.77	842.24	5.691	SF
ROBIN 9-12HZ - KMG PR Well - Actual BKR Surveys	8,127.99	18,113.00	758.22	585.95	4.401	CC, ES, SF
ROBIN 9-13HZ - KMG PR Well - Actual BKR Surveys	8,031.56	18,399.00	544.28	379.03	3.294	CC, ES, SF
ROBIN 9-14HZ - KMG PR Well - Actual BKR Surveys	8,056.16	18,490.00	623.32	476.66	4.250	CC, ES, SF
ROBIN 9-15HZ - KMG PR Well - Actual BKR Surveys	7,920.34	18,345.00	568.99	413.21	3.653	CC
ROBIN 9-15HZ - KMG PR Well - Actual BKR Surveys	7,950.00	18,345.00	570.27	413.01	3.626	ES, SF
ROBIN 9-16HZ - KMG PR Well - Actual BKR Surveys	7,808.78	18,356.00	720.15	553.25	4.315	CC
ROBIN 9-16HZ - KMG PR Well - Actual BKR Surveys	7,850.00	18,356.00	721.96	552.61	4.263	ES
ROBIN 9-16HZ - KMG PR Well - Actual BKR Surveys	7,900.00	18,356.00	728.95	557.02	4.240	SF
ROBIN 9-17HZ - KMG PR Well - Actual BKR Surveys	7,846.19	18,363.00	1,028.92	861.08	6.130	CC
ROBIN 9-17HZ - KMG PR Well - Actual BKR Surveys	7,900.00	18,363.00	1,031.13	860.78	6.053	ES
ROBIN 9-17HZ - KMG PR Well - Actual BKR Surveys	8,000.00	18,363.00	1,046.73	872.52	6.008	SF
ROBIN 9-18HZ - Kerr McGee PR Well - Actual BKR Surv	7,656.32	18,279.00	1,150.42	976.92	6.630	CC
ROBIN 9-18HZ - Kerr McGee PR Well - Actual BKR Surv	7,700.00	18,279.00	1,151.64	976.35	6.570	ES
ROBIN 9-18HZ - Kerr McGee PR Well - Actual BKR Surv	7,800.00	18,279.00	1,163.46	984.58	6.504	SF

# Anticollision Summary Report

<b>Company:</b>	VERDAD RESOURCES	<b>Local Co-ordinate Reference:</b>	Well FAWN 2833-03H
<b>Project:</b>	WATTENBERG FIELD	<b>TVD Reference:</b>	RKB = 20' @ 5127.00usft (RIG)
<b>Reference Site:</b>	1N-65W-22 FAWN 2734 & 2833 PAD	<b>MD Reference:</b>	RKB = 20' @ 5127.00usft (RIG)
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	FAWN 2833-03H	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	3.28 usft	<b>Output errors are at</b>	2.45 sigma
<b>Reference Wellbore</b>	Plan A	<b>Database:</b>	EDM 5000.16 Single User Db
<b>Reference Design:</b>	Design #1	<b>Offset TVD Reference:</b>	Offset Datum

## Summary

Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
<b>Offset Well - Wellbore - Design</b>						
1N-65W-22 FAWN 2734 & 2833 PAD						
FAWN 2734-05H - Plan A - Design #1	260.00	260.00	32.00	24.39	4.202	CC, ES
FAWN 2734-05H - Plan A - Design #1	15,600.00	14,966.13	1,499.69	1,137.70	4.143	SF
FAWN 2734-06H - Plan A - Design #1	260.00	260.00	48.00	40.39	6.303	CC, ES, SF
FAWN 2734-07H - Plan A - Design #1	260.00	260.00	64.00	56.39	8.404	CC, ES
FAWN 2734-07H - Plan A - Design #1	300.00	300.00	64.28	56.63	8.398	SF
FAWN 2734-08H - Plan A - Design #1	260.00	260.00	80.00	72.39	10.506	CC, ES
FAWN 2734-08H - Plan A - Design #1	300.00	300.00	80.28	72.63	10.489	SF
FAWN 2734-09H - Plan A - Design #1	260.00	260.00	96.00	88.39	12.607	CC, ES
FAWN 2734-09H - Plan A - Design #1	300.00	300.00	96.28	88.63	12.579	SF
FAWN 2734-10H - Plan A - Design #1	260.00	260.00	111.99	104.38	14.706	CC, ES
FAWN 2734-10H - Plan A - Design #1	300.00	300.00	112.27	104.62	14.669	SF
FAWN 2734-11H - Plan A - Design #1	260.00	260.00	127.99	120.38	16.808	CC, ES
FAWN 2734-11H - Plan A - Design #1	300.00	300.00	128.27	120.62	16.759	SF
FAWN 2734-12H - Plan A - Design #1	260.00	260.00	143.99	136.38	18.909	CC, ES
FAWN 2734-12H - Plan A - Design #1	300.00	300.00	144.27	136.62	18.850	SF
FAWN 2734-13H - Plan A - Design #1	260.00	260.00	159.99	152.38	21.010	CC, ES
FAWN 2734-13H - Plan A - Design #1	300.00	300.00	160.27	152.62	20.940	SF
FAWN 2734-14H - Plan A - Design #1	200.00	200.00	175.99	168.43	23.253	CC, ES
FAWN 2734-14H - Plan A - Design #1	260.00	256.58	176.57	168.95	23.196	SF
FAWN 2833-01H - Plan A - Design #1	200.00	200.00	32.00	24.43	4.228	CC, ES
FAWN 2833-01H - Plan A - Design #1	18,388.38	18,913.56	992.98	500.77	2.017	SF
FAWN 2833-02H - Plan A - Design #1	204.38	204.38	16.00	8.43	2.113	CC
FAWN 2833-02H - Plan A - Design #1	18,388.38	18,639.11	496.49	4.40	1.009	Level 2, ES, SF
FAWN 2833-04H - Plan A - Design #1	260.00	260.00	16.00	8.39	2.101	CC, ES
FAWN 2833-04H - Plan A - Design #1	18,388.38	17,945.08	993.97	502.38	2.022	SF
1N-65W-22 Offsets						
CANAL 22-1-3L - Confluence PR Well - Actual BKR Surv	1,999.26	1,957.51	91.61	64.54	3.385	CC
CANAL 22-1-3L - Confluence PR Well - Actual BKR Surv	2,000.00	1,957.86	91.61	64.53	3.383	ES, SF
CANAL 22-1-4L - Confluence PR Well - Actual BKR Surv	2,370.18	2,256.10	153.68	123.59	5.108	CC, ES, SF
CANAL 22-2-2L - Confluence PR Well - Actual BKR Surv	2,092.12	2,031.76	82.02	54.22	2.950	CC, ES, SF
CANAL 22-3-3L - Confluence PR Well - Actual BKR Surv	2,635.80	2,478.80	198.56	166.55	6.204	CC, ES, SF
CANAL 22-4-2L - Confluence PR Well - Actual BKR Surv	2,773.68	2,600.41	206.33	172.76	6.146	CC, ES, SF
DRAKE 01N-65W-22-8N - Verdad PR Well - Actual Ensig						Out of range
LONG 22-15-6NCH - Confluence Original Well - Actual B						Out of range
LONG 22-15-6NCH - Confluence PR Sidetrack - Actual B						Out of range
WILLOW 22-14-2L - Confluence PR Well - Actual BKR S	2,550.80	2,370.00	120.04	90.92	4.122	CC, ES, SF
WILLOW 22-15-3L - Confluence PR Well - Actual Baker	2,712.70	2,502.62	122.20	91.94	4.038	CC, ES, SF
WILLOW 22-17-2L - Confluence PR Well - Actual BKR S	2,942.11	2,693.71	123.90	91.41	3.813	CC, ES, SF
WILLOW 22-18-3L - Confluence PR Well - Actual BKR S	3,205.10	2,918.35	130.61	94.85	3.652	CC, ES, SF
WILLOW 22-20-2L - Confluence PR Well - Actual BKR S	3,473.82	3,149.01	152.16	112.46	3.832	CC, ES
WILLOW 22-20-2L - Confluence PR Well - Actual BKR S	3,500.00	3,171.73	152.70	112.48	3.797	SF
WILLOW 22-21-3L - Confluence PR Well - Actual BKR S	3,768.44	3,409.62	148.83	103.96	3.317	CC, ES
WILLOW 22-21-3L - Confluence PR Well - Actual BKR S	3,800.00	3,437.73	149.52	103.97	3.282	SF
WILLOW 22-4-4L - Confluence PR Well - Actual BKR Su	2,465.13	2,301.07	109.37	80.83	3.832	CC, ES, SF
WILLOW 22-5-4L - Confluence PR Well - Actual BKR Su	3,288.23	2,990.31	158.74	121.66	4.281	CC
WILLOW 22-5-4L - Confluence PR Well - Actual BKR Su	3,300.00	3,000.60	158.84	121.53	4.257	ES, SF
1N-65W-27 Offsets						
ROWE 13N-27HZ - VERDAD PR Well - Actual BHI Surv						Out of range

# Anticollision Summary Report

<b>Company:</b>	VERDAD RESOURCES	<b>Local Co-ordinate Reference:</b>	Well FAWN 2833-03H
<b>Project:</b>	WATTENBERG FIELD	<b>TVD Reference:</b>	RKB = 20' @ 5127.00usft (RIG)
<b>Reference Site:</b>	1N-65W-22 FAWN 2734 & 2833 PAD	<b>MD Reference:</b>	RKB = 20' @ 5127.00usft (RIG)
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	FAWN 2833-03H	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	3.28 usft	<b>Output errors are at</b>	2.45 sigma
<b>Reference Wellbore</b>	Plan A	<b>Database:</b>	EDM 5000.16 Single User Db
<b>Reference Design:</b>	Design #1	<b>Offset TVD Reference:</b>	Offset Datum


Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
1N-65W-28 Offsets Incomplete						
*GLEN YOUNG 1 - KPK P&A Well - No Surveys	9,500.00	7,183.00	131.14	-176.88	0.426	Level 1, ES, SF
*GLEN YOUNG 1 - KPK P&A Well - No Surveys	9,511.73	7,183.00	130.62	-172.35	0.431	Level 1, CC
*NECKIEN 1 - RENEGADE T/A Well - No Surveys	12,424.22	7,177.00	151.09	-210.32	0.418	Level 1, CC, SF
*NECKIEN 1 - RENEGADE T/A Well - No Surveys	12,500.00	7,177.00	169.03	-215.94	0.439	Level 1, ES
YOUNG 01N-65W-28-8N - VERDAD PR Well - Actual En	7,181.10	6,329.59	230.61	131.47	2.326	CC
YOUNG 01N-65W-28-8N - VERDAD PR Well - Actual En	7,200.00	6,345.83	230.82	131.38	2.321	ES
YOUNG 01N-65W-28-8N - VERDAD PR Well - Actual En	12,955.21	11,808.00	428.70	189.28	1.791	SF
1N-65W-33 Offsets Incomplete						
*HSR-CHERRY KNOLLS 9-33 - KMG D/A Well - No Surv	17,300.00	7,252.00	746.45	265.23	1.551	ES, SF
*HSR-CHERRY KNOLLS 9-33 - KMG D/A Well - No Surv	17,323.49	7,252.00	746.08	266.20	1.555	CC
BUFORD 33-10-2L - Confluence Drilled Well - Plan Only						Out of range
BUFORD 33-6-2L - Confluence Planned Well - BKR Plan	8,626.68	17,711.17	1,472.05	1,214.83	5.723	CC
BUFORD 33-6-2L - Confluence Planned Well - BKR Plan	18,388.38	8,020.50	1,477.09	1,196.46	5.264	ES, SF
BUFORD 33-6-4L - Confluence Planned Well - Planned B	8,627.19	18,004.82	1,215.33	963.93	4.834	CC
BUFORD 33-6-4L - Confluence Planned Well - Planned B	18,388.38	8,275.27	1,217.18	940.52	4.399	ES, SF
DESHA 4-15-1 - Confluence PR Well - Actual BKR Surve						Out of range
1N-65W-34 Offsets						
DESHA 4-1-3L - Confluence Planned Well - BKR Planne	18,388.38	7,370.06	1,384.60	1,097.11	4.816	CC, ES, SF
DESHA 4-1-4L - Confluence Planned Well - BKR Planne	18,388.38	7,520.50	866.27	576.09	2.985	CC, ES, SF
DESHA 4-2-2L - Confluence Planned Well - BKR Planne	18,388.38	7,366.38	1,092.81	805.38	3.802	CC, ES, SF
DESHA 4-2-4L - Confluence Planned Well - BKR Planne	18,388.38	7,659.79	439.11	295.69	3.062	CC, ES, SF
DESHA 4-3-1L - Confluence Planned Well - BKR Planne	18,388.38	7,320.50	776.40	513.06	2.948	CC, ES, SF
DESHA 4-4-3L - Confluence Planned Well - BKR Planne	18,388.38	7,520.50	527.42	276.17	2.099	CC, ES, SF
DESHA 4-5-2L - Confluence Planned Well - BKR Planne	18,388.38	7,520.50	455.48	303.48	2.997	CC, ES, SF
DESHA 4-6-1L - Confluence Planned Well - BKR Planne	18,388.38	7,520.50	699.67	518.73	3.867	CC, ES, SF
JORDAN #34-2 - KPK PR Well - No Surveys						Out of range
JORDAN #34-3 - KPK PR Well - No Surveys						Out of range
JORDAN #34-4 - KPK PR Well - No Surveys						Out of range
JORDAN #34-5 - KPK PR Well - No Surveys						Out of range
JORDAN #34-6 - BERGE D/A Well - No Surveys						Out of range
JORDAN #34-7 - KPK P&A Well - No Surveys						Out of range
JORDAN #34-8 - KPK D/A Well - No Surveys						Out of range
JORDAN #34-9 - BERGE P&A Well - No Surveys						Out of range
JORDAN, IVAR #1 - KPK PR Well - No Surveys						Out of range
JORDAN-LOUSTAUNAU #34-10 - KPK D/A Well - No Su						Out of range
JUDY 3-4 - Confluence PR Well - Actual Ensign Surveys						Out of range
JUDY 34-03-07 - Confluence Planned Well - Pro Directio						Out of range
JUDY 34-03-08 - Confluence Planned Well - Pro Directio						Out of range
JUDY 34-03-09 - Confluence Planned Well - Pro Directio						Out of range
1N-65W-35 Offsets Incomplete						
DOUBLE J 35-11-1CDH - Providence Planned Well - BK						Out of range

## Anticollision Summary Report

<b>Company:</b>	VERDAD RESOURCES	<b>Local Co-ordinate Reference:</b>	Well FAWN 2833-03H
<b>Project:</b>	WATTENBERG FIELD	<b>TVD Reference:</b>	RKB = 20' @ 5127.00usft (RIG)
<b>Reference Site:</b>	1N-65W-22 FAWN 2734 & 2833 PAD	<b>MD Reference:</b>	RKB = 20' @ 5127.00usft (RIG)
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	FAWN 2833-03H	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	3.28 usft	<b>Output errors are at</b>	2.45 sigma
<b>Reference Wellbore</b>	Plan A	<b>Database:</b>	EDM 5000.16 Single User Db
<b>Reference Design:</b>	Design #1	<b>Offset TVD Reference:</b>	Offset Datum

Reference Depths are relative to RKB = 20' @ 5127.00usft (RIG)  
 Offset Depths are relative to Offset Datum  
 Central Meridian is -105.500000

Coordinates are relative to: FAWN 2833-03H  
 Coordinate System is US State Plane 1983, Colorado Northern Zone  
 Grid Convergence at Surface is: 0.55°



## Anticollision Summary Report

<b>Company:</b>	VERDAD RESOURCES	<b>Local Co-ordinate Reference:</b>	Well FAWN 2833-03H
<b>Project:</b>	WATTENBERG FIELD	<b>TVD Reference:</b>	RKB = 20' @ 5127.00usft (RIG)
<b>Reference Site:</b>	1N-65W-22 FAWN 2734 & 2833 PAD	<b>MD Reference:</b>	RKB = 20' @ 5127.00usft (RIG)
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	FAWN 2833-03H	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	3.28 usft	<b>Output errors are at</b>	2.45 sigma
<b>Reference Wellbore</b>	Plan A	<b>Database:</b>	EDM 5000.16 Single User Db
<b>Reference Design:</b>	Design #1	<b>Offset TVD Reference:</b>	Offset Datum

Reference Depths are relative to RKB = 20' @ 5127.00usft (RIG)

Offset Depths are relative to Offset Datum


Central Meridian is -105.500000

Coordinates are relative to: FAWN 2833-03H

Coordinate System is US State Plane 1983, Colorado Northern Zone

Grid Convergence at Surface is: 0.55°

### Separation Factor Plot



#### LEGEND

- |   |  |   |
|---|--|---|
| WILLOW 22-17-2L, Confuence PR Well, Actual BKR Surveys V0   | FAWN 2833-04H, Plan A, Design #1 V0                    | ROBIN9-10HZ, KMGP Well, Actual BKR Surveys V0                 |
| WILLOW 22-18-3L, Confuence PR Well, Actual BKR Surveys V0   | FAWN 2734-08H, Plan A, Design #1 V0                    | DESHA 4-6-1L, Confuence Planned Well, BKR Planned Surveys V0  |
| CANAL 22-3-3L, Confuence PR Well, Actual BKR Surveys V0     | FAWN 2734-12H, Plan A, Design #1 V0                    | DESHA 4-14L, Confuence Planned Well, BKR Planned Surveys V0   |
| WILLOW 22-14-2L, Confuence PR Well, Actual BKR Surveys V0   | FAWN 2833-02H, Plan A, Design #1 V0                    | DESHA 4-43L, Confuence Planned Well, BKR Planned Surveys V0   |
| CANAL 22-13L, Confuence PR Well, Actual BKR Surveys V0      | FAWN 2734-05H, Plan A, Design #1 V0                    | DESHA 4-52L, Confuence Planned Well, BKR Planned Surveys V0   |
| WILLOW 22-20-2L, Confuence PR Well, Actual BKR Surveys V0   | FAWN 2734-13H, Plan A, Design #1 V0                    | DESHA 4-22L, Confuence Planned Well, BKR Planned Surveys V0   |
| CANAL 22-22L, Confuence PR Well, Actual BKR Surveys V0      | FAWN 2734-07H, Plan A, Design #1 V0                    | DESHA 4-24L, Confuence Planned Well, BKR Planned Surveys V0   |
| WILLOW 22-15-3L, Confuence PR Well, Actual Baker Surveys V0 | FAWN 2734-09H, Plan A, Design #1 V0                    | DESHA 4-3-1L, Confuence Planned Well, BKR Planned Surveys V0  |
| CANAL 22-14L, Confuence PR Well, Actual BKR Surveys V0      |  | DESHA 4-13L, Confuence Planned Well, BKR Planned Surveys V0   |
| WILLOW 22-4-4L, Confuence PR Well, Actual BKR Surveys V0    | ROBIN9-11HZ, KMGP Well, Actual BKR Surveys V0          | 'NECKEN 1' RENE GADE TA Well No Surveys V0                    |
| WILLOW 22-6-4L, Confuence PR Well, Actual BKR Surveys V0    | ROBIN9-18HZ, KMGP Well, Actual BKR Surveys V0          | YOUNG 01N-48W-28-SN, VERDAD PR Well, Actual Ensign Surveys V0 |
| CANAL 22-4-2L, Confuence PR Well, Actual BKR Surveys V0     | ROBIN9-19HZ, Kerr McGee PR Well, Actual BKR Surveys V0 | 'GLEN YOUNG' KPK P&A Well No Surveys V0                       |
| WILLOW 22-21-3L, Confuence PR Well, Actual BKR Surveys V0   | ROBIN9-19HZ, KMGP Well, Actual BKR Surveys V0          | 'HSR-CHERRYKNOLLS 9-33, KMGDA Well, No Surveys V0             |
| FAWN 2833-01H, Plan A, Design #1 V0                         | ROBIN9-13HZ, KMGP Well, Actual BKR Surveys V0          | BUFORD 336-2L, Confuence Planned Well, BKR Planned Surveys V0 |
| FAWN 2734-11H, Plan A, Design #1 V0                         | ROBIN9-11HZ, KMGP Well, Actual BKR Surveys V0          | BUFORD 336-4L, Confuence Planned Well, Planned BKR Surveys V0 |
| FAWN 2734-14H, Plan A, Design #1 V0                         | ROBIN9-14HZ, KMGP Well, Actual BKR Surveys V0          |   |
| FAWN 2734-10H, Plan A, Design #1 V0                         | ROBIN9-12HZ, KMGP Well, Actual BKR Surveys V0          |   |