

VERDAD RESOURCES

WATTENBERG FIELD

1N-65W-22 FAWN 2734 & 2833 PAD

FAWN 2734-05H

Plan A

Design #1

Anticollision Summary Report

30 July, 2022

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well FAWN 2734-05H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 20' @ 5127.00usft (RIG)
Reference Site:	1N-65W-22 FAWN 2734 & 2833 PAD	MD Reference:	RKB = 20' @ 5127.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	FAWN 2734-05H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan A	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #1	Offset TVD Reference:	Offset Datum

Reference	Design #1		
Filter type:	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
Interpolation Method:	Stations	Error Model:	ISCWSA
Depth Range:	Unlimited	Scan Method:	Closest Approach 3D
Results Limited by:	Maximum centre distance of 1,500.00usft	Error Surface:	Pedal Curve
Warning Levels Evaluated at:	2.45 Sigma	Casing Method:	Added to Error Values

Survey Tool Program	Date	7/30/2022		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
0.00	2,250.00	Design #1 (Plan A)	ISCWSA MWD	Fixed:v2:standard declination
2,250.00	17,755.82	Design #1 (Plan A)	ISCWSA MWD	Fixed:v2:standard declination

Summary						
Site Name Offset Well - Wellbore - Design	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
1N-65W-09 Offsets Incomplete						
ROBIN 9-10HZ - KMG PR Well - Actual BKR Surveys						Out of range
ROBIN 9-11HZ - KMG PR Well - Actual BKR Surveys						Out of range
ROBIN 9-12HZ - KMG PR Well - Actual BKR Surveys						Out of range
ROBIN 9-13HZ - KMG PR Well - Actual BKR Surveys						Out of range
ROBIN 9-14HZ - KMG PR Well - Actual BKR Surveys						Out of range
ROBIN 9-15HZ - KMG PR Well - Actual BKR Surveys	7,523.67	18,345.00	1,314.36	1,143.92	7.711	CC, ES
ROBIN 9-15HZ - KMG PR Well - Actual BKR Surveys	7,550.00	18,345.00	1,314.95	1,144.31	7.706	SF
ROBIN 9-16HZ - KMG PR Well - Actual BKR Surveys	7,481.12	18,356.00	1,030.41	864.94	6.227	CC, ES, SF
ROBIN 9-17HZ - KMG PR Well - Actual BKR Surveys	7,500.00	18,363.00	907.86	755.56	5.961	SF
ROBIN 9-17HZ - KMG PR Well - Actual BKR Surveys	7,521.29	18,363.00	907.30	755.18	5.964	CC, ES
ROBIN 9-18HZ - Kerr McGee PR Well - Actual BKR Surv	7,400.00	18,279.00	651.54	508.61	4.559	SF
ROBIN 9-18HZ - Kerr McGee PR Well - Actual BKR Surv	7,434.44	18,279.00	649.77	508.15	4.588	CC, ES
1N-65W-22 FAWN 2734 & 2833 PAD						
FAWN 2734-06H - Plan A - Design #1	332.00	332.00	16.00	8.31	2.080	CC, ES
FAWN 2734-06H - Plan A - Design #1	17,755.82	17,608.26	521.36	29.26	1.059	Level 2, SF
FAWN 2734-07H - Plan A - Design #1	332.00	332.00	32.00	24.31	4.160	CC, ES
FAWN 2734-07H - Plan A - Design #1	17,755.82	17,482.65	1,042.74	553.02	2.129	SF
FAWN 2734-08H - Plan A - Design #1	332.00	332.00	48.00	40.31	6.240	CC, ES, SF
FAWN 2734-09H - Plan A - Design #1	332.00	332.00	64.00	56.31	8.320	CC, ES, SF
FAWN 2734-10H - Plan A - Design #1	332.00	332.00	79.99	72.30	10.399	CC, ES
FAWN 2734-10H - Plan A - Design #1	400.00	399.99	80.80	73.02	10.382	SF
FAWN 2734-11H - Plan A - Design #1	332.00	332.00	95.99	88.30	12.479	CC, ES
FAWN 2734-11H - Plan A - Design #1	400.00	399.75	96.80	89.02	12.439	SF
FAWN 2734-12H - Plan A - Design #1	332.00	332.00	111.99	104.30	14.559	CC, ES
FAWN 2734-12H - Plan A - Design #1	400.00	398.92	112.94	105.15	14.516	SF
FAWN 2734-13H - Plan A - Design #1	332.00	332.00	127.99	120.30	16.640	CC, ES
FAWN 2734-13H - Plan A - Design #1	400.00	397.51	129.35	121.58	16.631	SF
FAWN 2734-14H - Plan A - Design #1	200.00	200.00	143.99	136.42	19.025	CC, ES, SF
FAWN 2833-01H - Plan A - Design #1	200.00	200.00	64.00	56.43	8.456	CC, ES, SF
FAWN 2833-02H - Plan A - Design #1	200.00	200.00	48.00	40.43	6.342	CC, ES, SF
FAWN 2833-03H - Plan A - Design #1	204.44	204.44	32.00	24.43	4.226	CC, ES
FAWN 2833-03H - Plan A - Design #1	14,900.00	15,508.32	1,498.34	1,138.25	4.161	SF
FAWN 2833-04H - Plan A - Design #1	300.00	300.00	16.00	8.35	2.090	CC, ES
FAWN 2833-04H - Plan A - Design #1	17,755.82	17,946.27	553.25	60.89	1.124	Level 2, SF

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well FAWN 2734-05H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 20' @ 5127.00usft (RIG)
Reference Site:	1N-65W-22 FAWN 2734 & 2833 PAD	MD Reference:	RKB = 20' @ 5127.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	FAWN 2734-05H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan A	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #1	Offset TVD Reference:	Offset Datum

Summary

Site Name Offset Well - Wellbore - Design	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
1N-65W-22 Offsets						
CANAL 22-1-3L - Confluence PR Well - Actual BKR Surv	2,138.98	2,165.82	101.00	73.13	3.624	CC, ES, SF
CANAL 22-1-4L - Confluence PR Well - Actual BKR Surv	2,635.36	2,611.73	160.12	130.47	5.399	CC, ES, SF
CANAL 22-2-2L - Confluence PR Well - Actual BKR Surv	2,267.35	2,275.78	94.13	66.13	3.362	CC, ES, SF
CANAL 22-3-3L - Confluence PR Well - Actual BKR Surv	2,965.56	2,924.03	206.59	174.69	6.476	CC, ES, SF
CANAL 22-4-2L - Confluence PR Well - Actual BKR Surv	3,152.31	3,104.94	211.27	177.65	6.284	CC, ES, SF
DRAKE 01N-65W-22-8N - Verdad PR Well - Actual Ensig						Out of range
LONG 22-15-6NCH - Confluence Original Well - Actual B						Out of range
LONG 22-15-6NCH - Confluence PR Sidetrack - Actual B						Out of range
WILLOW 22-14-2L - Confluence PR Well - Actual BKR S	3,076.55	2,966.98	143.73	114.72	4.955	CC, ES
WILLOW 22-14-2L - Confluence PR Well - Actual BKR S	3,100.00	2,987.91	144.11	114.88	4.930	SF
WILLOW 22-15-3L - Confluence PR Well - Actual Baker	3,382.53	3,247.24	149.51	118.78	4.865	CC
WILLOW 22-15-3L - Confluence PR Well - Actual Baker	3,400.00	3,263.06	149.69	118.77	4.841	ES, SF
WILLOW 22-17-2L - Confluence PR Well - Actual BKR S	3,793.78	3,628.58	162.52	128.81	4.820	CC
WILLOW 22-17-2L - Confluence PR Well - Actual BKR S	3,800.00	3,634.35	162.54	128.73	4.808	ES, SF
WILLOW 22-18-3L - Confluence PR Well - Actual BKR S	4,296.55	4,100.53	182.07	143.91	4.771	CC
WILLOW 22-18-3L - Confluence PR Well - Actual BKR S	4,300.00	4,103.77	182.07	143.86	4.764	ES
WILLOW 22-18-3L - Confluence PR Well - Actual BKR S	4,400.00	4,197.56	185.45	145.98	4.698	SF
WILLOW 22-20-2L - Confluence PR Well - Actual BKR S	4,929.77	4,701.09	212.37	167.47	4.729	CC
WILLOW 22-20-2L - Confluence PR Well - Actual BKR S	5,000.00	4,768.07	213.41	167.39	4.638	ES
WILLOW 22-20-2L - Confluence PR Well - Actual BKR S	5,100.00	4,864.05	218.18	170.98	4.622	SF
WILLOW 22-21-3L - Confluence PR Well - Actual BKR S	5,647.59	5,389.50	228.60	175.01	4.266	CC
WILLOW 22-21-3L - Confluence PR Well - Actual BKR S	5,700.00	5,440.05	229.00	174.41	4.195	ES
WILLOW 22-21-3L - Confluence PR Well - Actual BKR S	5,800.00	5,536.38	231.96	175.74	4.126	SF
WILLOW 22-4-4L - Confluence PR Well - Actual BKR Su	2,927.44	2,828.48	135.72	107.66	4.837	CC, ES, SF
WILLOW 22-5-4L - Confluence PR Well - Actual BKR Su	4,593.94	4,384.39	201.31	159.83	4.854	CC
WILLOW 22-5-4L - Confluence PR Well - Actual BKR Su	4,600.00	4,390.20	201.32	159.75	4.843	ES
WILLOW 22-5-4L - Confluence PR Well - Actual BKR Su	4,700.00	4,485.42	203.82	160.93	4.752	SF
1N-65W-27 Offsets						
ROWE 13N-27HZ - VERDAD PR Well - Actual BHI Surv	12,200.00	13,690.00	397.62	98.17	1.328	Level 3, SF
ROWE 13N-27HZ - VERDAD PR Well - Actual BHI Surv	12,300.00	13,690.00	374.26	98.09	1.355	Level 3, ES
ROWE 13N-27HZ - VERDAD PR Well - Actual BHI Surv	12,340.19	13,690.00	372.09	110.55	1.423	Level 3, CC
1N-65W-28 Offsets Incomplete						
*GLEN YOUNG 1 - KPK P&A Well - No Surveys	8,880.37	7,183.00	1,416.63	1,117.65	4.738	CC
*GLEN YOUNG 1 - KPK P&A Well - No Surveys	8,900.00	7,183.00	1,416.77	1,116.90	4.725	ES
*GLEN YOUNG 1 - KPK P&A Well - No Surveys	9,200.00	7,183.00	1,452.24	1,139.11	4.638	SF
*NECKIEN 1 - RENEGADE T/A Well - No Surveys						Out of range
YOUNG 01N-65W-28-8N - VERDAD PR Well - Actual En	11,651.82	11,130.31	1,010.46	817.39	5.234	CC
YOUNG 01N-65W-28-8N - VERDAD PR Well - Actual En	12,400.00	11,808.00	1,028.45	786.97	4.259	ES
YOUNG 01N-65W-28-8N - VERDAD PR Well - Actual En	12,500.00	11,808.00	1,040.15	795.56	4.253	SF
1N-65W-33 Offsets Incomplete						
*HSR-CHERRY KNOLLS 9-33 - KMG D/A Well - No Surv	16,702.08	7,252.00	783.10	303.56	1.633	CC, ES
*HSR-CHERRY KNOLLS 9-33 - KMG D/A Well - No Surv	16,800.00	7,252.00	789.19	304.01	1.627	SF
BUFORD 33-10-2L - Confluence Drilled Well - Plan Only						Out of range
BUFORD 33-6-2L - Confluence Planned Well - BKR Plan						Out of range
BUFORD 33-6-4L - Confluence Planned Well - Planned B						Out of range
DESHA 4-15-1 - Confluence PR Well - Actual BKR Surve						Out of range

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well FAWN 2734-05H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 20' @ 5127.00usft (RIG)
Reference Site:	1N-65W-22 FAWN 2734 & 2833 PAD	MD Reference:	RKB = 20' @ 5127.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	FAWN 2734-05H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan A	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #1	Offset TVD Reference:	Offset Datum

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
1N-65W-34 Offsets						
DESHA 4-1-3L - Confluence Planned Well - BKR Planne	17,755.82	7,220.50	485.58	363.92	3.991	CC, ES, SF
DESHA 4-1-4L - Confluence Planned Well - BKR Planne	17,755.82	7,290.05	841.96	617.58	3.752	CC, ES, SF
DESHA 4-2-2L - Confluence Planned Well - BKR Planne	17,755.82	7,220.50	709.34	513.46	3.621	CC, ES, SF
DESHA 4-2-4L - Confluence Planned Well - BKR Planne						Out of range
DESHA 4-3-1L - Confluence Planned Well - BKR Planne	17,755.82	7,148.53	1,115.59	886.66	4.873	CC, ES, SF
DESHA 4-4-3L - Confluence Planned Well - BKR Planne	17,755.82	7,194.45	1,280.17	1,037.46	5.274	CC, ES, SF
DESHA 4-5-2L - Confluence Planned Well - BKR Planne						Out of range
DESHA 4-6-1L - Confluence Planned Well - BKR Planne						Out of range
JORDAN #34-2 - KPK PR Well - No Surveys	14,000.00	7,226.00	1,369.38	955.93	3.312	ES, SF
JORDAN #34-2 - KPK PR Well - No Surveys	14,007.85	7,226.00	1,369.36	955.96	3.312	CC
JORDAN #34-3 - KPK PR Well - No Surveys						Out of range
JORDAN #34-4 - KPK PR Well - No Surveys						Out of range
JORDAN #34-5 - KPK PR Well - No Surveys						Out of range
JORDAN #34-6 - BERGE D/A Well - No Surveys						Out of range
JORDAN #34-7 - KPK P&A Well - No Surveys						Out of range
JORDAN #34-8 - KPK D/A Well - No Surveys						Out of range
JORDAN #34-9 - BERGE P&A Well - No Surveys	17,500.00	7,260.00	481.82	-14.57	0.971	Level 1, ES, SF
JORDAN #34-9 - BERGE P&A Well - No Surveys	17,505.62	7,260.00	481.78	-14.27	0.971	Level 1, CC
JORDAN, IVAR #1 - KPK PR Well - No Surveys						Out of range
JORDAN-LOUSTAUNAU #34-10 - KPK D/A Well - No Su	15,757.08	7,220.00	473.48	19.61	1.043	Level 2, CC, ES, SF
JUDY 3-4 - Confluence PR Well - Actual Ensign Surveys	17,755.82	7,429.03	988.95	798.77	5.200	CC, ES, SF
JUDY 34-03-07 - Confluence Planned Well - Pro Directio	17,755.82	7,135.35	732.41	482.51	2.931	CC, ES, SF
JUDY 34-03-08 - Confluence Planned Well - Pro Directio	17,755.82	7,072.38	1,024.47	765.05	3.949	CC, ES, SF
JUDY 34-03-09 - Confluence Planned Well - Pro Directio	17,755.82	7,126.66	1,422.82	1,153.97	5.292	CC, ES, SF
1N-65W-35 Offsets Incomplete						
DOUBLE J 35-11-1CDH - Providence Planned Well - BK						Out of range

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well FAWN 2734-05H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 20' @ 5127.00usft (RIG)
Reference Site:	1N-65W-22 FAWN 2734 & 2833 PAD	MD Reference:	RKB = 20' @ 5127.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	FAWN 2734-05H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan A	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #1	Offset TVD Reference:	Offset Datum

Reference Depths are relative to RKB = 20' @ 5127.00usft (RIG)

Offset Depths are relative to Offset Datum


Central Meridian is -105.500000

Coordinates are relative to: FAWN 2734-05H

Coordinate System is US State Plane 1983, Colorado Northern Zone

Grid Convergence at Surface is: 0.55°

Ladder Plot



LEGEND

WILLOW 22-17-2L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2734-10H, Plan A, Design #1 V0	JORDAN #34-0, BERGE P&A Well No Surveys V0
WILLOW 22-18-3L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2833-03H, Plan A, Design #1 V0	DESHA 4-43L, Confluence Planned Well, BKR Planned Surveys V0
CANAL 22-33L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2833-04H, Plan A, Design #1 V0	DESHA 4-22L, Confluence Planned Well, BKR Planned Surveys V0
WILLOW 22-14-2L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2734-08H, Plan A, Design #1 V0	JORDAN-LOUISIANA #34-10, KP&DA Well, No Surveys V0
CANAL 22-13L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2734-06H, Plan A, Design #1 V0	JUDY 34-03-08, Confluence Planned Well, P&D Directional Planned Surveys V0
WILLOW 22-20-2L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2734-12H, Plan A, Design #1 V0	JORDAN #34-2, KP&P Well No Surveys V0
CANAL 22-32L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2833-02H, Plan A, Design #1 V0	JUDY 34-03-07, Confluence Planned Well, P&D Directional Planned Surveys V0
WILLOW 22-15-3L, Confluence PR Well, Actual Baker Surveys V0	FAWN 2734-13H, Plan A, Design #1 V0	DESHA 4-3-1L, Confluence Planned Well, BKR Planned Surveys V0
CANAL 22-14L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2734-07H, Plan A, Design #1 V0	JUDY 3-4, Confluence PR Well, Actual Ensign Surveys V0
WILLOW 22-4-4L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2734-09H, Plan A, Design #1 V0	DESHA 4-1-3L, Confluence Planned Well, BKR Planned Surveys V0
WILLOW 22-26-4L, Confluence PR Well, Actual BKR Surveys V0	ROWE 13N-2HZ, VERDAD PR Well, Actual BHS Surveys V0	JUDY 34-03-09, Confluence Planned Well, P&D Directional Planned Surveys V0
CANAL 22-42L, Confluence PR Well, Actual BKR Surveys V0	ROBIN 9-17HZ, Kerr McGraw PR Well, Actual BKR Surveys V0	YOUNG 01N-65W-28-8N, VERDAD PR Well, Actual Ensign Surveys V0
WILLOW 22-21-3L, Confluence PR Well, Actual BKR Surveys V0	ROBIN 9-18HZ, Kerr McGraw PR Well, Actual BKR Surveys V0	*GLEN YOUNG I, KP&P & A Well No Surveys V0
FAWN 2833-01H, Plan A, Design #1 V0	ROBIN 9-19HZ, Kerr McGraw PR Well, Actual BKR Surveys V0	*HSR-CHERRY KNOLLS 9-33, KM&DA Well, No Surveys V0
FAWN 2734-11H, Plan A, Design #1 V0	DESHA 4-1-4L, Confluence Planned Well, BKR Planned Surveys V0	
FAWN 2734-14H, Plan A, Design #1 V0		

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well FAWN 2734-05H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 20' @ 5127.00usft (RIG)
Reference Site:	1N-65W-22 FAWN 2734 & 2833 PAD	MD Reference:	RKB = 20' @ 5127.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	FAWN 2734-05H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan A	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #1	Offset TVD Reference:	Offset Datum

Reference Depths are relative to RKB = 20' @ 5127.00usft (RIG)

Offset Depths are relative to Offset Datum


Central Meridian is -105.500000

Coordinates are relative to: FAWN 2734-05H

Coordinate System is US State Plane 1983, Colorado Northern Zone

Grid Convergence at Surface is: 0.55°

Separation Factor Plot



LEGEND

WILLOW 22-17-2L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2734-10H, Plan A, Design #1 V0	JORDAN #34-9, BERGE P&A Well No Surveys V0
WILLOW 22-18-3L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2833-03H, Plan A, Design #1 V0	DESHA 4-4-3L, Confluence Planned Well, BKR Planned Surveys V0
CANAL 22-3-3L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2833-04H, Plan A, Design #1 V0	DESHA 4-2-2L, Confluence Planned Well, BKR Planned Surveys V0
WILLOW 22-14-2L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2734-08H, Plan A, Design #1 V0	JORDAN-LOUISIANA #34-10, KP&DA Well, No Surveys V0
CANAL 22-1-3L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2734-06H, Plan A, Design #1 V0	JUDY 34-03-08, Confluence Planned Well, Pro Directional Planned Surveys V0
WILLOW 22-20-2L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2734-12H, Plan A, Design #1 V0	JORDAN #34-2, KP&P Well No Surveys V0
CANAL 22-3-2L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2833-02H, Plan A, Design #1 V0	JUDY 34-03-07, Confluence Planned Well, Pro Directional Planned Surveys V0
WILLOW 22-15-3L, Confluence PR Well, Actual Baker Surveys V0	FAWN 2734-13H, Plan A, Design #1 V0	DESHA 4-3-1L, Confluence Planned Well, BKR Planned Surveys V0
CANAL 22-1-4L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2734-07H, Plan A, Design #1 V0	JUDY 3-4, Confluence PR Well, Actual Ensign Surveys V0
WILLOW 22-4-4L, Confluence PR Well, Actual BKR Surveys V0	FAWN 2734-09H, Plan A, Design #1 V0	DESHA 4-1-3L, Confluence Planned Well, BKR Planned Surveys V0
WILLOW 22-6-4L, Confluence PR Well, Actual BKR Surveys V0	ROWE 13N-27H, VERDAD PR Well, Actual BHS Surveys V0	JUDY 34-03-09, Confluence Planned Well, Pro Directional Planned Surveys V0
CANAL 22-4-2L, Confluence PR Well, Actual BKR Surveys V0	ROBIN 9-17H, KMG PR Well, Actual BKR Surveys V0	YOUNG 01N-65W-28-8N, VERDAD PR Well, Actual Ensign Surveys V0
WILLOW 22-21-3L, Confluence PR Well, Actual BKR Surveys V0	ROBIN 9-18H, KMG PR Well, Actual BKR Surveys V0	*GLEN YOUNG, KP&P & A Well No Surveys V0
FAWN 2833-01H, Plan A, Design #1 V0	ROBIN 9-19H, Kerr McGee PR Well, Actual BKR Surveys V0	*HSR-CHERRY KNOLLS 9-33, KMGDA Well, No Surveys V0
FAWN 2734-11H, Plan A, Design #1 V0	ROBIN 9-19H, KMG PR Well, Actual BKR Surveys V0	
FAWN 2734-14H, Plan A, Design #1 V0	DESHA 4-1-4L, Confluence Planned Well, BKR Planned Surveys V0	