

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
403170875

Date Received:
09/19/2022

FIR RESOLUTION FORM

Overall Status:

CA Summary:

3 of 3 CAs from the FIR responded to on this Form

3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10651
Name of Operator: VERDAD RESOURCES LLC
Address: 1125 17TH STREET SUITE 550
City: DENVER State: CO Zip: 80202

Contact Name and Telephone:
Name:
Phone: () Fax: ()
Email:

Additional Operator Contact:

Contact Name	Phone	Email
Michael Cugnetti	720-845-6901	mcugnetti@verdadresources.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 697504073
Inspection Date: 07/26/2022 FIR Submit Date: 07/28/2022 FIR Status:

Inspected Operator Information:

Company Name: VERDAD RESOURCES LLC Company Number: 10651
Address: 1125 17TH STREET SUITE 550
City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 466345

Location Name: Boydston Number: 3535 County:
Qtrqr: NWN Sec: 35 Twp: 9N Range: 60W Meridian: 6
W
Latitude: 40.712886 Longitude: -104.067521

FACILITY - API Number: 05-123-00 Facility ID: 466345

Facility Name: Boydston Number: 3535
Qtrqr: NWN Sec: 35 Twp: 9N Range: 60W Meridian: 6
W
Latitude: 40.712886 Longitude: -104.067521

CORRECTIVE ACTIONS:

1 CA# 163574

Corrective Action: Comply with Rule 606, which includes collecting all trash and debris that has blown off location. Date: 07/26/2022

The corrective action date is the date the location was observed out of compliance.

Response: CA COMPLETED Date of Completion: 07/26/2022

Operator Comment: All blown Trash was immediately cleaned up after the inspection.

COGCC Decision: _____

COGCC
Representative:

2 CA# 163575

Corrective Action: Comply with Rule 1002.c.

Date: 07/26/2022

The corrective action date is the date the location was observed out of compliance.

Response: CA COMPLETED

Date of Completion: 09/15/2022

Operator
Comment:

The fill slopes and topsoil pile were seeded and straw mulched and crimped for permanent stabilization. See the attached corrective action photos for documentation.

COGCC Decision: _____

COGCC
Representative:

3 CA# 163576

Corrective Action: Comply with Rule 1002.f. to install sufficient stormwater BMPs to stabilize fill slopes, culverts, fill slopes and install sufficient stormwater BMPs to prevent the discharge of sediment off location.

Date: 07/26/2022

The corrective action date is the date the location was observed out of compliance.

Response: CA COMPLETED

Date of Completion: 08/02/2022

Operator
Comment:

we improved several BMPs including check dams in the ditch on the steeper slopes on the north and east sides of location. We also placed riprap armor around the culvert. We also repaired some of the rilling, created a directed out fall channel on the north east section of the pad and placed liner and riprap in the channel to protect it from the directed flows. See the attached corrective action photos for documentation.

COGCC Decision: _____

COGCC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Michael Cugnetti

Signed: _____

Title: Director of EHS&R

Date: 9/19/2022 4:40:05 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403170931	Corrective Action photo documentation
403170936	Corrective Action photo documentation
403170937	Corrective Action photo documentation

403170938	Corrective Action photo documentation
403170939	Corrective Action photo documentation
403170941	Corrective Action photo documentation
403170942	Corrective Action photo documentation
403170943	Corrective Action photo documentation
403170944	Corrective Action photo documentation
403170945	Corrective Action photo documentation
403170946	Corrective Action photo documentation

Total Attach: 11 Files