

3 approved copies returned 6-11-51

LB.

138D

OFFICE OF STATE OIL INSPECTOR
SUNDRY NOTICES AND REPORTS OF WELLS
LOCATED ON PRIVATE LANDS



(Indicate nature of data by checking below)

- Notice of intention to drill.....
- Notice of intention to change plans.....
- Notice of date for test of water shut-off.....
- Report on result of test of water shut-off.....
- Notice of intention to re-drill or repair well.....
- Notice of intention to clean out well.....
- Statement of shooting.....
- Statement of perforating.....
- Notice to pull or otherwise alter casing.....
- Notice of intention to abandon well.....
- Report of work done on well since previous report... setting surface casing xxx

June 3 19 51

Following is a ~~(patented or unpatented)~~ (On land) (patented) described as follows:
(report of work done)

Colorado		Logan		Mt. Hope	
State		County		Field	
B-1	C. F. Green	25	SE	9N	54W 6 PM
(Well No.)	(Lease)	(Sec. and 1/4 Sec.)	(Twp.)	(Range)	(Meridian)

The well is located 2372 ft. (N) of S Line and 330 ft. (E) of E Line

The elevation above sea level is 4192 ft. K. B. 4182 Gd. Level.

Details of Plan of Work: (State names of and expected depths to objective sands; Show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

On May, 29, 1951, we landed 6 joints 197.68' of 10.75" OD 32.75# H-40 8R Thrd casing at 209.18' from K. B. and cemented with 150 sacks regular cement 2% calcium chloride mixture. Cement circulated to surface and allowed to set 36 hours before a pressure test was applied. After drilling the float collar and 15 feet of cement 500# psi pump pressure was held on the casing for 30 minutes with no pressure drop. The remainder of the cement was then drilled.

Approved: June 11, 1951
[Signature]
State Oil Inspector

Company The Texas Company
P. O. Box 1346
Address Casper, Wyoming
By [Signature]
Title District Superintendent

Submit reports of proposed work, for approval, on this form in Duplicate.

EWO-GBC 6-7-51
CGCC
TTF
WR