

August 1, 2022

Mr. Jake Janicek  
EHS Specialist  
Caerus Operating LLC  
143 Diamond Ave.  
Parachute, CO 81635



## **REPORT OF WORK COMPLETED**

**Project Name:** Mesa 3 Partially Buried Vessel Remediation  
**Facility Name:** Puckett-67S96W 18NWNW  
**COGCC Location ID:** 334704  
**Legal Description:** NWNW Sec. 18, T7S-R96W Garfield County, CO  
**Location (Lat/Long):** 39.442750, -108.157030

On behalf of Caerus Operating LLC (Caerus), Campos EPC (CEPC) has prepared this Report of Work Completed (ROWC) to document the recent partially buried vessel (PBV) removal assessment activities at the Puckett-67S96W 18NWNW Pad, also known as Mesa 3 (Site). This ROWC provides background and purpose of the assessment, methodology, summarized results, and recommendations for additional action. Attachments to this ROWC include field notes and photos, Site exhibit with sample locations, soil analytical data table, and laboratory reports.

## **BACKGROUND**

The Site is approximately 5.5 miles west of Parachute, CO within the Grand Valley Field. Land use is primarily oil and gas operations and high mountain desert rangeland. Lithology consists mostly of organic silts and clays. The Site is situated on a mesa and topography at the site slopes away to the northwest and southeast. The nearest watercourse is Riley Gulch approximately 0.6 miles southeast, which is a tributary to Parachute Creek approximately 3.7 miles northeast of the Site.

To the purpose of remediating impacts found during the initial assessment, a supplemental investigation was conducted. A Form 19 was submitted to the Colorado Oil and Gas Conservation Commission to document the historical impacts (Doc. # 403082924).

## **METHODOLOGY**

On June 28, 2022, CEPC personnel collected a produced water (PW) sample from the tank battery at the Site for comparison to pH and Arsenic concentrations. The PW sample was collected in laboratory provided jars, immediately packed on ice, and submitted to Pace Analytical for laboratory analysis.

On July 7, 2022, additional excavation was conducted along the east sidewall to remove impacted soils. Three confirmation soil samples were collected at six feet (ft) below ground surface (bgs). Hand tools with strict decontamination methods were used. Samples were collected in laboratory provided jars, immediately packed on ice, and submitted to Pace Analytical for Sodium Adsorption Ratio (SAR) analysis. Soil sample locations were surveyed using a Trimble RTX Data Collector with sub-inch accuracy.


## **RESULTS**

Laboratory results for the produced water sample indicated a pH value of 7.04 and an Arsenic concentration below the reporting detection limit (RDL). Laboratory results for the confirmation soil samples indicated SAR ranging from 0.829 to 4.67.

## **CONCLUSION**


Based on laboratory results, SAR impacted soils have been removed from the excavation. Additionally, produced water analysis indicates historical impacts would not increase pH values or Arsenic concentrations at the Site. CEPC concludes that all historical impacts have been remediated and recommends a no further action request to the COGCC.

Thank you for the opportunity to support you on this project. Please reach out anytime with questions regarding this report and associated field work.



Steve Sivigliano, CES  
Environmental Project Manager | Campos EPC, LLC

1401 Blake St | Denver, Colorado 80202  
HQ 303-623-3345 | Cell 970-619-0600  
[Steve.Sivigliano@camposepc.com](mailto:Steve.Sivigliano@camposepc.com)  
[www.camposepc.com](http://www.camposepc.com)



Amanda Baca  
Project Scientist | Campos EPC, LLC

1401 Blake St | Denver, Colorado 80202  
HQ 303-623-3345 | Cell 719-250-0005  
[Amanda.Baca@camposepc.com](mailto:Amanda.Baca@camposepc.com)  
[www.camposepc.com](http://www.camposepc.com)

## **ATTACHMENTS**

- Site Exhibit with sample locations
- Analytical Data Table
- Laboratory Reports
- Field Notes





MESA 3  
PUCKETT-67S96W / 18NWNW  
COGCC LOCATION ID: 334704  
GARFIELD COUNTY, CO  
NWNW SEC. 18 T7S-R96W

DRAFTER: LR      DATE: 7/6/2022

Legend  
● Soil Sample Location

COORDINATE SYSTEM  
GCS NORTH AMERICAN 1983


Identifier	Latitude NAD83	Longitude NAD83	Elevation
BASE@8'	-108.157404	39.442218	8625.53 ft
BG-E@2'	-108.156566	39.443563	8615.93 ft
BG-N@1'	-108.157656	39.442709	8616.73 ft
BG-S@2.5'	-108.156851	39.442083	8618.31 ft
BG-W@3'	-108.157891	39.442113	8638.89 ft
EW-01@6'	-108.157405	39.442235	8627.88 ft

Identifier	Latitude NAD83	Longitude NAD83	Elevation
EW-02@6'	-108.157390	39.442232	8626.37 ft
EW-03@6'	-108.157367	39.442218	8631.51 ft
EWALL@6'	-108.157382	39.442232	8626.86 ft
NWALL@6'	-108.157422	39.442234	8627.90 ft
SWALL@6'	-108.157376	39.442198	8628.26 ft
WWALL@6'	-108.157417	39.442200	8628.23 ft





SOIL ANALYTICAL RESULTS TABLE  
CAERUS OIL AND GAS - MESA 3 PBV REMOVAL ASSESSMENT

	ORGANIC COMPOUNDS in mg/kg								SOIL SUITABILITY				METALS in mg/kg									
Sample Name	GRO	DRO	ORO	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	Electrical Conductivity (mmhos/cm)	Sodium Adsorption Ratio	pH (su)	Boron-hot water soluble (mg/L)	Arsenic	Barium	Cadmium	Chromium (VI)	Copper	Lead	Nickel	Selenium	Silver	Zinc
20220526-MESA 3 (N.WALL)@6'	<0.1	14.4	34.2	48.6	<0.001	<0.005	<0.0025	<0.0065	0.147	0.815	7.92	<0.2	5.73	278	0.675	<1.0	15.4	72.5	20.3	<2.0	<1.0	94.3
20220526-MESA 3 (E.WALL)@6'	4.42	39.9	50.4	94.72	0.00173	0.0260	0.0101	0.346	0.748	15.5	8.6	0.410	4.48	282	<0.5	<1.0	13.8	7.63	13.4	<2.0	<1.0	51.6
20220707-MESA 3 (EW01)@6'	na	na	na	na	na	na	na	na	na	4.67	na	na	na	na	na	na	na	na	na	na	na	na
20220707-MESA 3 (EW02)@6'	na	na	na	na	na	na	na	na	na	4.56	na	na	na	na	na	na	na	na	na	na	na	na
20220707-MESA 3 (EW03)@6'	na	na	na	na	na	na	na	na	na	0.829	na	na	na	na	na	na	na	na	na	na	na	na
20220526-MESA 3 (S.WALL)@6'	6.55	71.3	87.0	164.85	0.00117	0.0248	0.00707	0.247	0.163	2.8	8.77	<0.2	10.5	273	1.08	<1.0	19.2	10.1	15.0	<2.0	<1.0	87.2
20220526-MESA 3 (W.WALL)@6'	4.26	74.2	115	193.46	<0.001	0.0137	0.00638	0.178	0.137	1.35	8.46	<0.2	4.48	363	<0.5	<1.0	13.7	8.94	19.2	<2.0	<1.0	83.0
20220526-MESA 3 (BASE)@8'	0.188	150	149	299.188	<0.001	<0.005	<0.0025	0.0106	0.376	2.94	8.36	<0.2	5.64	186	<0.5	<1.0	10.6	6.55	12.2	<2.0	<1.0	37.0
20220526-MESA 3 (BG-N)@1'	na	na	na	na	na	na	na	na	0.129	0.0962	7.13	0.300	3.84	na	na	na	na	na	na	na	na	na
20220526-MESA 3 (BG-E)@2'	na	na	na	na	na	na	na	na	0.0628	0.0658	6.88	0.243	4.16	na	na	na	na	na	na	na	na	na
20220526-MESA 3 (BG-S)@2.5'	na	na	na	na	na	na	na	na	0.0753	0.0640	7.06	0.331	4.13	na	na	na	na	na	na	na	na	na
20220526-MESA 3 (BG-W)@3'	na	na	na	na	na	na	na	na	0.0605	0.104	6.95	0.297	3.72	na	na	na	na	na	na	na	na	na
PRODUCED WATER SAMPLE FROM MESA 3 TANK																						
20220628-MESA 3(PW)	na	na	na	na	na	na	na	na	na	na	7.04	na	<0.1	na	na	na	na	na	na	na	na	na
COGCC TABLE 915-1 RESIDENTIAL SOIL SCREENING LEVEL CONCENTRATIONS	500 mg/kg				1.2 mg/kg	490 mg/kg	5.8 mg/kg	58 mg/kg	<4.0 mmhos/cm	<6 unitless	6 - 8.3 su	2 mg/L	0.68 mg/kg	15,000 mg/kg	71 mg/kg	0.3 mg/kg	3,100 mg/kg	400 mg/kg	1,500 mg/kg	390 mg/kg	390 mg/kg	23,000 mg/kg
PROTECTION OF GROUNDWATER SOIL SCREENING LEVEL CONCENTRATIONS	500 mg/kg				0.0026 mg/kg	0.69 mg/kg	0.78 mg/kg	9.9 mg/kg	<4.0 mmhos/cm	<6 unitless	6 - 8.3 su	2 mg/L	0.29 mg/kg	82 mg/kg	0.38 mg/kg	0.00067 mg/kg	46 mg/kg	14 mg/kg	26 mg/kg	0.26 mg/kg	0.8 mg/kg	370 mg/kg

Notes:

**Bold with yellow highlight** - exceeds COGCC Table 915-1 residential soil screening level concentration

< - less than laboratory reporting detection limit (RDL)

COGCC - Colorado Oil and Gas Conservation Commission

TPH - Total Petroleum Hydrocarbons (volatile and extractable)

GRO - Gasoline Range Organics

DRO - Diesel Range Organics

ORO - Oil Range Organics

mg/kg - milligrams per kilogram


mg/L - milligrams per Liter

mmhos/cm - millimhos per centimeter

su - standard unit

na - not analyzed


SOIL ANALYTICAL RESULTS TABLE (continued)  
CAERUS OIL AND GAS - MESA 3 PBV REMOVAL ASSESSMENT

	ORGANIC COMPOUNDS in mg/kg (continued)																
Sample Name	1, 2, 4- trimethylbenzene	1, 3, 5- trimethylbenzene	Acenaphthene	Anthracene	Benz(a) anthracene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(a) pyrene	Chrysene	Dibenzo(a,h) anthracene	Fluoranthene	Fluorene	Indeno (1, 2, 3-cd) pyrene	1- methylnaphthalene	2- mehtylnaphthalene	Naphthalene	Pyrene
2022056-MESA 3 (N.WALL)@6'	<0.005	<0.005	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.02	<0.02	<0.02	<0.006
2022056-MESA 3 (E.WALL)@6'	0.147	0.359	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.02	<0.02	<0.02	<0.006
2022056-MESA 3 (S.WALL)@6'	0.0976	0.333	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	0.00776	<0.006	0.0587	0.0968	0.0277	<0.006
2022056-MESA 3 (W.WALL)@6'	0.109	0.166	<0.006	0.00710	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	0.0115	<0.006	0.0614	0.118	0.0286	<0.006
2022056-MESA 3 (BASE)@8'	<0.005	0.119	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	0.0338	0.0568	0.0221	<0.006
2022056-MESA 3 (BG-N)@1'	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
2022056-MESA 3 (BG-E)@2'	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
2022056-MESA 3 (BG-S)@2.5'	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
2022056-MESA 3 (BG-W)@3'	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
COGCC TABLE 915-1 RESIDENTIAL SOIL SCREENING LEVEL CONCENTRATIONS	30 mg/kg	27 mg/kg	360 mg/kg	1800 mg/kg	1.1 mg/kg	1.1 mg/kg	11 mg/kg	0.11 mg/kg	110 mg/kg	0.11 mg/kg	240 mg/kg	240 mg/kg	1.1 mg/kg	18 mg/kg	24 mg/kg	2 mg/kg	180 mg/kg
PROTECTION OF GROUNDWATER SOIL SCREENING LEVEL CONCENTRATIONS	0.0081 mg/kg	0.0087 mg/kg	0.55 mg/kg	5.8 mg/kg	0.011 mg/kg	0.3 mg/kg	2.9 mg/kg	0.24 mg/kg	9 mg/kg	0.096 mg/kg	8.9 mg/kg	0.54 mg/kg	0.98 mg/kg	0.006 mg/kg	0.019 mg/kg	0.0038 mg/kg	1.3 mg/kg

Notes:  
**Bold with yellow highlight** - exceeds COGCC Table 915-1 residential soil screening level concentration

< - less than laboratory reporting detection limit (RDL)  
COGCC - Colorado Oil and Gas Convservation Commission  
mg/kg - milligrams per kilogram  
mmhos/cm - millimhos per centimeter  
su - standard unit  
na - not analyzed

June 14, 2022



## Caerus Oil and Gas

Sample Delivery Group: L1499059  
Samples Received: 05/27/2022  
Project Number: MESA 3  
Description: Mesa 3  
Site: MESA 3  
Report To: Brett Middleton  
143 Diamond Avenue  
Parachute, CO 81635

Entire Report Reviewed By:



Chris Ward  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [www.pacenational.com](http://www.pacenational.com)

# TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	6
Sr: Sample Results	7
2022056-MESA 3 (BG-N) @ 1' L1499059-01	7
2022056-MESA 3 (BG-S) @ 2.5' L1499059-02	8
2022056-MESA 3 (BG-E) @ 2' L1499059-03	9
2022056-MESA 3 (BG-W) @ 3' L1499059-04	10
2022056-MESA 3 (N.WALL) @ 6' L1499059-05	11
2022056-MESA 3 (S.WALL) @ 6' L1499059-06	13
2022056-MESA 3 (E.WALL) @ 6' L1499059-07	15
2022056-MESA 3 (W.WALL) @ 6' L1499059-08	17
2022056-MESA 3 (BASE) @ 8' L1499059-09	19
Qc: Quality Control Summary	21
Wet Chemistry by Method 7199	21
Wet Chemistry by Method 9045D	23
Wet Chemistry by Method 9050AMod	25
Metals (ICP) by Method 6010B	26
Metals (ICP) by Method 6010B-NE493 Ch 2	28
Metals (ICPMS) by Method 6020	29
Volatile Organic Compounds (GC) by Method 8015D/GRO	31
Volatile Organic Compounds (GC/MS) by Method 8260B	33
Semi-Volatile Organic Compounds (GC) by Method 8015M	35
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	36
Gl: Glossary of Terms	40
Al: Accreditations & Locations	41
Sc: Sample Chain of Custody	42

<sup>1</sup> Cp
<sup>2</sup> Tc
<sup>3</sup> Ss
<sup>4</sup> Cn
<sup>5</sup> Sr
<sup>6</sup> Qc
<sup>7</sup> Gl
<sup>8</sup> Al
<sup>9</sup> Sc

# SAMPLE SUMMARY

## 2022056-MESA 3 (BG-N) @ 1' L1499059-01 Solid

Collected by  
Evan Mason

Collected date/time  
05/26/22 13:00

Received date/time  
05/27/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:35	06/13/22 21:35	CCE	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874353	1	06/04/22 15:00	06/04/22 17:00	GI	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:04	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1873336	5	06/06/22 11:39	06/08/22 17:20	SJM	Mt. Juliet, TN

## 2022056-MESA 3 (BG-S) @ 2.5' L1499059-02 Solid

Collected by  
Evan Mason

Collected date/time  
05/26/22 13:10

Received date/time  
05/27/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:38	06/13/22 21:38	CCE	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:06	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1873336	5	06/06/22 11:39	06/08/22 17:23	SJM	Mt. Juliet, TN

## 2022056-MESA 3 (BG-E) @ 2' L1499059-03 Solid

Collected by  
Evan Mason

Collected date/time  
05/26/22 13:20

Received date/time  
05/27/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:41	06/13/22 21:41	CCE	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874353	1	06/04/22 15:00	06/04/22 17:00	GI	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:09	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1873336	5	06/06/22 11:39	06/08/22 17:27	SJM	Mt. Juliet, TN

## 2022056-MESA 3 (BG-W) @ 3' L1499059-04 Solid

Collected by  
Evan Mason

Collected date/time  
05/26/22 13:30

Received date/time  
05/27/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:44	06/13/22 21:44	CCE	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:12	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1873336	5	06/06/22 11:39	06/08/22 15:55	JPD	Mt. Juliet, TN

## 2022056-MESA 3 (N.WALL) @ 6' L1499059-05 Solid

Collected by  
Evan Mason

Collected date/time  
05/26/22 13:45

Received date/time  
05/27/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:47	06/13/22 21:47	CCE	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG1874623	1	06/06/22 16:00	06/08/22 15:49	ERP	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1874713	1	06/06/22 14:27	06/09/22 21:21	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:15	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1874714	5	06/06/22 14:30	06/07/22 01:57	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1873578	1	06/01/22 13:39	06/02/22 23:47	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1874579	1	06/01/22 13:39	06/05/22 18:21	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1875655	1	06/07/22 16:11	06/08/22 10:08	JAS	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG1875985	1	06/08/22 02:47	06/08/22 14:06	AMG	Mt. Juliet, TN





# SAMPLE SUMMARY

## 2022056-MESA 3 (S.WALL) @ 6' L1499059-06 Solid

Collected by  
Evan Mason

Collected date/time  
05/26/22 14:00

Received date/time  
05/27/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:50	06/13/22 21:50	CCE	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG1874623	1	06/06/22 16:00	06/08/22 15:54	ERP	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1874713	1	06/06/22 14:27	06/09/22 21:24	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:18	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1874714	5	06/06/22 14:30	06/07/22 02:01	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1872997	25	06/01/22 13:39	06/02/22 03:40	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1874801	1	06/01/22 13:39	06/06/22 13:48	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1875655	1	06/07/22 16:11	06/08/22 10:34	JAS	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG1875985	1	06/08/22 02:47	06/08/22 15:15	AMG	Mt. Juliet, TN



## 2022056-MESA 3 (E.WALL) @ 6' L1499059-07 Solid

Collected by  
Evan Mason

Collected date/time  
05/26/22 14:15

Received date/time  
05/27/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:53	06/13/22 21:53	CCE	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG1874637	1	06/06/22 16:00	06/07/22 19:16	ERP	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1874713	1	06/06/22 14:27	06/09/22 21:27	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:21	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1874714	5	06/06/22 14:30	06/07/22 02:04	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1872997	25	06/01/22 13:39	06/02/22 04:01	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1874801	1	06/01/22 13:39	06/06/22 14:07	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1875655	1	06/07/22 16:11	06/08/22 09:55	JAS	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG1875985	1	06/08/22 02:47	06/08/22 14:23	AMG	Mt. Juliet, TN

## 2022056-MESA 3 (W.WALL) @ 6' L1499059-08 Solid

Collected by  
Evan Mason

Collected date/time  
05/26/22 14:30

Received date/time  
05/27/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 22:01	06/13/22 22:01	CCE	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG1874637	1	06/06/22 16:00	06/07/22 19:21	ERP	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1874713	1	06/06/22 14:27	06/09/22 21:31	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:29	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1874714	5	06/06/22 14:30	06/07/22 02:08	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1872997	25	06/01/22 13:39	06/02/22 04:23	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1874801	1	06/01/22 13:39	06/06/22 14:26	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1875655	1	06/07/22 16:11	06/08/22 10:21	JAS	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG1875985	1	06/08/22 02:47	06/08/22 14:58	AMG	Mt. Juliet, TN

## 2022056-MESA 3 (BASE) @ 8' L1499059-09 Solid

Collected by  
Evan Mason

Collected date/time  
05/26/22 14:45

Received date/time  
05/27/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 22:04	06/13/22 22:04	CCE	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG1874637	1	06/06/22 16:00	06/07/22 19:31	ERP	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1874713	1	06/06/22 14:27	06/09/22 21:33	ZSA	Mt. Juliet, TN

# SAMPLE SUMMARY

2022056-MESA 3 (BASE) @ 8' L1499059-09 Solid

Collected by  
Evan Mason

Collected date/time  
05/26/22 14:45

Received date/time  
05/27/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:32	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1874714	5	06/06/22 14:30	06/07/22 02:11	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1873578	1	06/01/22 13:39	06/03/22 00:08	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1874579	1	06/01/22 13:39	06/05/22 18:41	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1875655	1	06/07/22 16:11	06/08/22 10:59	JAS	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG1875677	1	06/08/22 10:55	06/09/22 00:07	AMG	Mt. Juliet, TN

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc




# CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward  
Project Manager



## Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	0.0962		1	06/13/2022 21:35	WG1875466

## Wet Chemistry by Method 9045D

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	7.13	T8	1	06/04/2022 17:00	<a href="#">WG1874353</a>

## Sample Narrative:

L1499059-01 WG1874353: 7.13 at 21.1C

## Wet Chemistry by Method 9050AMod

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	umhos/cm		umhos/cm			
Specific Conductance	129		10.0	1	06/03/2022 19:37	<a href="#">WG1874043</a>

## Sample Narrative:

L1499059-01 WG1874043: at 25C

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	mg/l		mg/l			
Hot Water Sol. Boron	0.300		0.200	1	06/13/2022 21:04	<a href="#">WG1875458</a>

## Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Arsenic	mg/kg		mg/kg			
Arsenic	3.84		1.00	5	06/08/2022 17:20	<a href="#">WG1873336</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	0.0640		1	06/13/2022 21:38	WG1875466

1  
Cp

2  
Tc

Wet Chemistry by Method 9045D

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	7.06	T8	1	06/06/2022 15:00	WG1874359

3  
Ss

4  
Cn

Sample Narrative:  
L1499059-02 WG1874359: 7.06 at 21.5C

5  
Sr

Wet Chemistry by Method 9050AMod

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	75.3		10.0	1	06/03/2022 19:37	WG1874043

6  
Qc

7  
Gl

Sample Narrative:  
L1499059-02 WG1874043: at 25C

8  
Al

9  
Sc

Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	0.331		0.200	1	06/13/2022 21:06	WG1875458

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Arsenic	4.13		1.00	5	06/08/2022 17:23	WG1873336

Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	0.0658		1	06/13/2022 21:41	WG1875466

<sup>1</sup>Cp

<sup>2</sup>Tc

Wet Chemistry by Method 9045D

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	6.88	T8	1	06/04/2022 17:00	WG1874353

<sup>3</sup>Ss

<sup>4</sup>Cn

Sample Narrative:  
L1499059-03 WG1874353: 6.88 at 21C

<sup>5</sup>Sr

Wet Chemistry by Method 9050AMod

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	62.8		10.0	1	06/03/2022 19:37	WG1874043

<sup>6</sup>Qc

<sup>7</sup>Gl

Sample Narrative:  
L1499059-03 WG1874043: at 25C

<sup>8</sup>Al

<sup>9</sup>Sc

Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	0.243		0.200	1	06/13/2022 21:09	WG1875458

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Arsenic	4.16		1.00	5	06/08/2022 17:27	WG1873336



## Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	0.104		1	06/13/2022 21:44	WG1875466

## Wet Chemistry by Method 9045D

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	6.95	T8	1	06/06/2022 15:00	<a href="#">WG1874359</a>

## Sample Narrative:

L1499059-04 WG1874359: 6.95 at 21.3C

## Wet Chemistry by Method 9050AMod

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	60.5		umhos/cm	1	06/03/2022 19:37	<a href="#">WG1874043</a>

## Sample Narrative:

L1499059-04 WG1874043: at 25C

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	0.297		mg/l	1	06/13/2022 21:12	<a href="#">WG1875458</a>

## Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Arsenic	3.72		mg/kg	5	06/08/2022 15:55	<a href="#">WG1873336</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	0.815		1	06/13/2022 21:47	WG1875466

## Wet Chemistry by Method 7199

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hexavalent Chromium	ND		1.00	1	06/08/2022 15:49	<a href="#">WG1874623</a>

## Wet Chemistry by Method 9045D

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	7.92	<a href="#">T8</a>	1	06/06/2022 15:00	<a href="#">WG1874359</a>

## Sample Narrative:

L1499059-05 WG1874359: 7.92 at 21.4C

## Wet Chemistry by Method 9050AMod

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	147		10.0	1	06/03/2022 19:37	<a href="#">WG1874043</a>

## Sample Narrative:

L1499059-05 WG1874043: at 25C

## Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Barium	278		0.500	1	06/09/2022 21:21	<a href="#">WG1874713</a>
Cadmium	0.675		0.500	1	06/09/2022 21:21	<a href="#">WG1874713</a>
Copper	15.4		2.00	1	06/09/2022 21:21	<a href="#">WG1874713</a>
Lead	72.5		0.500	1	06/09/2022 21:21	<a href="#">WG1874713</a>
Nickel	20.3		2.00	1	06/09/2022 21:21	<a href="#">WG1874713</a>
Selenium	ND		2.00	1	06/09/2022 21:21	<a href="#">WG1874713</a>
Silver	ND		1.00	1	06/09/2022 21:21	<a href="#">WG1874713</a>
Zinc	94.3		5.00	1	06/09/2022 21:21	<a href="#">WG1874713</a>

## Metals (ICP) by Method 6010B-NE493 Ch 2


Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	ND		0.200	1	06/13/2022 21:15	<a href="#">WG1875458</a>

## Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Arsenic	5.73		1.00	5	06/07/2022 01:57	<a href="#">WG1874714</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	ND		0.100	1	06/02/2022 23:47	<a href="#">WG1873578</a>
(S) a,a,a-Trifluorotoluene(FID)	108		77.0-120		06/02/2022 23:47	<a href="#">WG1873578</a>



## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	06/05/2022 18:21	<a href="#">WG1874579</a>
Toluene	ND		0.00500	1	06/05/2022 18:21	<a href="#">WG1874579</a>
Ethylbenzene	ND		0.00250	1	06/05/2022 18:21	<a href="#">WG1874579</a>
Xylenes, Total	ND		0.00650	1	06/05/2022 18:21	<a href="#">WG1874579</a>
1,2,4-Trimethylbenzene	ND		0.00500	1	06/05/2022 18:21	<a href="#">WG1874579</a>
1,3,5-Trimethylbenzene	ND		0.00500	1	06/05/2022 18:21	<a href="#">WG1874579</a>
(S) Toluene-d8	101		75.0-131		06/05/2022 18:21	<a href="#">WG1874579</a>
(S) 4-Bromofluorobenzene	91.5		67.0-138		06/05/2022 18:21	<a href="#">WG1874579</a>
(S) 1,2-Dichloroethane-d4	101		70.0-130		06/05/2022 18:21	<a href="#">WG1874579</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	14.4		4.00	1	06/08/2022 10:08	<a href="#">WG1875655</a>
C28-C36 Motor Oil Range	34.2		4.00	1	06/08/2022 10:08	<a href="#">WG1875655</a>
(S) o-Terphenyl	42.0		18.0-148		06/08/2022 10:08	<a href="#">WG1875655</a>

## Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Acenaphthene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Anthracene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Benzo(a)anthracene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Benzo(b)fluoranthene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Benzo(k)fluoranthene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Benzo(a)pyrene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Chrysene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Dibenz(a,h)anthracene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Fluoranthene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Fluorene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Indeno(1,2,3-cd)pyrene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
1-Methylnaphthalene	ND		0.0200	1	06/08/2022 14:06	<a href="#">WG1875985</a>
2-Methylnaphthalene	ND		0.0200	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Naphthalene	ND		0.0200	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Pyrene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
(S) p-Terphenyl-d14	92.6		23.0-120		06/08/2022 14:06	<a href="#">WG1875985</a>
(S) Nitrobenzene-d5	80.1		14.0-149		06/08/2022 14:06	<a href="#">WG1875985</a>
(S) 2-Fluorobiphenyl	78.6		34.0-125		06/08/2022 14:06	<a href="#">WG1875985</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	2.80		1	06/13/2022 21:50	WG1875466

## Wet Chemistry by Method 7199

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hexavalent Chromium	ND		1.00	1	06/08/2022 15:54	<a href="#">WG1874623</a>

## Wet Chemistry by Method 9045D

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	8.77	<a href="#">T8</a>	1	06/06/2022 15:00	<a href="#">WG1874359</a>

## Sample Narrative:

L1499059-06 WG1874359: 8.77 at 21.3C

## Wet Chemistry by Method 9050AMod

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	163		10.0	1	06/03/2022 19:37	<a href="#">WG1874043</a>

## Sample Narrative:

L1499059-06 WG1874043: at 25C

## Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Barium	273		0.500	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Cadmium	1.08		0.500	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Copper	19.2		2.00	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Lead	10.1		0.500	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Nickel	15.0		2.00	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Selenium	ND		2.00	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Silver	ND		1.00	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Zinc	87.2		5.00	1	06/09/2022 21:24	<a href="#">WG1874713</a>

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	ND		0.200	1	06/13/2022 21:18	<a href="#">WG1875458</a>

## Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Arsenic	10.5		1.00	5	06/07/2022 02:01	<a href="#">WG1874714</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	6.55		2.50	25	06/02/2022 03:40	<a href="#">WG1872997</a>
(S) a,a,a-Trifluorotoluene(FID)	112		77.0-120		06/02/2022 03:40	<a href="#">WG1872997</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Benzene	0.00117		0.00100	1	06/06/2022 13:48	<a href="#">WG1874801</a>
Toluene	0.0248		0.00500	1	06/06/2022 13:48	<a href="#">WG1874801</a>
Ethylbenzene	0.00707		0.00250	1	06/06/2022 13:48	<a href="#">WG1874801</a>
Xylenes, Total	0.247		0.00650	1	06/06/2022 13:48	<a href="#">WG1874801</a>
1,2,4-Trimethylbenzene	0.0976		0.00500	1	06/06/2022 13:48	<a href="#">WG1874801</a>
1,3,5-Trimethylbenzene	0.333		0.00500	1	06/06/2022 13:48	<a href="#">WG1874801</a>
(S) Toluene-d8	99.7		75.0-131		06/06/2022 13:48	<a href="#">WG1874801</a>
(S) 4-Bromofluorobenzene	110		67.0-138		06/06/2022 13:48	<a href="#">WG1874801</a>
(S) 1,2-Dichloroethane-d4	92.0		70.0-130		06/06/2022 13:48	<a href="#">WG1874801</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	71.3		4.00	1	06/08/2022 10:34	<a href="#">WG1875655</a>
C28-C36 Motor Oil Range	87.0		4.00	1	06/08/2022 10:34	<a href="#">WG1875655</a>
(S) o-Terphenyl	41.1		18.0-148		06/08/2022 10:34	<a href="#">WG1875655</a>

## Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Acenaphthene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>
Anthracene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>
Benzo(a)anthracene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>
Benzo(b)fluoranthene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>
Benzo(k)fluoranthene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>
Benzo(a)pyrene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>
Chrysene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>
Dibenz(a,h)anthracene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>
Fluoranthene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>
Fluorene	0.00776		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>
Indeno(1,2,3-cd)pyrene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>
1-Methylnaphthalene	0.0587		0.0200	1	06/08/2022 15:15	<a href="#">WG1875985</a>
2-Methylnaphthalene	0.0968		0.0200	1	06/08/2022 15:15	<a href="#">WG1875985</a>
Naphthalene	0.0277		0.0200	1	06/08/2022 15:15	<a href="#">WG1875985</a>
Pyrene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>
(S) p-Terphenyl-d14	93.3		23.0-120		06/08/2022 15:15	<a href="#">WG1875985</a>
(S) Nitrobenzene-d5	91.3		14.0-149		06/08/2022 15:15	<a href="#">WG1875985</a>
(S) 2-Fluorobiphenyl	77.0		34.0-125		06/08/2022 15:15	<a href="#">WG1875985</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	15.5		1	06/13/2022 21:53	WG1875466

## Wet Chemistry by Method 7199

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hexavalent Chromium	ND		1.00	1	06/07/2022 19:16	<a href="#">WG1874637</a>

## Wet Chemistry by Method 9045D

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	8.60	<a href="#">T8</a>	1	06/06/2022 15:00	<a href="#">WG1874359</a>

## Sample Narrative:

L1499059-07 WG1874359: 8.6 at 21.1C

## Wet Chemistry by Method 9050AMod

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	748		10.0	1	06/03/2022 19:37	<a href="#">WG1874043</a>

## Sample Narrative:

L1499059-07 WG1874043: at 25C

## Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Barium	282		0.500	1	06/09/2022 21:27	<a href="#">WG1874713</a>
Cadmium	ND		0.500	1	06/09/2022 21:27	<a href="#">WG1874713</a>
Copper	13.8		2.00	1	06/09/2022 21:27	<a href="#">WG1874713</a>
Lead	7.63		0.500	1	06/09/2022 21:27	<a href="#">WG1874713</a>
Nickel	13.4		2.00	1	06/09/2022 21:27	<a href="#">WG1874713</a>
Selenium	ND		2.00	1	06/09/2022 21:27	<a href="#">WG1874713</a>
Silver	ND		1.00	1	06/09/2022 21:27	<a href="#">WG1874713</a>
Zinc	51.6		5.00	1	06/09/2022 21:27	<a href="#">WG1874713</a>

## Metals (ICP) by Method 6010B-NE493 Ch 2


Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	0.410		0.200	1	06/13/2022 21:21	<a href="#">WG1875458</a>

## Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Arsenic	4.48		1.00	5	06/07/2022 02:04	<a href="#">WG1874714</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	4.42		2.50	25	06/02/2022 04:01	<a href="#">WG1872997</a>
(S) a,a,a-Trifluorotoluene(FID)	114		77.0-120		06/02/2022 04:01	<a href="#">WG1872997</a>



## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Benzene	0.00173		0.00100	1	06/06/2022 14:07	<a href="#">WG1874801</a>
Toluene	0.0260		0.00500	1	06/06/2022 14:07	<a href="#">WG1874801</a>
Ethylbenzene	0.0101		0.00250	1	06/06/2022 14:07	<a href="#">WG1874801</a>
Xylenes, Total	0.346		0.00650	1	06/06/2022 14:07	<a href="#">WG1874801</a>
1,2,4-Trimethylbenzene	0.147		0.00500	1	06/06/2022 14:07	<a href="#">WG1874801</a>
1,3,5-Trimethylbenzene	0.359		0.00500	1	06/06/2022 14:07	<a href="#">WG1874801</a>
(S) Toluene-d8	99.5		75.0-131		06/06/2022 14:07	<a href="#">WG1874801</a>
(S) 4-Bromofluorobenzene	111		67.0-138		06/06/2022 14:07	<a href="#">WG1874801</a>
(S) 1,2-Dichloroethane-d4	90.9		70.0-130		06/06/2022 14:07	<a href="#">WG1874801</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	39.9		4.00	1	06/08/2022 09:55	<a href="#">WG1875655</a>
C28-C36 Motor Oil Range	50.4		4.00	1	06/08/2022 09:55	<a href="#">WG1875655</a>
(S) o-Terphenyl	33.6		18.0-148		06/08/2022 09:55	<a href="#">WG1875655</a>

## Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Acenaphthene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>
Anthracene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>
Benzo(a)anthracene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>
Benzo(b)fluoranthene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>
Benzo(k)fluoranthene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>
Benzo(a)pyrene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>
Chrysene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>
Dibenz(a,h)anthracene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>
Fluoranthene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>
Fluorene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>
Indeno(1,2,3-cd)pyrene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>
1-Methylnaphthalene	ND		0.0200	1	06/08/2022 14:23	<a href="#">WG1875985</a>
2-Methylnaphthalene	ND		0.0200	1	06/08/2022 14:23	<a href="#">WG1875985</a>
Naphthalene	ND		0.0200	1	06/08/2022 14:23	<a href="#">WG1875985</a>
Pyrene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>
(S) p-Terphenyl-d14	83.4		23.0-120		06/08/2022 14:23	<a href="#">WG1875985</a>
(S) Nitrobenzene-d5	73.1		14.0-149		06/08/2022 14:23	<a href="#">WG1875985</a>
(S) 2-Fluorobiphenyl	69.2		34.0-125		06/08/2022 14:23	<a href="#">WG1875985</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	1.35		1	06/13/2022 22:01	WG1875466

## Wet Chemistry by Method 7199

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hexavalent Chromium	ND	P1	1.00	1	06/07/2022 19:21	WG1874637

## Wet Chemistry by Method 9045D

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	8.46	T8	1	06/06/2022 15:00	WG1874359

## Sample Narrative:

L1499059-08 WG1874359: 8.46 at 21.1C

## Wet Chemistry by Method 9050AMod

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	137		10.0	1	06/03/2022 19:37	WG1874043

## Sample Narrative:

L1499059-08 WG1874043: at 25C

## Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Barium	363		0.500	1	06/09/2022 21:31	WG1874713
Cadmium	ND		0.500	1	06/09/2022 21:31	WG1874713
Copper	13.7		2.00	1	06/09/2022 21:31	WG1874713
Lead	8.94		0.500	1	06/09/2022 21:31	WG1874713
Nickel	19.2		2.00	1	06/09/2022 21:31	WG1874713
Selenium	ND		2.00	1	06/09/2022 21:31	WG1874713
Silver	ND		1.00	1	06/09/2022 21:31	WG1874713
Zinc	83.0		5.00	1	06/09/2022 21:31	WG1874713

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	ND		0.200	1	06/13/2022 21:29	WG1875458

## Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Arsenic	4.48		1.00	5	06/07/2022 02:08	WG1874714

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	4.26		2.50	25	06/02/2022 04:23	WG1872997
(S) a,a,a-Trifluorotoluene(FID)	112		77.0-120		06/02/2022 04:23	WG1872997





## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	06/06/2022 14:26	<a href="#">WG1874801</a>
Toluene	0.0137		0.00500	1	06/06/2022 14:26	<a href="#">WG1874801</a>
Ethylbenzene	0.00638		0.00250	1	06/06/2022 14:26	<a href="#">WG1874801</a>
Xylenes, Total	0.178		0.00650	1	06/06/2022 14:26	<a href="#">WG1874801</a>
1,2,4-Trimethylbenzene	0.109		0.00500	1	06/06/2022 14:26	<a href="#">WG1874801</a>
1,3,5-Trimethylbenzene	0.166		0.00500	1	06/06/2022 14:26	<a href="#">WG1874801</a>
(S) Toluene-d8	102		75.0-131		06/06/2022 14:26	<a href="#">WG1874801</a>
(S) 4-Bromofluorobenzene	106		67.0-138		06/06/2022 14:26	<a href="#">WG1874801</a>
(S) 1,2-Dichloroethane-d4	89.9		70.0-130		06/06/2022 14:26	<a href="#">WG1874801</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	74.2		4.00	1	06/08/2022 10:21	<a href="#">WG1875655</a>
C28-C36 Motor Oil Range	115		4.00	1	06/08/2022 10:21	<a href="#">WG1875655</a>
(S) o-Terphenyl	53.1		18.0-148		06/08/2022 10:21	<a href="#">WG1875655</a>

## Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Acenaphthene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Anthracene	0.00710		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Benzo(a)anthracene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Benzo(b)fluoranthene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Benzo(k)fluoranthene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Benzo(a)pyrene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Chrysene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Dibenz(a,h)anthracene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Fluoranthene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Fluorene	0.0115		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Indeno(1,2,3-cd)pyrene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
1-Methylnaphthalene	0.0614		0.0200	1	06/08/2022 14:58	<a href="#">WG1875985</a>
2-Methylnaphthalene	0.118		0.0200	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Naphthalene	0.0286		0.0200	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Pyrene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
(S) p-Terphenyl-d14	102		23.0-120		06/08/2022 14:58	<a href="#">WG1875985</a>
(S) Nitrobenzene-d5	102		14.0-149		06/08/2022 14:58	<a href="#">WG1875985</a>
(S) 2-Fluorobiphenyl	83.6		34.0-125		06/08/2022 14:58	<a href="#">WG1875985</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	2.94		1	06/13/2022 22:04	WG1875466

## Wet Chemistry by Method 7199

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hexavalent Chromium	ND		1.00	1	06/07/2022 19:31	<a href="#">WG1874637</a>

## Wet Chemistry by Method 9045D

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	8.36	<a href="#">T8</a>	1	06/06/2022 15:00	<a href="#">WG1874359</a>

## Sample Narrative:

L1499059-09 WG1874359: 8.36 at 21.1C

## Wet Chemistry by Method 9050AMod

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	376		10.0	1	06/03/2022 19:37	<a href="#">WG1874043</a>

## Sample Narrative:

L1499059-09 WG1874043: at 25C

## Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Barium	186		0.500	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Cadmium	ND		0.500	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Copper	10.6		2.00	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Lead	6.55		0.500	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Nickel	12.2		2.00	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Selenium	ND		2.00	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Silver	ND		1.00	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Zinc	37.0		5.00	1	06/09/2022 21:33	<a href="#">WG1874713</a>

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	ND		0.200	1	06/13/2022 21:32	<a href="#">WG1875458</a>

## Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Arsenic	5.64		1.00	5	06/07/2022 02:11	<a href="#">WG1874714</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	0.188		0.100	1	06/03/2022 00:08	<a href="#">WG1873578</a>
(S) a,a,a-Trifluorotoluene(FID)	109		77.0-120		06/03/2022 00:08	<a href="#">WG1873578</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	06/05/2022 18:41	<a href="#">WG1874579</a>
Toluene	ND		0.00500	1	06/05/2022 18:41	<a href="#">WG1874579</a>
Ethylbenzene	ND		0.00250	1	06/05/2022 18:41	<a href="#">WG1874579</a>
Xylenes, Total	0.0106		0.00650	1	06/05/2022 18:41	<a href="#">WG1874579</a>
1,2,4-Trimethylbenzene	ND		0.00500	1	06/05/2022 18:41	<a href="#">WG1874579</a>
1,3,5-Trimethylbenzene	0.119		0.00500	1	06/05/2022 18:41	<a href="#">WG1874579</a>
(S) Toluene-d8	106		75.0-131		06/05/2022 18:41	<a href="#">WG1874579</a>
(S) 4-Bromofluorobenzene	91.0		67.0-138		06/05/2022 18:41	<a href="#">WG1874579</a>
(S) 1,2-Dichloroethane-d4	104		70.0-130		06/05/2022 18:41	<a href="#">WG1874579</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	150		4.00	1	06/08/2022 10:59	<a href="#">WG1875655</a>
C28-C36 Motor Oil Range	149		4.00	1	06/08/2022 10:59	<a href="#">WG1875655</a>
(S) o-Terphenyl	63.4		18.0-148		06/08/2022 10:59	<a href="#">WG1875655</a>

## Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Acenaphthene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>
Anthracene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>
Benzo(a)anthracene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>
Benzo(b)fluoranthene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>
Benzo(k)fluoranthene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>
Benzo(a)pyrene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>
Chrysene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>
Dibenz(a,h)anthracene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>
Fluoranthene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>
Fluorene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>
Indeno(1,2,3-cd)pyrene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>
1-Methylnaphthalene	0.0338		0.0200	1	06/09/2022 00:07	<a href="#">WG1875677</a>
2-Methylnaphthalene	0.0568		0.0200	1	06/09/2022 00:07	<a href="#">WG1875677</a>
Naphthalene	0.0221		0.0200	1	06/09/2022 00:07	<a href="#">WG1875677</a>
Pyrene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>
(S) p-Terphenyl-d14	82.1		23.0-120		06/09/2022 00:07	<a href="#">WG1875677</a>
(S) Nitrobenzene-d5	93.6		14.0-149		06/09/2022 00:07	<a href="#">WG1875677</a>
(S) 2-Fluorobiphenyl	78.8		34.0-125		06/09/2022 00:07	<a href="#">WG1875677</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3801200-1 06/08/22 13:16

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/kg		mg/kg	mg/kg
Hexavalent Chromium	U		0.255	1.00

L1499059-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1499059-06 06/08/22 15:54 • (DUP) R3801200-7 06/08/22 15:59

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Hexavalent Chromium	ND	ND	1	2.90		20

L1498947-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1498947-02 06/08/22 14:05 • (DUP) R3801200-8 06/08/22 14:21

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Hexavalent Chromium	ND	ND	1	8.17		20

Laboratory Control Sample (LCS)

(LCS) R3801200-2 06/08/22 13:24

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/kg	mg/kg	%	%	
Hexavalent Chromium	10.0	10.7	107	80.0-120	

L1499058-07 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1499058-07 06/08/22 15:02 • (MS) R3801200-4 06/08/22 15:23 • (MSD) R3801200-5 06/08/22 15:28

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
Hexavalent Chromium	20.0	ND	19.9	19.9	95.8	95.9	1	75.0-125			0.0737	20

L1499058-07 Original Sample (OS) • Matrix Spike (MS)

(OS) L1499058-07 06/08/22 15:02 • (MS) R3801200-6 06/08/22 15:33

	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Analyte	mg/kg	mg/kg	mg/kg	%		%	
Hexavalent Chromium	693	ND	621	89.6	50	75.0-125	





Method Blank (MB)

(MB) R3801057-1 06/07/22 16:48

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/kg		mg/kg	mg/kg
Hexavalent Chromium	U		0.255	1.00

L1498750-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1498750-05 06/07/22 18:08 • (DUP) R3801057-7 06/07/22 18:13

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Hexavalent Chromium	ND	ND	1	200	P1	20

L1499059-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1499059-08 06/07/22 19:21 • (DUP) R3801057-8 06/07/22 19:26

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Hexavalent Chromium	ND	ND	1	200	P1	20

Laboratory Control Sample (LCS)

(LCS) R3801057-2 06/07/22 16:56

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/kg	mg/kg	%	%	
Hexavalent Chromium	10.0	10.6	106	80.0-120	

L1497157-56 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1497157-56 06/07/22 17:11 • (MS) R3801057-4 06/07/22 17:21 • (MSD) R3801057-5 06/07/22 17:27

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
Hexavalent Chromium	20.0	ND	22.0	21.9	110	110	1	75.0-125			0.200	20

L1497157-56 Original Sample (OS) • Matrix Spike (MS)

(OS) L1497157-56 06/07/22 17:11 • (MS) R3801057-6 06/07/22 17:32

	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Analyte	mg/kg	mg/kg	mg/kg	%		%	
Hexavalent Chromium	660	ND	632	95.7	50	75.0-125	



L1498929-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1498929-04 06/04/22 17:00 • (DUP) R3799449-2 06/04/22 17:00

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	pH	su		%		%
pH	8.53	8.55	1	0.234		1

Sample Narrative:

OS: 8.53 at 22.1C

DUP: 8.55 at 21.5C

L1499058-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1499058-06 06/04/22 17:00 • (DUP) R3799449-3 06/04/22 17:00

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	pH	su		%		%
pH	7.52	7.50	1	0.266		1

Sample Narrative:

OS: 7.52 at 21.1C

DUP: 7.5 at 21.1C

Laboratory Control Sample (LCS)

(LCS) R3799449-1 06/04/22 17:00

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	su	su	%	%	
pH	10.0	9.91	99.1	99.0-101	

Sample Narrative:

LCS: 9.91 at 20C



L1499077-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1499077-02 06/06/22 15:00 • (DUP) R3799965-2 06/06/22 15:00

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	pH	su		%		%
pH	8.85	8.84	1	0.113		1

Sample Narrative:

OS: 8.85 at 21.3C

DUP: 8.84 at 21.3C

L1499077-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1499077-12 06/06/22 15:00 • (DUP) R3799965-3 06/06/22 15:00

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	pH	su		%		%
pH	8.39	8.39	1	0.000		1

Sample Narrative:

OS: 8.39 at 21.4C

DUP: 8.39 at 21.2C

Laboratory Control Sample (LCS)

(LCS) R3799965-1 06/06/22 15:00

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	su	su	%	%	
pH	10.0	9.91	99.1	99.0-101	

Sample Narrative:

LCS: 9.91 at 21.2C



Method Blank (MB)

(MB) R3799350-1 06/03/22 19:37

Analyte	MB Result umhos/cm	MB Qualifier	MB MDL umhos/cm	MB RDL umhos/cm
Specific Conductance	U		10.0	10.0

Sample Narrative:

BLANK: at 25C

L1499059-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1499059-01 06/03/22 19:37 • (DUP) R3799350-3 06/03/22 19:37

Analyte	Original Result umhos/cm	DUP Result umhos/cm	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Specific Conductance	129	115	1	11.7		20

Sample Narrative:

OS: at 25C

DUP: at 25C

L1499059-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1499059-06 06/03/22 19:37 • (DUP) R3799350-4 06/03/22 19:37

Analyte	Original Result umhos/cm	DUP Result umhos/cm	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Specific Conductance	163	169	1	3.73		20

Sample Narrative:

OS: at 25C

DUP: at 25C

Laboratory Control Sample (LCS)

(LCS) R3799350-2 06/03/22 19:37

Analyte	Spike Amount umhos/cm	LCS Result umhos/cm	LCS Rec. %	Rec. Limits %	LCS Qualifier
Specific Conductance	268	282	105	85.0-115	

Sample Narrative:

LCS: at 25C





Method Blank (MB)

(MB) R3801625-1 06/09/22 20:09

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Barium	0.183	U	0.0852	0.500
Cadmium	U		0.0471	0.500
Copper	U		0.400	2.00
Lead	U		0.208	0.500
Nickel	U		0.132	2.00
Selenium	U		0.764	2.00
Silver	U		0.127	1.00
Zinc	U		0.832	5.00

1  
Cp

2  
Tc

3  
Ss

4  
Cn

5  
Sr

6  
Qc

Laboratory Control Sample (LCS)

(LCS) R3801625-2 06/09/22 20:11

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Barium	100	96.4	96.4	80.0-120	
Cadmium	100	92.9	92.9	80.0-120	
Copper	100	95.1	95.1	80.0-120	
Lead	100	94.2	94.2	80.0-120	
Nickel	100	94.6	94.6	80.0-120	
Selenium	100	94.4	94.4	80.0-120	
Silver	20.0	17.6	88.2	80.0-120	
Zinc	100	93.6	93.6	80.0-120	

7  
Gl

8  
Al

9  
Sc

L1498904-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1498904-02 06/09/22 20:14 • (MS) R3801625-5 06/09/22 20:24 • (MSD) R3801625-6 06/09/22 20:27

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Barium	100	261	338	333	76.6	71.7	1	75.0-125		J6	1.47	20
Cadmium	100	1.07	96.8	97.3	95.7	96.2	1	75.0-125			0.479	20
Copper	100	21.2	114	118	93.2	96.6	1	75.0-125			2.94	20
Lead	100	12.3	105	107	92.8	95.0	1	75.0-125			2.04	20
Nickel	100	18.3	110	112	91.7	93.7	1	75.0-125			1.77	20
Selenium	100	ND	97.1	97.9	97.1	97.9	1	75.0-125			0.846	20
Silver	20.0	ND	18.8	19.0	94.1	94.8	1	75.0-125			0.683	20
Zinc	100	56.5	128	129	71.4	72.8	1	75.0-125	J6	J6	1.10	20

L1499100-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1499100-01 06/09/22 20:29 • (MS) R3801625-7 06/09/22 20:32 • (MSD) R3801625-8 06/09/22 20:35

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Barium	100	120	165	188	45.5	68.2	1	75.0-125	J6	J6	12.8	20
Cadmium	100	ND	93.9	90.0	93.8	89.9	1	75.0-125			4.18	20
Copper	100	17.5	122	112	105	94.8	1	75.0-125			8.26	20
Lead	100	ND	94.3	90.5	94.3	90.5	1	75.0-125			4.07	20
Nickel	100	10.2	103	100	93.1	90.0	1	75.0-125			3.05	20
Selenium	100	2.40	99.9	95.8	97.5	93.4	1	75.0-125			4.14	20
Silver	20.0	ND	16.0	15.5	80.1	77.5	1	75.0-125			3.25	20
Zinc	100	10.4	99.7	96.7	89.3	86.3	1	75.0-125			3.07	20

1

Cp

2

Tc

3

Ss

4

Cn

5

Sr

6

Qc

7

Gl

8

Al

9

Sc

Method Blank (MB)

(MB) R3802745-1 06/13/22 20:22

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
Hot Water Sol. Boron	U		0.0167	0.200

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3802745-2 06/13/22 20:24 • (LCSD) R3802745-3 06/13/22 20:27

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Hot Water Sol. Boron	1.00	1.03	1.04	103	104	80.0-120			0.444	20

1

Cp

2

Tc

3

Ss

4

Cn

5

Sr

6

Qc

7

Gl

8

Al

9

Sc

Method Blank (MB)

(MB) R3800969-1 06/08/22 15:49

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Arsenic	U		0.100	1.00

Laboratory Control Sample (LCS)

(LCS) R3800969-2 06/08/22 15:52

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	100	96.1	96.1	80.0-120	

L1499059-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1499059-04 06/08/22 15:55 • (MS) R3800969-5 06/08/22 16:05 • (MSD) R3800969-6 06/08/22 16:09

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	100	3.72	98.3	103	94.5	99.3	5	75.0-125			4.71	20



Method Blank (MB)

(MB) R3800489-9 06/07/22 00:32

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/kg		mg/kg	mg/kg
Arsenic	U		0.100	1.00

Laboratory Control Sample (LCS)

(LCS) R3800489-10 06/07/22 00:36

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/kg	mg/kg	%	%	
Arsenic	100	91.5	91.5	80.0-120	

L1498904-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1498904-02 06/07/22 00:39 • (MS) R3800489-13 06/07/22 00:48 • (MSD) R3800489-14 06/07/22 00:52

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
Arsenic	100	10.3	94.6	99.4	84.3	89.2	5	75.0-125			5.04	20

L1499100-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1499100-01 06/07/22 00:55 • (MS) R3800489-15 06/07/22 00:58 • (MSD) R3800489-16 06/07/22 01:01

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
Arsenic	100	4.78	91.1	89.7	86.4	84.9	5	75.0-125			1.63	20

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc



Method Blank (MB)

(MB) R3799251-2 06/02/22 02:13

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.543	2.50
(S) a,a,a-Trifluorotoluene(FID)	113			77.0-120

Laboratory Control Sample (LCS)

(LCS) R3799251-1 06/02/22 01:30

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	4.24	77.1	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			99.9	77.0-120	

1  
Cp

2  
Tc

3  
Ss

4  
Cn

5  
Sr

6  
Qc

7  
Gl

8  
Al

9  
Sc

Method Blank (MB)

(MB) R3798940-3 06/02/22 21:02

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	110			77.0-120

Laboratory Control Sample (LCS)

(LCS) R3798940-2 06/02/22 20:19

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	5.16	93.8	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			103	77.0-120	

1  
Cp

2  
Tc

3  
Ss

4  
Cn

5  
Sr

6  
Qc

7  
Gl

8  
Al

9  
Sc

Method Blank (MB)

(MB) R3799654-2 06/05/22 12:27

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Toluene	U		0.00130	0.00500
Ethylbenzene	U		0.000737	0.00250
Xylenes, Total	U		0.000880	0.00650
1,2,4-Trimethylbenzene	U		0.00158	0.00500
1,3,5-Trimethylbenzene	U		0.00200	0.00500
(S) Toluene-d8	107			75.0-131
(S) 4-Bromofluorobenzene	91.1			67.0-138
(S) 1,2-Dichloroethane-d4	98.6			70.0-130

Laboratory Control Sample (LCS)

(LCS) R3799654-1 06/05/22 11:28

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.126	101	70.0-123	
Toluene	0.125	0.118	94.4	75.0-121	
Ethylbenzene	0.125	0.117	93.6	74.0-126	
Xylenes, Total	0.375	0.363	96.8	72.0-127	
1,2,4-Trimethylbenzene	0.125	0.120	96.0	70.0-126	
1,3,5-Trimethylbenzene	0.125	0.119	95.2	73.0-127	
(S) Toluene-d8			97.1	75.0-131	
(S) 4-Bromofluorobenzene			89.8	67.0-138	
(S) 1,2-Dichloroethane-d4			110	70.0-130	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R3800022-3 06/06/22 12:36

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Toluene	U		0.00130	0.00500
Ethylbenzene	U		0.000737	0.00250
Xylenes, Total	U		0.000880	0.00650
1,2,4-Trimethylbenzene	U		0.00158	0.00500
1,3,5-Trimethylbenzene	U		0.00200	0.00500
(S) Toluene-d8	101			75.0-131
(S) 4-Bromofluorobenzene	104			67.0-138
(S) 1,2-Dichloroethane-d4	90.3			70.0-130

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3800022-1 06/06/22 11:00 • (LCSD) R3800022-2 06/06/22 11:20

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	0.122	0.123	97.6	98.4	70.0-123			0.816	20
Toluene	0.125	0.122	0.124	97.6	99.2	75.0-121			1.63	20
Ethylbenzene	0.125	0.123	0.123	98.4	98.4	74.0-126			0.000	20
Xylenes, Total	0.375	0.383	0.377	102	101	72.0-127			1.58	20
1,2,4-Trimethylbenzene	0.125	0.112	0.115	89.6	92.0	70.0-126			2.64	20
1,3,5-Trimethylbenzene	0.125	0.106	0.113	84.8	90.4	73.0-127			6.39	20
(S) Toluene-d8				96.6	100	75.0-131				
(S) 4-Bromofluorobenzene				107	106	67.0-138				
(S) 1,2-Dichloroethane-d4				99.2	99.9	70.0-130				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R3800804-1 06/08/22 09:06

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C36 Motor Oil Range	0.534	J	0.274	4.00
(S) o-Terphenyl	90.8			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3800804-2 06/08/22 09:20

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	45.0	90.0	50.0-150	
(S) o-Terphenyl			106	18.0-148	

L1499257-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1499257-02 06/08/22 12:15 • (MS) R3800815-1 06/08/22 12:42 • (MSD) R3800815-2 06/08/22 12:55

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	49.0	25.4	35.8	38.3	21.2	26.3	1	50.0-150	J6	J6	6.75	20
(S) o-Terphenyl					49.8	40.2		18.0-148				

1  
Cp

2  
Tc

3  
Ss

4  
Cn

5  
Sr

6  
Qc

7  
Gl

8  
Al

9  
Sc



Method Blank (MB)

(MB) R3801062-2 06/08/22 17:34

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Acenaphthene	U		0.00209	0.00600
Anthracene	U		0.00230	0.00600
Benzo(a)anthracene	U		0.00173	0.00600
Benzo(b)fluoranthene	U		0.00153	0.00600
Benzo(k)fluoranthene	U		0.00215	0.00600
Benzo(a)pyrene	U		0.00179	0.00600
Chrysene	U		0.00232	0.00600
Dibenz(a,h)anthracene	U		0.00172	0.00600
Fluoranthene	U		0.00227	0.00600
Fluorene	U		0.00205	0.00600
Indeno(1,2,3-cd)pyrene	U		0.00181	0.00600
1-Methylnaphthalene	U		0.00449	0.0200
2-Methylnaphthalene	U		0.00427	0.0200
Naphthalene	U		0.00408	0.0200
Pyrene	U		0.00200	0.00600
(S) p-Terphenyl-d14	86.6			23.0-120
(S) Nitrobenzene-d5	85.5			14.0-149
(S) 2-Fluorobiphenyl	84.7			34.0-125

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Laboratory Control Sample (LCS)

(LCS) R3801062-1 06/08/22 17:14

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Acenaphthene	0.0800	0.0699	87.4	50.0-120	
Anthracene	0.0800	0.0691	86.4	50.0-126	
Benzo(a)anthracene	0.0800	0.0692	86.5	45.0-120	
Benzo(b)fluoranthene	0.0800	0.0685	85.6	42.0-121	
Benzo(k)fluoranthene	0.0800	0.0666	83.3	49.0-125	
Benzo(a)pyrene	0.0800	0.0693	86.6	42.0-120	
Chrysene	0.0800	0.0712	89.0	49.0-122	
Dibenz(a,h)anthracene	0.0800	0.0651	81.4	47.0-125	
Fluoranthene	0.0800	0.0703	87.9	49.0-129	
Fluorene	0.0800	0.0716	89.5	49.0-120	
Indeno(1,2,3-cd)pyrene	0.0800	0.0670	83.8	46.0-125	
1-Methylnaphthalene	0.0800	0.0670	83.8	51.0-121	
2-Methylnaphthalene	0.0800	0.0702	87.8	50.0-120	
Naphthalene	0.0800	0.0658	82.3	50.0-120	
Pyrene	0.0800	0.0693	86.6	43.0-123	

Laboratory Control Sample (LCS)

(LCS) R3801062-1 06/08/22 17:14

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
(S) p-Terphenyl-d14			89.0	23.0-120	
(S) Nitrobenzene-d5			90.3	14.0-149	
(S) 2-Fluorobiphenyl			89.2	34.0-125	

L1501516-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1501516-02 06/08/22 22:09 • (MS) R3801062-3 06/08/22 22:28 • (MSD) R3801062-4 06/08/22 22:48

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Acenaphthene	0.0800	ND	0.0668	0.0544	83.5	68.0	1	14.0-127			20.5	27
Anthracene	0.0800	0.0199	0.0642	0.0520	55.4	40.1	1	10.0-145			21.0	30
Benzo(a)anthracene	0.0800	0.00893	0.0650	0.0528	70.1	54.8	1	10.0-139			20.7	30
Benzo(b)fluoranthene	0.0800	ND	0.0655	0.0527	75.9	59.9	1	10.0-140			21.7	36
Benzo(k)fluoranthene	0.0800	ND	0.0640	0.0520	80.0	65.0	1	10.0-137			20.7	31
Benzo(a)pyrene	0.0800	ND	0.0669	0.0549	80.4	65.4	1	10.0-141			19.7	31
Chrysene	0.0800	0.00779	0.0677	0.0553	74.9	59.4	1	10.0-145			20.2	30
Dibenz(a,h)anthracene	0.0800	ND	0.0621	0.0509	77.6	63.6	1	10.0-132			19.8	31
Fluoranthene	0.0800	0.0342	0.0672	0.0544	41.2	25.3	1	10.0-153			21.1	33
Fluorene	0.0800	ND	0.0682	0.0556	81.9	66.1	1	11.0-130			20.4	29
Indeno(1,2,3-cd)pyrene	0.0800	ND	0.0606	0.0504	75.8	63.0	1	10.0-137			18.4	32
1-Methylnaphthalene	0.0800	ND	0.0660	0.0533	82.5	66.6	1	10.0-142			21.3	28
2-Methylnaphthalene	0.0800	ND	0.0702	0.0580	87.8	72.5	1	10.0-137			19.0	28
Naphthalene	0.0800	ND	0.0651	0.0530	81.4	66.3	1	10.0-135			20.5	27
Pyrene	0.0800	0.0241	0.0650	0.0529	51.1	36.0	1	10.0-148			20.5	35
(S) p-Terphenyl-d14					85.9	66.8		23.0-120				
(S) Nitrobenzene-d5					88.1	66.3		14.0-149				
(S) 2-Fluorobiphenyl					87.5	68.2		34.0-125				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R3800808-2 06/08/22 09:45

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Acenaphthene	U		0.00209	0.00600
Anthracene	U		0.00230	0.00600
Benzo(a)anthracene	U		0.00173	0.00600
Benzo(b)fluoranthene	U		0.00153	0.00600
Benzo(k)fluoranthene	U		0.00215	0.00600
Benzo(a)pyrene	U		0.00179	0.00600
Chrysene	U		0.00232	0.00600
Dibenz(a,h)anthracene	U		0.00172	0.00600
Fluoranthene	U		0.00227	0.00600
Fluorene	U		0.00205	0.00600
Indeno(1,2,3-cd)pyrene	U		0.00181	0.00600
1-Methylnaphthalene	U		0.00449	0.0200
2-Methylnaphthalene	U		0.00427	0.0200
Naphthalene	U		0.00408	0.0200
Pyrene	U		0.00200	0.00600
(S) p-Terphenyl-d14	89.6			23.0-120
(S) Nitrobenzene-d5	74.1			14.0-149
(S) 2-Fluorobiphenyl	75.1			34.0-125

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Laboratory Control Sample (LCS)

(LCS) R3800808-1 06/08/22 09:27

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Acenaphthene	0.0800	0.0651	81.4	50.0-120	
Anthracene	0.0800	0.0650	81.3	50.0-126	
Benzo(a)anthracene	0.0800	0.0674	84.3	45.0-120	
Benzo(b)fluoranthene	0.0800	0.0667	83.4	42.0-121	
Benzo(k)fluoranthene	0.0800	0.0658	82.3	49.0-125	
Benzo(a)pyrene	0.0800	0.0619	77.4	42.0-120	
Chrysene	0.0800	0.0667	83.4	49.0-122	
Dibenz(a,h)anthracene	0.0800	0.0644	80.5	47.0-125	
Fluoranthene	0.0800	0.0657	82.1	49.0-129	
Fluorene	0.0800	0.0685	85.6	49.0-120	
Indeno(1,2,3-cd)pyrene	0.0800	0.0646	80.7	46.0-125	
1-Methylnaphthalene	0.0800	0.0657	82.1	51.0-121	
2-Methylnaphthalene	0.0800	0.0646	80.7	50.0-120	
Naphthalene	0.0800	0.0654	81.8	50.0-120	
Pyrene	0.0800	0.0645	80.6	43.0-123	

Laboratory Control Sample (LCS)

(LCS) R3800808-1 06/08/22 09:27

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
(S) p-Terphenyl-d14			97.4	23.0-120	
(S) Nitrobenzene-d5			85.0	14.0-149	
(S) 2-Fluorobiphenyl			83.6	34.0-125	

L1499059-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1499059-06 06/08/22 15:15 • (MS) R3800808-3 06/08/22 15:33 • (MSD) R3800808-4 06/08/22 15:50

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Acenaphthene	0.0800	ND	0.0602	0.0619	75.3	77.4	1	14.0-127			2.78	27
Anthracene	0.0800	ND	0.0617	0.0651	77.1	81.4	1	10.0-145			5.36	30
Benzo(a)anthracene	0.0800	ND	0.0634	0.0656	79.3	82.0	1	10.0-139			3.41	30
Benzo(b)fluoranthene	0.0800	ND	0.0575	0.0583	71.9	72.9	1	10.0-140			1.38	36
Benzo(k)fluoranthene	0.0800	ND	0.0566	0.0575	70.8	71.9	1	10.0-137			1.58	31
Benzo(a)pyrene	0.0800	ND	0.0589	0.0598	73.6	74.8	1	10.0-141			1.52	31
Chrysene	0.0800	ND	0.0635	0.0633	79.4	79.1	1	10.0-145			0.315	30
Dibenz(a,h)anthracene	0.0800	ND	0.0581	0.0587	72.6	73.4	1	10.0-132			1.03	31
Fluoranthene	0.0800	ND	0.0615	0.0632	76.9	79.0	1	10.0-153			2.73	33
Fluorene	0.0800	0.00776	0.0702	0.0714	78.1	79.5	1	11.0-130			1.69	29
Indeno(1,2,3-cd)pyrene	0.0800	ND	0.0590	0.0603	73.8	75.4	1	10.0-137			2.18	32
1-Methylnaphthalene	0.0800	0.0587	0.129	0.120	87.9	76.6	1	10.0-142			7.23	28
2-Methylnaphthalene	0.0800	0.0968	0.175	0.152	97.8	69.0	1	10.0-137			14.1	28
Naphthalene	0.0800	0.0277	0.0903	0.0879	78.3	75.3	1	10.0-135			2.69	27
Pyrene	0.0800	ND	0.0626	0.0621	78.3	77.6	1	10.0-148			0.802	35
(S) p-Terphenyl-d14					88.7	92.7		23.0-120				
(S) Nitrobenzene-d5					90.9	96.8		14.0-149				
(S) 2-Fluorobiphenyl					74.8	78.5		34.0-125				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

# GLOSSARY OF TERMS

## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

### Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

### Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.
T8	Sample(s) received past/too close to holding time expiration.





# ACCREDITATIONS & LOCATIONS


## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1 6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1 4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



<b>CHAIN-OF-CUSTODY Analytical Request Document</b> <small>Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields</small>										<b>LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here</b>																																																																																																							
<b>Company:</b> Campos EPC <b>Address:</b> 1401 Blake St. Denver, CO 80202 <b>Report To:</b> Brett Middleton <b>Copy To:</b> Jake Janicek - jjanicek@caerusoilandgas.com <b>Customer Project Name/Number:</b> Mesa 3					<b>Billing Information:</b> Caerus Oil and Gas, LLC Account: CAERUSPCO <b>Email To:</b> bmiddleton@caerusoilandgas.com <b>Site Collection Info/Address:</b> State: CO / County/City: Time Zone Collected: [ ] PT [x] MT [ ] CT [ ] ET					<b>ALL SHADED AREAS are for LAB USE ONLY</b>																																																																																																							
					<b>Container Preservative Type **</b>					<b>Lab Project Manager:</b>																																																																																																							
<b>** Preservative Types:</b> (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other																																																																																																																	
<b>Analyses</b>										<b>Lab Profile/Line:</b>																																																																																																							
COGCC Table 915-1 EC, SAR, pH, Boron (hot water sol.), Arsenic										<b>Lab Sample Receipt Checklist:</b> Custody Seals Present/Intact Y N [x] Custody Signatures Present Y N [x] Collector Signature Present Y N [x] Bottles Intact Y N [x] Correct Bottles Y N [x] Sufficient Volume Y N [x] Samples Received on Ice Y N [x] VOA - Headspace Acceptable Y N [x] USDA Regulated Soils Y N [x] Samples in Holding Time Y N [x] Residual Chlorine Present Y N [x] Cl Strips: Y N [x] Sample pH Acceptable Y N [x] pH Strips: Y N [x] Sulfide Present Y N [x] Lead Acetate Strips: Y N [x]																																																																																																							
										<b>LAB USE ONLY:</b> Lab Sample # / Comments: 61499059																																																																																																							
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Customer Sample ID</th> <th rowspan="2">Matrix *</th> <th rowspan="2">Comp / Grab</th> <th colspan="2">Collected (or Composite Start)</th> <th colspan="2">Composite End</th> <th rowspan="2">Res Cl</th> <th rowspan="2"># of Ctns</th> </tr> <tr> <th>Date</th> <th>Time</th> <th>Date</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>20220526-Mesa 3(BG-N)@1'</td><td>sl</td><td></td><td>5/26/22</td><td>13:00</td><td>-</td><td>-</td><td>-</td><td>1</td></tr> <tr><td>20220526-Mesa 3(BG-S)@2.5'</td><td>sl</td><td></td><td>5/26/22</td><td>13:10</td><td>-</td><td>-</td><td>-</td><td>1</td></tr> <tr><td>20220526-Mesa 3(BG-E)@2'</td><td>sl</td><td></td><td>5/26/22</td><td>13:20</td><td>-</td><td>-</td><td>-</td><td>1</td></tr> <tr><td>20220526-Mesa 3(BG-W)@3'</td><td>sl</td><td></td><td>5/26/22</td><td>13:30</td><td>-</td><td>-</td><td>-</td><td>1</td></tr> <tr><td>20220526-Mesa 3(N.Wall)@6'</td><td>sl</td><td></td><td>5/26/22</td><td>13:45</td><td>-</td><td>-</td><td>-</td><td>2</td></tr> <tr><td>20220526-Mesa 3(S.Wall)@6'</td><td>sl</td><td></td><td>5/26/22</td><td>14:00</td><td>-</td><td>-</td><td>-</td><td>2</td></tr> <tr><td>20220526-Mesa 3(E.Wall)@6'</td><td>sl</td><td></td><td>5/26/22</td><td>14:15</td><td>-</td><td>-</td><td>-</td><td>2</td></tr> <tr><td>20220526-Mesa 3(W.Wall)@6'</td><td>sl</td><td></td><td>5/26/22</td><td>14:30</td><td>-</td><td>-</td><td>-</td><td>2</td></tr> <tr><td>20220526-Mesa 3(Base)@8'</td><td>sl</td><td></td><td>5/26/22</td><td>14:45</td><td>-</td><td>-</td><td>-</td><td>2</td></tr> </tbody> </table>										Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns	Date	Time	Date	Time	20220526-Mesa 3(BG-N)@1'	sl		5/26/22	13:00	-	-	-	1	20220526-Mesa 3(BG-S)@2.5'	sl		5/26/22	13:10	-	-	-	1	20220526-Mesa 3(BG-E)@2'	sl		5/26/22	13:20	-	-	-	1	20220526-Mesa 3(BG-W)@3'	sl		5/26/22	13:30	-	-	-	1	20220526-Mesa 3(N.Wall)@6'	sl		5/26/22	13:45	-	-	-	2	20220526-Mesa 3(S.Wall)@6'	sl		5/26/22	14:00	-	-	-	2	20220526-Mesa 3(E.Wall)@6'	sl		5/26/22	14:15	-	-	-	2	20220526-Mesa 3(W.Wall)@6'	sl		5/26/22	14:30	-	-	-	2	20220526-Mesa 3(Base)@8'	sl		5/26/22	14:45	-	-	-	2										
Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns																																																																																																									
			Date	Time	Date	Time																																																																																																											
20220526-Mesa 3(BG-N)@1'	sl		5/26/22	13:00	-	-	-	1																																																																																																									
20220526-Mesa 3(BG-S)@2.5'	sl		5/26/22	13:10	-	-	-	1																																																																																																									
20220526-Mesa 3(BG-E)@2'	sl		5/26/22	13:20	-	-	-	1																																																																																																									
20220526-Mesa 3(BG-W)@3'	sl		5/26/22	13:30	-	-	-	1																																																																																																									
20220526-Mesa 3(N.Wall)@6'	sl		5/26/22	13:45	-	-	-	2																																																																																																									
20220526-Mesa 3(S.Wall)@6'	sl		5/26/22	14:00	-	-	-	2																																																																																																									
20220526-Mesa 3(E.Wall)@6'	sl		5/26/22	14:15	-	-	-	2																																																																																																									
20220526-Mesa 3(W.Wall)@6'	sl		5/26/22	14:30	-	-	-	2																																																																																																									
20220526-Mesa 3(Base)@8'	sl		5/26/22	14:45	-	-	-	2																																																																																																									
<b>Customer Remarks / Special Conditions / Possible Hazards:</b>										<b>Type of Ice Used:</b> Wet Blue Dry None																																																																																																							
										<b>Packing Material Used:</b>																																																																																																							
										<b>Radchem sample(s) screened (&lt;500 cpm):</b> Y N NA																																																																																																							
<b>Relinquished by/Company: (Signature)</b> <b>Date/Time:</b> 5/26/22 1600 <b>Relinquished by/Company: (Signature)</b> <b>Date/Time:</b> 5/26/22 1600 <b>Relinquished by/Company: (Signature)</b> <b>Date/Time:</b>										<b>SHORT HOLDS PRESENT (&lt;72 hours):</b> Y N N/A <b>Lab Tracking #:</b> <b>Samples received via:</b> FEDEX UPS Client Courier Pace Courier <b>Acctnum:</b> 1232 <b>Template:</b> <b>Prelogin:</b> <b>PM:</b> <b>PB:</b>																																																																																																							
										<b>Lab Sample Temperature Info:</b> Temp Blank Received: Y N NA Therm ID#: _____ Cooler 1 Temp Upon Receipt: _____ oC Cooler 1 Therm Corr. Factor: _____ oC Cooler 1 Corrected Temp: 17.5 oC Comments:																																																																																																							
										<b>Trip Blank Received:</b> Y N NA HCL MeOH TSP Other																																																																																																							
<b>Non Conformance(s):</b> YES / NO										<b>Page:</b> _____ <b>of:</b> _____																																																																																																							

## Caerus Oil and Gas

Sample Delivery Group: L1510324


Samples Received: 06/30/2022

Project Number:

Description:

Report To: Brett Middleton  
143 Diamond Avenue  
Parachute, CO 81635

Entire Report Reviewed By:



Chris Ward  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



## Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [www.pacenational.com](http://www.pacenational.com)

# TABLE OF CONTENTS

Cp: Cover Page	1	<sup>1</sup> Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	<sup>2</sup> Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	<sup>3</sup> Ss
20220628-MESA3(PW) L1510324-01	5	
Qc: Quality Control Summary	6	<sup>4</sup> Cn
Wet Chemistry by Method 9045D	6	<sup>5</sup> Sr
Metals (ICPMS) by Method 6020	7	
Gl: Glossary of Terms	8	<sup>6</sup> Qc
Al: Accreditations & Locations	9	<sup>7</sup> Gl
Sc: Sample Chain of Custody	10	<sup>8</sup> Al
		<sup>9</sup> Sc

# SAMPLE SUMMARY

20220628-MESA3(PW) L1510324-01 Solid

Collected by  
Evan Mason

Collected date/time  
06/28/22 11:20

Received date/time  
06/30/22 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9045D	WG1891660	1	07/08/22 10:00	07/08/22 12:00	GI	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1899084	5	07/21/22 21:15	07/22/22 11:10	JPD	Mt. Juliet, TN

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc


<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

# CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward  
Project Manager

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Wet Chemistry by Method 9045D

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	7.04	T8	1	07/08/2022 12:00	WG1891660

Sample Narrative:  
L1510324-01 WG1891660: 7.04 at 24.3C

Metals (ICPMS) by Method 6020

Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
Arsenic	U		0.100	1.00	5	07/22/2022 11:10	WG1899084

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

L1511269-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1511269-02 07/08/22 12:00 • (DUP) R3812426-2 07/08/22 12:00

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	pH	su		%		%
pH	8.28	8.31	1	0.362		1

Sample Narrative:

OS: 8.28 at 24.1C

DUP: 8.31 at 24.1C

Laboratory Control Sample (LCS)

(LCS) R3812426-1 07/08/22 12:00

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	su	su	%	%	
pH	10.0	9.90	99.0	99.0-101	

Sample Narrative:

LCS: 9.9 at 23.5C

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Method Blank (MB)

(MB) R3818113-1 07/22/22 10:46

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Arsenic	U		0.100	1.00

1  
Cp

2  
Tc

3  
Ss

4  
Cn

5  
Sr

6  
Qc

Laboratory Control Sample (LCS)

(LCS) R3818113-2 07/22/22 10:50

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	100	87.3	87.3	80.0-120	

7  
Gl

8  
Al

9  
Sc

L1510845-12 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1510845-12 07/22/22 10:53 • (MS) R3818113-5 07/22/22 11:03 • (MSD) R3818113-6 07/22/22 11:06

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	100	12.4	107	116	94.2	103	5	75.0-125			8.04	20

# GLOSSARY OF TERMS

## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

## Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

## Qualifier Description

T8	Sample(s) received past/too close to holding time expiration.
----	---

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc

# ACCREDITATIONS & LOCATIONS


## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122


Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1 6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1 4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



<div><b>CHAIN-OF-CUSTODY Analytical Request Document</b></div> <div>Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields</div>										LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here																			
Company: Campos EPC					Billing Information: Caerus Oil and Gas, LLC Account: CAERUSPCO					<b>ALL SHADED AREAS are for LAB USE ONLY</b>																			
Address: 1401 Blake St. Denver, CO 80202					Report To: Brett Middleton					Email To: bmiddleton@caerusoilandgas.com					Container Preservative Type **					Lab Project Manager: J073									
Copy To: Jake.Janicek@caerusoilandgas.com					Site Collection Info/Address: CO /					State: County/City: Time Zone Collected: [ ] PT [x] MT [ ] CT [ ] ET					** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other														
Customer Project Name/Number:					Phone: 970-619-0600 Email: same as above					Site/Facility ID #:					Compliance Monitoring? [ ] Yes [ ] No					Analyses					Lab Profile/Line:				
Collected By (print): Evan Mason					Purchase Order #: Quote #:					DW PWS ID #: DW Location Code:					Immediately Packed on Ice: [x] Yes [ ] No					Lab Sample Receipt Checklist:									
Collected By (signature):					Turnaround Date Required: standard					Field Filtered (if applicable): [ ] Yes [ ] No					Analysis:					Custody Seals Present/Intact [x] N NA Custody Signatures Present [x] N NA Collector Signature Present [x] N NA Bottles Intact [x] N NA Correct Bottles [x] N NA Sufficient Volume [x] N NA Samples Received on Ice Y N NA VOA - Headspace Acceptable Y N NA USDA Regulated Soils Y N NA Samples in Holding Time Y N NA Residual Chlorine Present Y N NA Cl Strips: _____ Sample pH Acceptable [x] N NA pH Strips: _____ Sulfide Present Y N NA Lead Acetate Strips: _____									
Sample Disposal: [x] Dispose as appropriate [ ] Return [ ] Archive: [ ] Hold:					Rush: [ ] Same Day [ ] Next Day [ ] 2 Day [ ] 3 Day [ ] 4 Day [x] 5 Day (Expedite Charges Apply)					Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)					LAB USE ONLY: Lab Sample # / Comments: LIS10324 - 01														
Customer Sample ID		Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns	COGCC Table 915-1 EC, SAR, pH, Boron (hot water sol.), Arsenic pH Arsenic X X																			
20220628-Mesa 3 (PW)		P		6/28/22 1120		-		-	2																				
				6/28/22 1130		-		-																					
						-		-																					
						-		-																					
						-		-																					
						-		-																					
						-		-																					
						-		-																					
						-		-																					
Customer Remarks / Special Conditions / Possible Hazards:										Type of Ice Used: Wet Blue Dry None					SHORT HOLDS PRESENT (<72 hours): Y N N/A					Lab Sample Temperature Info:									
										Packing Material Used:					Lab Tracking #: 5755-8084-9885					Temp Blank Received: Y N NA Therm ID#: _____ Cooler 1 Temp Upon Receipt: _____oC Cooler 1 Therm Corr. Factor: _____oC Cooler 1 Corrected Temp: _____oC Comments:									
										Radchem sample(s) screened (<500 cpm): Y N NA					Samples received via: FEDEX UPS Client Courier Pace Courier					Trip Blank Received: Y N NA HCL MeOH TSP Other									
Relinquished by/Company: (Signature)			Date/Time: 6/29/22-1538			Received by/Company: (Signature)			Date/Time: 6/29 1530			MTJL LAB USE ONLY																	
Relinquished by/Company: (Signature)			Date/Time: 6/29/22 1600			Received by/Company: (Signature)			Date/Time: 09:30			Table #:																	
Relinquished by/Company: (Signature)			Date/Time:			Received by/Company: (Signature)			Date/Time: 6/30/22			Acctnum:																	
												Template:																	
												Prelogin:																	
												PM:																	
												PB:																	
										Non Conformance(s): YES / NO					Page: of:														

## Caerus Oil and Gas

Sample Delivery Group: L1512945  
Samples Received: 07/08/2022  
Project Number: MESA 3  
Description: MESA 3  
Site: MESA 3  
Report To: Brett Middleton  
143 Diamond Avenue  
Parachute, CO 81635

Entire Report Reviewed By:



Chris Ward  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [www.pacenational.com](http://www.pacenational.com)



# TABLE OF CONTENTS

Cp: Cover Page	1	<sup>1</sup> Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	<sup>2</sup> Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	<sup>3</sup> Ss
20220707-MESA3(EW02)@6' L1512945-01	5	<sup>4</sup> Cn
Gl: Glossary of Terms	6	
Al: Accreditations & Locations	7	<sup>5</sup> Sr
Sc: Sample Chain of Custody	8	<sup>6</sup> Gl
		<sup>7</sup> Al
		<sup>8</sup> Sc

# SAMPLE SUMMARY

20220707-MESA3(EW02)@6' L1512945-01 Solid

Collected by  
Chad Dodge

Collected date/time  
07/07/22 11:45

Received date/time  
07/08/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1897998	1	07/26/22 21:23	07/26/22 21:23	CCE	Mt. Juliet, TN

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Gl

<sup>7</sup>Al

<sup>8</sup>Sc

# CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward  
Project Manager



Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	4.56		1	07/26/2022 21:23	WG1897998

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Gl

<sup>7</sup>Al

<sup>8</sup>Sc

# GLOSSARY OF TERMS

## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

## Abbreviations and Definitions

SDG	Sample Delivery Group.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

## Qualifier Description

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.



# ACCREDITATIONS & LOCATIONS

## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122


Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1,6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1,4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



<div><b>CHAIN-OF-CUSTODY Analytical Request Document</b></div>										<b>LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here</b> <div>E197</div>														
Company: Campos EPC					Billing Information: Caerus Oil and Gas, LLC					<b>ALL SHADED AREAS are for LAB USE ONLY</b>														
Address: 1401 Blake St. Denver, CO 80202					Account: CAERUSPCO					Container Preservative Type **					Lab Project Manager:									
Report To: Brett Middleton					Email To: bmiddleton@caerusoilandgas.com					** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other														
Copy To:					Site Collection Info/Address:					Analyses					Lab Profile/Line:									
Customer Project Name/Number: Mesa 3					State: CO / County/City: Time Zone Collected: [ ] PT [x] MT [ ] CT [ ] ET					COGCC Table 915-1 EC, SAR, pH, Boron (hot water sol.), Arsenic X SAR only					Lab Sample Receipt Checklist:									
Phone: 970-619-0600					Site/Facility ID #: Mesa 3										Compliance Monitoring? [ ] Yes [ ] No									
Email: same as above					Purchase Order #: Quote #:										DW PWS ID #: DW Location Code:									
Collected By (print): Evan Mason					Turnaround Date Required: standard										Immediately Packed on Ice: [x] Yes [ ] No									
Collected By (signature):					Rush: [ ] Same Day [ ] Next Day [ ] 2 Day [ ] 3 Day [ ] 4 Day [x] 5 Day (Expedite Charges Apply)										Field Filtered (if applicable): [ ] Yes [ ] No									
Sample Disposal: [x] Dispose as appropriate [ ] Return [ ] Archive: [ ] Hold:					Analysis:										Custody Seals Present/Intact [x] Y N NA Custody Signatures Present [x] Y N NA Collector Signature Present [x] Y N NA Bottles Intact [x] Y N NA Correct Bottles [x] Y N NA Sufficient Volume [x] Y N NA Samples Received on Ice [x] Y N NA VOA - Headspace Acceptable [x] Y N NA USDA Regulated Soils Y N NA Samples in Holding Time Y N NA Residual Chlorine Present Y N NA Cl Strips: Sample pH Acceptable Y N NA pH Strips: Sulfide Present Y N NA Lead Acetate Strips:									
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)										LAB USE ONLY: Lab Sample # / Comments: U1512945 -01														
Customer Sample ID		Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns															
20220707-Mesa 3 (EW02) @ G		SL	Grab	7/7/22 1145					1															
Customer Remarks / Special Conditions / Possible Hazards:										Type of Ice Used: Wet Blue Dry None					SHORT HOLDS PRESENT (<72 hours): Y N N/A					Lab Sample Temperature Info:				
										Packing Material Used:					Lab Tracking #:					Temp Blank Received: Y N NA Therm ID#: Cooler 1 Temp Upon Receipt: oC Cooler 1 Therm Corr. Factor: oC Cooler 1 Corrected Temp: oC Comments:				
										Radchem sample(s) screened (<500 cpm): Y N NA					Samples received via: FEDEX UPS Client Courier Pace Courier					Trip Blank Received: Y N NA HCL MeOH TSP Other				
Relinquished by/Company: (Signature)			Date/Time: 7/7/22 1535		Received by/Company: (Signature)			Date/Time:		MTJL LAB USE ONLY														
Relinquished by/Company: (Signature)			Date/Time: 7/7/22 1545		Received by/Company: (Signature)			Date/Time:		Table #:														
Relinquished by/Company: (Signature)			Date/Time:		Received by/Company: (Signature)			Date/Time:		Acctnum:														
										Template:														
										Prelogin:														
										PM:					Non Conformance(s): YES / NO									
										PB:					Page: of:									

1. all SARs & OLW 8771 1. all SARs & OLW 8771



## Caerus Oil and Gas

Sample Delivery Group: L1512930  
Samples Received: 07/08/2022  
Project Number: MESA 3  
Description: MESA 3  
Site: MESA 3  
Report To: Brett Middleton  
143 Diamond Avenue  
Parachute, CO 81635

Entire Report Reviewed By:



Chris Ward  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [www.pacenational.com](http://www.pacenational.com)

TABLE OF CONTENTS

Cp: Cover Page	1	<sup>1</sup> Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	<sup>2</sup> Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	<sup>3</sup> Ss
20220707-MESA3(EW01)@6' L1512930-01	5	
Gl: Glossary of Terms	6	<sup>4</sup> Cn
Al: Accreditations & Locations	7	<sup>5</sup> Sr
Sc: Sample Chain of Custody	8	<sup>6</sup> Gl
		<sup>7</sup> Al
		<sup>8</sup> Sc

## SAMPLE SUMMARY

20220707-MESA3(EW01)@6' L1512930-01 Solid

Collected by  
Chad Dodge

Collected date/time  
07/07/22 11:40

Received date/time  
07/08/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1897998	1	07/26/22 21:20	07/26/22 21:20	CCE	Mt. Juliet, TN

<sup>1</sup>Cp ${}^2\text{Tc}$  ${}^3S_s$  ${}^4\text{Cn}$  ${}^5\text{Sr}$  ${}^6\text{Gf}$  ${}^7\text{Al}$  ${}^8\text{Sc}$

# CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward  
Project Manager



Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	4.67		1	07/26/2022 21:20	WG1897998

1Cp

2Tc

3Ss

4Cn

5Sr

6Gl

7Al

8Sc

# GLOSSARY OF TERMS

## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

## Abbreviations and Definitions

SDG	Sample Delivery Group.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
-----------	-------------

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.



# ACCREDITATIONS & LOCATIONS

## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1,6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1,4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.







## Caerus Oil and Gas

Sample Delivery Group: L1512947  
Samples Received: 07/08/2022  
Project Number: MESA 3  
Description: MESA 3  
Site: MESA 3  
Report To: Brett Middleton  
143 Diamond Avenue  
Parachute, CO 81635

Entire Report Reviewed By:



Chris Ward  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [www.pacenational.com](http://www.pacenational.com)

TABLE OF CONTENTS

Cp: Cover Page	1	<sup>1</sup> Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	<sup>2</sup> Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	<sup>3</sup> Ss
20220707-MESA3(EW03)@6' L1512947-01	5	
Gl: Glossary of Terms	6	<sup>4</sup> Cn
Al: Accreditations & Locations	7	<sup>5</sup> Sr
Sc: Sample Chain of Custody	8	<sup>6</sup> Gl
		<sup>7</sup> Al
		<sup>8</sup> Sc

# SAMPLE SUMMARY

20220707-MESA3(EW03)@6' L1512947-01 Solid

Collected by  
Chad Dodge

Collected date/time  
07/07/22 11:50

Received date/time  
07/08/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1897998	1	07/26/22 21:26	07/26/22 21:26	CCE	Mt. Juliet, TN

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Gl

<sup>7</sup>Al

<sup>8</sup>Sc

# CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward  
Project Manager



Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	0.829		1	07/26/2022 21:26	WG1897998

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Gl

<sup>7</sup>Al

<sup>8</sup>Sc

# GLOSSARY OF TERMS

## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

## Abbreviations and Definitions

SDG	Sample Delivery Group.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

## Qualifier Description

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.





# ACCREDITATIONS & LOCATIONS

## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1 6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1 4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



<b>CHAIN-OF-CUSTODY Analytical Request Document</b>										<b>LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here</b>																			
<b>Company:</b> Campos EPC <b>Address:</b> 1401 Blake St. Denver, CO 80202 <b>Report To:</b> Brett Middleton <b>Copy To:</b> <b>Customer Project Name/Number:</b> Mesa 3					<b>Billing Information:</b> Caerus Oil and Gas, LLC Account: CAERUSPCO <b>Email To:</b> bmiddleton@caerusoilandgas.com <b>Site Collection Info/Address:</b> State: CO / County/City: Time Zone Collected: [ ] PT [x] MT [ ] CT [ ] ET					<b>E198</b>																			
<b>Phone:</b> 970-619-0600 <b>Email:</b> same as above <b>Collected By (print):</b> Evan Mason <b>Collected By (signature):</b> <b>Sample Disposal:</b> <input checked="" type="checkbox"/> Dispose as appropriate [ ] Return <input type="checkbox"/> Archive: <input type="checkbox"/> Hold:										<b>Site/Facility ID #:</b> Mesa 3 <b>Purchase Order #:</b> <b>Quote #:</b> <b>Turnaround Date Required:</b> standard <b>Rush:</b> <input type="checkbox"/> Same Day [ ] Next Day <input type="checkbox"/> 2 Day [ ] 3 Day [ ] 4 Day [x] 5 Day (Expedite Charges Apply)					<b>Compliance Monitoring?</b> <input type="checkbox"/> Yes [ ] No <b>DW PWS ID #:</b> <b>DW Location Code:</b> <b>Immediately Packed on Ice:</b> <input checked="" type="checkbox"/> Yes [ ] No <b>Field Filtered (if applicable):</b> <input type="checkbox"/> Yes [ ] No <b>Analysis:</b>					<b>ALL SHADED AREAS are for LAB USE ONLY</b>									
<b>* Matrix Codes (Insert in Matrix box below):</b> Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)										<b>Container Preservative Type **</b>																			
<b>Customer Sample ID</b> 20120707-Mesa 3 (EW03)										<b>Lab Project Manager:</b>																			
<b>Matrix *</b> SL										<b>Analyses</b>																			
<b>Comp / Grab</b> G2b										<b>Lab Profile/Line:</b>																			
<b>Collected (or Composite Start)</b> Date: 7/7/12 Time: 1150										<b>Lab Sample Receipt Checklist:</b>																			
<b>Composite End</b> Date: Time:										Custody Seals Present/Intact <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Custody Signatures Present <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Collector Signature Present <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Bottles Intact <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Correct Bottles <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Sufficient Volume <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Samples Received on Ice <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA VOA - Headspace Acceptable <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA USDA Regulated Soils <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Samples in Holding Time <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Residual Chlorine Present <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Cl Strips: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Sample pH Acceptable <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA pH Strips: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Sulfide Present <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Lead Acetate Strips:																			
<b>Res Cl</b> -										<b>LAB USE ONLY:</b> Lab Sample # / Comments: U512947																			
<b># of Ctns</b> 1										<b>COGCC Table 915-1</b> EC, SAR, pH, Boron (hot water sol.), Arsenic X SAR only																			
<b>Customer Remarks / Special Conditions / Possible Hazards:</b>										<b>Customer Sample ID</b>																			
<b>Type of Ice Used:</b> Wet Blue Dry None										<b>SHORT HOLDS PRESENT (&lt;72 hours):</b> Y N N/A																			
<b>Packing Material Used:</b>										<b>Lab Tracking #:</b>																			
<b>Radchem sample(s) screened (&lt;500 cpm):</b> Y N NA										<b>Samples received via:</b> FEDEX UPS Client Courier Pace Courier																			
<b>Relinquished by/Company: (Signature)</b>					<b>Date/Time:</b> 7/7/12 1535					<b>Received by/Company: (Signature)</b>					<b>Date/Time:</b>														
<b>Relinquished by/Company: (Signature)</b>					<b>Date/Time:</b> 7/7/12 1545					<b>Received by/Company: (Signature)</b>					<b>Date/Time:</b>														
<b>Relinquished by/Company: (Signature)</b>					<b>Date/Time:</b>					<b>Received by/Company: (Signature)</b>					<b>Date/Time:</b> 7/6/12 8:45														
<b>Table #:</b>										<b>MTJL LAB USE ONLY</b>																			
<b>Acctnum:</b>										<b>Template:</b>																			
<b>Prelogin:</b>										<b>PM:</b>																			
<b>Comments:</b>										<b>PB:</b>																			
<b>Trip Blank Received:</b> Y <input checked="" type="checkbox"/> N <input type="checkbox"/> NA										<b>Non Conformance(s):</b> YES / NO																			
<b>HCL MeOH TSP Other</b>										<b>Page:</b>																			
<b>of:</b>										<b>of:</b>																			

Location Mesa 4 / Mesa 3Date 5/26/22Project / Client Cactus

Sunny. 80°F. Mild wind

1000: Arrive on site to conduct wall sampling,  
background sampling & drone flight

- Review & Sign JSA
- Review Scope of work
- Calibrate PID
- Prepare equipment for sampling

<u>Sample / Screen ID</u>	<u>Time:</u>	<u>PID:</u>
20220526-Mesa 4 (BG-N)@1'	1100	0.00
" (BG-S)@2.5'	1110	0.00
" (BG-E)@2'	1120	0.00
" (BG-W)@2.5'	1130	0.00
" (NWALL)@7'	1140	0.00
" (SWALL)@7'	1150	0.60
" (EWALL)@7'	1200	.25
" (WWALL)@7'	1215	0.00
" (BASE)@9'	1230	1.05
20220526-Mesa 3 (BG-N)@1'	1300	—
" (BG-S)@2.5'	1310	—
" (BG-E)@2'	1320	—
" (BG-W)@3'	1330	—
" (NWALL)@6'	1345	308.5
" (SWALL)@6'	1400	127.3
" (EWALL)@6'	1415	105.5
" (WWALL)@6'	1430	150.5
" (BASE)@8'	1445	25.5 <i>the Rain</i>




Location Mesa 3/4Date 5/26/22Project / Client CaerusSunny. 90°F. Mild wind

\* Contd.

- Conduct drone flight at both sites

1500: All sampling & drone flights complete

• Load equipment

1530: Off site5/26/22

Location Mesa 2, mesa 3, Puckett 31B-7Date 6/28/2022Project / Client Caerus

0815 - arrive on site to collect drone imagery for mesa 2 w/ Steve  
- Review scope of work  
- Review JSA

0930 - imagery collected @ mesa 2, en route to Logan Di-hi to meet w/ Jake, Mike, & Daniel from Caerus to discuss future remediation @ Logan & mesa 3


1120 - production tank grab sampled @ mesa 3 to get profile of Produced water.

Sample ID = 20220628 - mesa3 (PW)

Time = 1120

1300 - Imagery collected @ Puckett 31B-7

1500 - offsite



6/28/22



Location Mesa-3Date 7/5/22

11

Project / Client Caerus~~partia~~ partly cloudy, 78°, light breeze

1200 - on site w/ 3 Caerus employees  
to widen E wall of mesa 3 PBV  
excavation for sampling purposes.

- review Scope of work
- review JSA

1232 - start of excavation

<u>Sample ID</u>	<u>Time</u>	<u>PID</u>
20220705-Mesa3		
(EW-01) @ 6'	1250	NA
" (EW-02) @ 6'	1255	
" (EW-03) @ 6'	1300	└

1315 - all samples collected. Equipment  
loaded & E wall shored up w/ minor backfill  
to prevent liner collapse.

1330 - off site.

No further entries