

Mr. Jake Janicek  
EHS Specialist  
Caerus Operating LLC  
143 Diamond Ave.  
Parachute, CO 81635

## **REPORT OF WORK COMPLETED**

**Project Name:** Mesa 3 Partially Buried Vessel Removal Assessment

**Facility Name:** Puckett-67S96W 18NWNW

**COGCC Location ID:** 334704

**Legal Description:** NWNW Sec. 18, T7S-R96W Garfield County, CO

**Location (Lat/Long):** 39.442750, -108.157030

On behalf of Caerus Operating LLC (Caerus), Campos EPC (CEPC) has prepared this Report of Work Completed (ROWC) to document the recent partially buried vessel (PBV) removal assessment activities at the Puckett-67S96W 18NWNW Pad, also known as Mesa 3 (Site). This ROWC provides background and purpose of the assessment, methodology, summarized results, and recommendations for additional action. Attachments to this ROWC include field notes and photos, Site exhibit with sample locations, soil analytical data table, and laboratory reports.

## **BACKGROUND**

The Site is approximately 5.5 miles west of Parachute, CO within the Grand Valley Field. Land use is primarily oil and gas operations and high mountain desert rangeland. Lithology consists mostly of organic silts and clays. The Site is situated on a mesa and topography at the site slopes away to the northwest and southeast. The nearest watercourse is Riley Gulch approximately 0.6 miles southeast, which is a tributary to Parachute Creek approximately 3.7 miles northeast of the Site.

To the purpose of decommissioning a partially buried produced water tank per Colorado Oil and Gas Conservation Commission (COGCC) Rule 913.c.(9), a Proposed Sampling Plan (PSP) was submitted as part of a Form 27 (Doc. #403049993).

## **METHODOLOGY**

On May 26, 2022 CEPC personnel conducted the assessment in accordance with the PSP outlined in the associated Form 27. Following the removal of the partially buried vessel, CEPC completed visual inspection and field screening of the base and four sidewalls of the excavation. Field screening was conducted with a Photo Ionization Detector (PID) and hand tools with strict decontamination practices were used to collect soil samples. Soil samples were collected from the base of the tank excavation at eight feet (ft) below ground surface (bgs) and from the sidewalls of the excavation at six ft bgs. All samples were collected in laboratory provided jars, immediately packed on ice, and submitted via courier to Pace Analytical for analysis of all constituents listed on COGCC Table 915-1. Additionally, four background soil samples were collected from nearby, undisturbed native areas and submitted for analysis of Electrical Conductivity (EC), Sodium Adsorption Ratio (SAR), pH, Boron, and Arsenic. Soil samples and pertinent features onsite were surveyed using a Trimble RTX Data Collector with sub-inch accuracy. An aerial survey to gather updated imagery of the Site was conducted with an Autel Evo II drone.

## **RESULTS**

During the assessment, visual inspection of the Site indicated no staining or odors from the base or sidewalls of the PBV excavation. Results of field screening via PID ranged from 25.5 parts per million (ppm) at the base, to 308.5 ppm at the north sidewall.

## **Mesa 3 RWC - PBV Removal Assessment**

Laboratory results indicated compliance for all samples, as compared to COGCC Table 915-1 Residential Soil Screening Level Concentrations (applicable standards), with exception to SAR, pH, and Arsenic. Laboratory results for soil suitability parameters indicated SAR exceeded the applicable standard in the sample obtained at the east sidewall of the excavation with a result of 15.5. Soil samples collected at the base, east, south, and west sidewalls of the excavation indicated pH exceedances, ranging from 8.36 to 8.77.

Arsenic values also exceeded applicable standards in the excavation samples at concentrations ranging from 4.48 milligrams per kilogram (mg/kg) to 10.5 mg/kg, and in all four background samples, ranging from 3.72 mg/kg to 4.16 mg/kg.

### **CONCLUSION**

Based on laboratory results, SAR and pH impacts are present onsite. Elevated Arsenic concentrations were detected in the excavation samples, however, background soil samples also indicated naturally occurring elevated concentrations of Arsenic.

CEPC concludes that additional investigation is required to delineate and remediate SAR and pH impacts found at the Site. Additionally, CEPC recommends a request for a reduced analytical suite to include SAR and pH only.

Thank you for the opportunity to support you on this project. Please reach out anytime with questions regarding this report and associated field work.



Steve Sivigliano, CES  
Environmental Project Manager | Campos EPC, LLC

1401 Blake St | Denver, Colorado 80202  
HQ 303-623-3345 | Cell 970-619-0600  
[Steve.Sivigliano@camposepc.com](mailto:Steve.Sivigliano@camposepc.com)  
[www.camposepc.com](http://www.camposepc.com)



Amanda Baca  
Project Scientist | Campos EPC, LLC

1401 Blake St | Denver, Colorado 80202  
HQ 303-623-3345 | Cell 719-250-0005  
[Amanda.Baca@camposepc.com](mailto:Amanda.Baca@camposepc.com)  
[www.camposepc.com](http://www.camposepc.com)

### **ATTACHMENTS**

- Site Exhibits with sample locations
- Soil Analytical Table
- Laboratory Report
- Field Notes and Photos

**SOIL ANALYTICAL RESULTS TABLE**  
**CAERUS OIL AND GAS - MESA 3 PBV REMOVAL ASSESSMENT**

Sample Name	ORGANIC COMPOUNDS in mg/kg								SOIL SUITABILITY				METALS in mg/kg									
	GRO	DRO	ORO	TPH	Benzene	Toluene	Ethylbenzene	Total Xylenes	Electrical Conductivity (mmhos/cm)	Sodium Adsorption Ratio	pH (su)	Boron-hot water soluble (mg/l)	Arsenic	Barium	Cadmium	Chromium (VI)	Copper	Lead	Nickel	Selenium	Silver	Zinc
20220526-MESA 3 (N.WALL)@6'	<0.1	14.4	34.2	48.6	<0.001	<0.005	<0.0025	<0.0065	0.147	0.815	7.92	<0.2	5.73	278	0.675	<1.0	15.4	72.5	20.3	<2.0	<1.0	94.3
20220526-MESA 3 (E.WALL)@6'	4.42	39.9	50.4	94.72	0.00173	0.0260	0.0101	0.346	0.748	15.5	8.6	0.410	4.48	282	<0.5	<1.0	13.8	7.63	13.4	<2.0	<1.0	51.6
20220526-MESA 3 (S.WALL)@6'	6.55	71.3	87.0	164.85	0.00117	0.0248	0.00707	0.247	0.163	2.8	8.77	<0.2	10.5	273	1.08	<1.0	19.2	10.1	15.0	<2.0	<1.0	87.2
20220526-MESA 3 (W.WALL)@6'	4.26	74.2	115	193.46	<0.001	0.0137	0.00638	0.178	0.137	1.35	8.46	<0.2	4.48	363	<0.5	<1.0	13.7	8.94	19.2	<2.0	<1.0	83.0
20220526-MESA 3 (BASE)@8'	0.188	150	149	299.188	<0.001	<0.005	<0.0025	0.0106	0.376	2.94	8.36	<0.2	5.64	186	<0.5	<1.0	10.6	6.55	12.2	<2.0	<1.0	37.0
20220526-MESA 3 (BG-N)@1'	na	na	na	na	na	na	na	na	0.129	0.0962	7.13	0.300	3.84	na	na	na	na	na	na	na	na	na
20220526-MESA 3 (BG-E)@2'	na	na	na	na	na	na	na	na	0.0628	0.0658	6.88	0.243	4.16	na	na	na	na	na	na	na	na	na
20220526-MESA 3 (BG-S)@2.5'	na	na	na	na	na	na	na	na	0.0753	0.0640	7.06	0.331	4.13	na	na	na	na	na	na	na	na	na
20220526-MESA 3 (BG-W)@3'	na	na	na	na	na	na	na	na	0.0605	0.104	6.95	0.297	3.72	na	na	na	na	na	na	na	na	na
<b>COGCC TABLE 915-1 RESIDENTIAL SOIL SCREENING LEVEL CONCENTRATIONS</b>	500 mg/kg				1.2 mg/kg	490 mg/kg	5.8 mg/kg	58 mg/kg	<4.0 mmhos/cm	<6 unitless	6 - 8.3 su	2 mg/L	0.68 mg/kg	15,000 mg/kg	71 mg/kg	0.3 mg/kg	3,100 mg/kg	400 mg/kg	1,500 mg/kg	390 mg/kg	390 mg/kg	23,000 mg/kg
<b>PROTECTION OF GROUNDWATER SOIL SCREENING LEVEL CONCENTRATIONS</b>	500 mg/kg				0.0026 mg/kg	0.69 mg/kg	0.78 mg/kg	9.9 mg/kg	<4.0 mmhos/cm	<6 unitless	6 - 8.3 su	2 mg/L	0.29 mg/kg	82 mg/kg	0.38 mg/kg	0.00067 mg/kg	46 mg/kg	14 mg/kg	26 mg/kg	0.26 mg/kg	0.8 mg/kg	370 mg/kg

Notes:

**Bold with yellow highlight** - exceeds COGCC Table 915-1 residential soil screening level concentration

< - less than laboratory reporting detection limit (RDL)

COGCC - Colorado Oil and Gas Conservation Commission

TPH - Total Petroleum Hydrocarbons (volatile and extractable)

GRO - Gasoline Range Organics

DRO - Diesel Range Organics

ORO - Oil Range Organics

mg/kg - milligrams per kilogram

mg/L - milligrams per Liter

mmhos/cm - millimhos per centimeter

su - standard unit

na - not analyzed

**SOIL ANALYTICAL RESULTS TABLE (continued)**  
**CAERUS OIL AND GAS - MESA 3 PBV REMOVAL ASSESSMENT**



Sample Name	ORGANIC COMPOUNDS in mg/kg (continued)																
	1, 2, 4-trimethylbenzene	1, 3, 5-trimethylbenzene	Acenaphthene	Anthracene	Benz(a)anthracene	Benz(b)fluoranthene	Benz(k)fluoranthene	Benz(a)pyrene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno (1, 2, 3-cd)pyrene	1-methylnaphthalene	2-methylnaphthalene	Naphthalene	Pyrene
2022056-MESA 3 (N.WALL)@6'	<0.005	<0.005	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.02	<0.02	<0.02	<0.006
2022056-MESA 3 (E.WALL)@6'	0.147	0.359	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.02	<0.02	<0.02	<0.006
2022056-MESA 3 (S.WALL)@6'	0.0976	0.333	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	0.00776	<0.006	0.0587	0.0968	0.0277	<0.006
2022056-MESA 3 (W.WALL)@6'	0.109	0.166	<0.006	0.00710	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	0.0115	<0.006	0.0614	0.118	0.0286	<0.006
2022056-MESA 3 (BASE)@8'	<0.005	0.119	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	0.0338	0.0568	0.0221	<0.006	
2022056-MESA 3 (BG-N)@1'	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
2022056-MESA 3 (BG-E)@2'	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
2022056-MESA 3 (BG-S)@2.5'	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
2022056-MESA 3 (BG-W)@3'	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
<b>COGCC TABLE 915-1</b> RESIDENTIAL SOIL SCREENING LEVEL CONCENTRATIONS	30 mg/kg	27 mg/kg	360 mg/kg	1800 mg/kg	1.1 mg/kg	1.1 mg/kg	11 mg/kg	0.11 mg/kg	110 mg/kg	0.11 mg/kg	240 mg/kg	240 mg/kg	1.1 mg/kg	18 mg/kg	24 mg/kg	2 mg/kg	180 mg/kg
PROTECTION OF GROUNDWATER SOIL SCREENING LEVEL CONCENTRATIONS	0.0081 mg/kg	0.0087 mg/kg	0.55 mg/kg	5.8 mg/kg	0.011 mg/kg	0.3 mg/kg	2.9 mg/kg	0.24 mg/kg	9 mg/kg	0.096 mg/kg	8.9 mg/kg	0.54 mg/kg	0.98 mg/kg	0.006 mg/kg	0.019 mg/kg	0.0038 mg/kg	1.3 mg/kg

Notes:

**Bold with yellow highlight** - exceeds COGCC Table 915-1 residential soil screening level concentration

< - less than laboratory reporting detection limit (RDL)

COGCC - Colorado Oil and Gas Conservation Commission

mg/kg - milligrams per kilogram

mmhos/cm - millimhos per centimeter

su - standard unit

na - not analyzed



<b>CAERUS</b> OPERATING LLC	
MESA 3	Legend
PUCKETT-67S96W / 18NWNW	● Soil Sample Location
COGCC LOCATION ID: 334704	
GARFIELD COUNTY, CO	
NWNW SEC. 18 T7S-R96W	
DRAFTER: LR	DATE: 5/31/2022
COORDINATE SYSTEM GCS NORTH AMERICAN 1983	

Identifier	Latitude NAD83	Longitude NAD83	Elevation
BASE@8'	39.442218	-108.157404	8625.53 ft
BG-E@2'	39.443563	-108.156566	8615.93 ft
BG-N@1'	39.442709	-108.157656	8616.73 ft
BG-S@2.5'	39.442083	-108.156851	8618.31 ft
BG-W@3'	39.442113	-108.157891	8638.89 ft
EWALL@6'	39.442232	-108.157382	8626.86 ft
NWALL@6'	39.442234	-108.157422	8627.90 ft
SWALL@6'	39.442198	-108.157376	8628.26 ft
WWALL@6'	39.442200	-108.157417	8628.23 ft





# ANALYTICAL REPORT

June 14, 2022

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

## Caerus Oil and Gas

Sample Delivery Group: L1499059  
Samples Received: 05/27/2022  
Project Number: MESA 3  
Description: Mesa 3  
Site: MESA 3  
Report To: Brett Middleton  
143 Diamond Avenue  
Parachute, CO 81635

Entire Report Reviewed By:

Chris Ward  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [www.pacenational.com](http://www.pacenational.com)

# TABLE OF CONTENTS

<b>Cp: Cover Page</b>	<b>1</b>	 <b>1 Cp</b>
<b>Tc: Table of Contents</b>	<b>2</b>	 <b>2 Tc</b>
<b>Ss: Sample Summary</b>	<b>3</b>	 <b>3 Ss</b>
<b>Cn: Case Narrative</b>	<b>6</b>	 <b>4 Cn</b>
<b>Sr: Sample Results</b>	<b>7</b>	 <b>5 Sr</b>
<b>2022056-MESA 3 (BG-N) @ 1' L1499059-01</b>	<b>7</b>	 <b>6 Qc</b>
<b>2022056-MESA 3 (BG-S) @ 2.5' L1499059-02</b>	<b>8</b>	 <b>7 GI</b>
<b>2022056-MESA 3 (BG-E) @ 2' L1499059-03</b>	<b>9</b>	 <b>8 Al</b>
<b>2022056-MESA 3 (BG-W) @ 3' L1499059-04</b>	<b>10</b>	 <b>9 Sc</b>
<b>2022056-MESA 3 (N.WALL) @ 6' L1499059-05</b>	<b>11</b>	
<b>2022056-MESA 3 (S.WALL) @ 6' L1499059-06</b>	<b>13</b>	
<b>2022056-MESA 3 (E.WALL) @ 6' L1499059-07</b>	<b>15</b>	
<b>2022056-MESA 3 (W.WALL) @ 6' L1499059-08</b>	<b>17</b>	
<b>2022056-MESA 3 (BASE) @ 8' L1499059-09</b>	<b>19</b>	
<b>Qc: Quality Control Summary</b>	<b>21</b>	
<b>Wet Chemistry by Method 7199</b>	<b>21</b>	
<b>Wet Chemistry by Method 9045D</b>	<b>23</b>	
<b>Wet Chemistry by Method 9050AMod</b>	<b>25</b>	
<b>Metals (ICP) by Method 6010B</b>	<b>26</b>	
<b>Metals (ICP) by Method 6010B-NE493 Ch 2</b>	<b>28</b>	
<b>Metals (ICPMS) by Method 6020</b>	<b>29</b>	
<b>Volatile Organic Compounds (GC) by Method 8015D/GRO</b>	<b>31</b>	
<b>Volatile Organic Compounds (GC/MS) by Method 8260B</b>	<b>33</b>	
<b>Semi-Volatile Organic Compounds (GC) by Method 8015M</b>	<b>35</b>	
<b>Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM</b>	<b>36</b>	
<b>Gl: Glossary of Terms</b>	<b>40</b>	
<b>Al: Accreditations &amp; Locations</b>	<b>41</b>	
<b>Sc: Sample Chain of Custody</b>	<b>42</b>	

# SAMPLE SUMMARY

			Collected by	Collected date/time	Received date/time
			Evan Mason	05/26/22 13:00	05/27/22 08:45

2022056-MESA 3 (BG-N) @ 1' L1499059-01 Solid

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:35	06/13/22 21:35	CCE	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874353	1	06/04/22 15:00	06/04/22 17:00	GI	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:04	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1873336	5	06/06/22 11:39	06/08/22 17:20	SJM	Mt. Juliet, TN

2022056-MESA 3 (BG-S) @ 2.5' L1499059-02 Solid

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:38	06/13/22 21:38	CCE	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:06	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1873336	5	06/06/22 11:39	06/08/22 17:23	SJM	Mt. Juliet, TN

2022056-MESA 3 (BG-E) @ 2' L1499059-03 Solid

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:41	06/13/22 21:41	CCE	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874353	1	06/04/22 15:00	06/04/22 17:00	GI	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:09	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1873336	5	06/06/22 11:39	06/08/22 17:27	SJM	Mt. Juliet, TN

2022056-MESA 3 (BG-W) @ 3' L1499059-04 Solid

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:44	06/13/22 21:44	CCE	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:12	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1873336	5	06/06/22 11:39	06/08/22 15:55	JPD	Mt. Juliet, TN

2022056-MESA 3 (N.WALL) @ 6' L1499059-05 Solid

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:47	06/13/22 21:47	CCE	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG1874623	1	06/06/22 16:00	06/08/22 15:49	ERP	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1874713	1	06/06/22 14:27	06/09/22 21:21	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:15	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1874714	5	06/06/22 14:30	06/07/22 01:57	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1873578	1	06/01/22 13:39	06/02/22 23:47	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1874579	1	06/01/22 13:39	06/05/22 18:21	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1875655	1	06/07/22 16:11	06/08/22 10:08	JAS	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG1875985	1	06/08/22 02:47	06/08/22 14:06	AMG	Mt. Juliet, TN

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> GI

<sup>8</sup> Al

<sup>9</sup> Sc

# SAMPLE SUMMARY

			Collected by	Collected date/time	Received date/time	
2022056-MESA 3 (S.WALL) @ 6' L1499059-06 Solid			Evan Mason	05/26/22 14:00	05/27/22 08:45	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:50	06/13/22 21:50	CCE	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG1874623	1	06/06/22 16:00	06/08/22 15:54	ERP	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1874713	1	06/06/22 14:27	06/09/22 21:24	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:18	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1874714	5	06/06/22 14:30	06/07/22 02:01	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1872997	25	06/01/22 13:39	06/02/22 03:40	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1874801	1	06/01/22 13:39	06/06/22 13:48	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1875655	1	06/07/22 16:11	06/08/22 10:34	JAS	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG1875985	1	06/08/22 02:47	06/08/22 15:15	AMG	Mt. Juliet, TN

			Collected by	Collected date/time	Received date/time	
2022056-MESA 3 (E.WALL) @ 6' L1499059-07 Solid			Evan Mason	05/26/22 14:15	05/27/22 08:45	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 21:53	06/13/22 21:53	CCE	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG1874637	1	06/06/22 16:00	06/07/22 19:16	ERP	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1874713	1	06/06/22 14:27	06/09/22 21:27	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:21	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1874714	5	06/06/22 14:30	06/07/22 02:04	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1872997	25	06/01/22 13:39	06/02/22 04:01	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1874801	1	06/01/22 13:39	06/06/22 14:07	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1875655	1	06/07/22 16:11	06/08/22 09:55	JAS	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG1875985	1	06/08/22 02:47	06/08/22 14:23	AMG	Mt. Juliet, TN

			Collected by	Collected date/time	Received date/time	
2022056-MESA 3 (W WALL) @ 6' L1499059-08 Solid			Evan Mason	05/26/22 14:30	05/27/22 08:45	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 22:01	06/13/22 22:01	CCE	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG1874637	1	06/06/22 16:00	06/07/22 19:21	ERP	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1874713	1	06/06/22 14:27	06/09/22 21:31	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:29	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1874714	5	06/06/22 14:30	06/07/22 02:08	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1872997	25	06/01/22 13:39	06/02/22 04:23	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1874801	1	06/01/22 13:39	06/06/22 14:26	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1875655	1	06/07/22 16:11	06/08/22 10:21	JAS	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG1875985	1	06/08/22 02:47	06/08/22 14:58	AMG	Mt. Juliet, TN

			Collected by	Collected date/time	Received date/time	
2022056-MESA 3 (BASE) @ 8' L1499059-09 Solid			Evan Mason	05/26/22 14:45	05/27/22 08:45	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG1875466	1	06/13/22 22:04	06/13/22 22:04	CCE	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG1874637	1	06/06/22 16:00	06/07/22 19:31	ERP	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG1874359	1	06/06/22 11:00	06/06/22 15:00	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG1874043	1	06/03/22 16:30	06/03/22 19:37	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG1874713	1	06/06/22 14:27	06/09/22 21:33	ZSA	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

# SAMPLE SUMMARY

2022056-MESA 3 (BASE) @ 8' L1499059-09 Solid			Collected by Evan Mason	Collected date/time 05/26/22 14:45	Received date/time 05/27/22 08:45	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010B-NE493 Ch 2	WG1875458	1	06/08/22 13:14	06/13/22 21:32	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG1874714	5	06/06/22 14:30	06/07/22 02:11	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1873578	1	06/01/22 13:39	06/03/22 00:08	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1874579	1	06/01/22 13:39	06/05/22 18:41	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1875655	1	06/07/22 16:11	06/08/22 10:59	JAS	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG1875677	1	06/08/22 10:55	06/09/22 00:07	AMG	Mt. Juliet, TN

- <sup>1</sup> Cp
- <sup>2</sup> Tc
- <sup>3</sup> Ss
- <sup>4</sup> Cn
- <sup>5</sup> Sr
- <sup>6</sup> Qc
- <sup>7</sup> Gl
- <sup>8</sup> Al
- <sup>9</sup> Sc

# CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward  
Project Manager

- <sup>1</sup> Cp
- <sup>2</sup> Tc
- <sup>3</sup> Ss
- <sup>4</sup> Cn
- <sup>5</sup> Sr
- <sup>6</sup> Qc
- <sup>7</sup> GI
- <sup>8</sup> AI
- <sup>9</sup> Sc

## Calculated Results

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Sodium Adsorption Ratio	0.0962		1	06/13/2022 21:35	WG1875466

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> Gl<sup>8</sup> Al<sup>9</sup> Sc

## Wet Chemistry by Method 9045D

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
pH	7.13	T8	1	06/04/2022 17:00	WG1874353

## Sample Narrative:

L1499059-01 WG1874353: 7.13 at 21.1C

## Wet Chemistry by Method 9050AMod

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Specific Conductance	umhos/cm		umhos/cm			WG1874043

## Sample Narrative:

L1499059-01 WG1874043: at 25C

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hot Water Sol. Boron	mg/l		mg/l			WG1875458

## Metals (ICPMS) by Method 6020

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Arsenic	mg/kg		mg/kg			WG1873336

## Calculated Results

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<sup>1</sup> Cp
Sodium Adsorption Ratio	0.0640		1	06/13/2022 21:38	WG1875466	<sup>2</sup> Tc

## Wet Chemistry by Method 9045D

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<sup>3</sup> Ss
pH	7.06	T8	1	06/06/2022 15:00	WG1874359	<sup>4</sup> Cn

## Sample Narrative:

L1499059-02 WG1874359: 7.06 at 21.5C

## Wet Chemistry by Method 9050AMod

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>	<sup>5</sup> Sr
Specific Conductance	umhos/cm		umhos/cm				<sup>6</sup> Qc

## Sample Narrative:

L1499059-02 WG1874043: at 25C

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>	<sup>7</sup> Gl
Hot Water Sol. Boron	mg/l		mg/l				<sup>8</sup> Al

## Metals (ICPMS) by Method 6020

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>	<sup>9</sup> Sc
Arsenic	mg/kg		mg/kg				

## Calculated Results

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Sodium Adsorption Ratio	0.0658		1	06/13/2022 21:41	WG1875466

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> Gl<sup>8</sup> Al<sup>9</sup> Sc

## Wet Chemistry by Method 9045D

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
pH	6.88	T8	1	06/04/2022 17:00	WG1874353

## Sample Narrative:

L1499059-03 WG1874353: 6.88 at 21C

## Wet Chemistry by Method 9050AMod

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Specific Conductance	umhos/cm		umhos/cm			WG1874043

## Sample Narrative:

L1499059-03 WG1874043: at 25C

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hot Water Sol. Boron	mg/l		mg/l			WG1875458

## Metals (ICPMS) by Method 6020

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Arsenic	mg/kg		mg/kg			WG1873336

## Calculated Results

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Sodium Adsorption Ratio	0.104		1	06/13/2022 21:44	WG1875466

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> Gl<sup>8</sup> Al<sup>9</sup> Sc

## Wet Chemistry by Method 9045D

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
pH	6.95	T8	1	06/06/2022 15:00	WG1874359

## Sample Narrative:

L1499059-04 WG1874359: 6.95 at 21.3C

## Wet Chemistry by Method 9050AMod

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Specific Conductance	60.5		umhos/cm	umhos/cm		WG1874043

## Sample Narrative:

L1499059-04 WG1874043: at 25C

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hot Water Sol. Boron	0.297		mg/l	0.200	1	06/13/2022 21:12

## Metals (ICPMS) by Method 6020

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Arsenic	3.72		mg/kg	1.00	5	06/08/2022 15:55

## SAMPLE RESULTS - 05

L1499059

## Calculated Results

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Sodium Adsorption Ratio	SAR		1	06/13/2022 21:47	WG1875466
	0.815				

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## Wet Chemistry by Method 7199

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hexavalent Chromium	mg/kg		mg/kg			
ND			1.00	1	06/08/2022 15:49	WG1874623

## Wet Chemistry by Method 9045D

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
pH	pH				
7.92	T8		1	06/06/2022 15:00	WG1874359

## Sample Narrative:

L1499059-05 WG1874359: 7.92 at 21.4C

## Wet Chemistry by Method 9050AMod

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Specific Conductance	umhos/cm		umhos/cm			
147			10.0	1	06/03/2022 19:37	WG1874043

## Sample Narrative:

L1499059-05 WG1874043: at 25C

## Metals (ICP) by Method 6010B

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Barium	mg/kg		mg/kg			
278			0.500	1	06/09/2022 21:21	WG1874713
Cadmium	0.675		0.500	1	06/09/2022 21:21	WG1874713
Copper	15.4		2.00	1	06/09/2022 21:21	WG1874713
Lead	72.5		0.500	1	06/09/2022 21:21	WG1874713
Nickel	20.3		2.00	1	06/09/2022 21:21	WG1874713
Selenium	ND		2.00	1	06/09/2022 21:21	WG1874713
Silver	ND		1.00	1	06/09/2022 21:21	WG1874713
Zinc	94.3		5.00	1	06/09/2022 21:21	WG1874713

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hot Water Sol. Boron	mg/l		mg/l			
ND			0.200	1	06/13/2022 21:15	WG1875458

## Metals (ICPMS) by Method 6020

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Arsenic	mg/kg		mg/kg			
5.73			1.00	5	06/07/2022 01:57	WG1874714

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	mg/kg		mg/kg			
(S) a,a,a-Trifluorotoluene(FID)	ND		0.100	1	06/02/2022 23:47	WG1873578
108			77.0-120		06/02/2022 23:47	WG1873578

## SAMPLE RESULTS - 05

L1499059

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	06/05/2022 18:21	<a href="#">WG1874579</a>
Toluene	ND		0.00500	1	06/05/2022 18:21	<a href="#">WG1874579</a>
Ethylbenzene	ND		0.00250	1	06/05/2022 18:21	<a href="#">WG1874579</a>
Xylenes, Total	ND		0.00650	1	06/05/2022 18:21	<a href="#">WG1874579</a>
1,2,4-Trimethylbenzene	ND		0.00500	1	06/05/2022 18:21	<a href="#">WG1874579</a>
1,3,5-Trimethylbenzene	ND		0.00500	1	06/05/2022 18:21	<a href="#">WG1874579</a>
(S) Toluene-d8	101		75.0-131		06/05/2022 18:21	<a href="#">WG1874579</a>
(S) 4-Bromofluorobenzene	91.5		67.0-138		06/05/2022 18:21	<a href="#">WG1874579</a>
(S) 1,2-Dichloroethane-d4	101		70.0-130		06/05/2022 18:21	<a href="#">WG1874579</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	14.4		4.00	1	06/08/2022 10:08	<a href="#">WG1875655</a>
C28-C36 Motor Oil Range	34.2		4.00	1	06/08/2022 10:08	<a href="#">WG1875655</a>
(S) o-Terphenyl	42.0		18.0-148		06/08/2022 10:08	<a href="#">WG1875655</a>

## Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Acenaphthene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Anthracene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Benzo(a)anthracene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Benzo(b)fluoranthene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Benzo(k)fluoranthene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Benzo(a)pyrene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Chrysene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Dibenz(a,h)anthracene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Fluoranthene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Fluorene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Indeno[1,2,3-cd]pyrene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
1-Methylnaphthalene	ND		0.0200	1	06/08/2022 14:06	<a href="#">WG1875985</a>
2-Methylnaphthalene	ND		0.0200	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Naphthalene	ND		0.0200	1	06/08/2022 14:06	<a href="#">WG1875985</a>
Pyrene	ND		0.00600	1	06/08/2022 14:06	<a href="#">WG1875985</a>
(S) p-Terphenyl-d14	92.6		23.0-120		06/08/2022 14:06	<a href="#">WG1875985</a>
(S) Nitrobenzene-d5	80.1		14.0-149		06/08/2022 14:06	<a href="#">WG1875985</a>
(S) 2-Fluorobiphenyl	78.6		34.0-125		06/08/2022 14:06	<a href="#">WG1875985</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> GI<sup>8</sup> Al<sup>9</sup> Sc

## SAMPLE RESULTS - 06

L1499059

## Calculated Results

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Sodium Adsorption Ratio	SAR		1	06/13/2022 21:50	WG1875466

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> GI<sup>8</sup> Al<sup>9</sup> Sc

## Wet Chemistry by Method 7199

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hexavalent Chromium	mg/kg		mg/kg			
Hexavalent Chromium	ND		1.00	1	06/08/2022 15:54	<a href="#">WG1874623</a>

## Wet Chemistry by Method 9045D

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
pH	pH				
pH	8.77	T8	1	06/06/2022 15:00	<a href="#">WG1874359</a>

## Sample Narrative:

L1499059-06 WG1874359: 8.77 at 21.3C

## Wet Chemistry by Method 9050AMod

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Specific Conductance	umhos/cm		umhos/cm			
Specific Conductance	163		10.0	1	06/03/2022 19:37	<a href="#">WG1874043</a>

## Sample Narrative:

L1499059-06 WG1874043: at 25C

## Metals (ICP) by Method 6010B

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Barium	mg/kg		mg/kg			
Barium	273		0.500	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Cadmium	1.08		0.500	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Copper	19.2		2.00	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Lead	10.1		0.500	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Nickel	15.0		2.00	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Selenium	ND		2.00	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Silver	ND		1.00	1	06/09/2022 21:24	<a href="#">WG1874713</a>
Zinc	87.2		5.00	1	06/09/2022 21:24	<a href="#">WG1874713</a>

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hot Water Sol. Boron	mg/l		mg/l			
Hot Water Sol. Boron	ND		0.200	1	06/13/2022 21:18	<a href="#">WG1875458</a>

## Metals (ICPMS) by Method 6020

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Arsenic	mg/kg		mg/kg			
Arsenic	10.5		1.00	5	06/07/2022 02:01	<a href="#">WG1874714</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	mg/kg		mg/kg			
(S) a,a,a-Trifluorotoluene(FID)	6.55		2.50	25	06/02/2022 03:40	<a href="#">WG1872997</a>
(S) a,a,a-Trifluorotoluene(FID)	112		77.0-120		06/02/2022 03:40	<a href="#">WG1872997</a>

## SAMPLE RESULTS - 06

L1499059

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	<u>Result</u> mg/kg	<u>Qualifier</u>	RDL mg/kg	Dilution	Analysis date / time	<u>Batch</u>	1 Cp
Benzene	0.00117		0.00100	1	06/06/2022 13:48	<a href="#">WG1874801</a>	
Toluene	0.0248		0.00500	1	06/06/2022 13:48	<a href="#">WG1874801</a>	
Ethylbenzene	0.00707		0.00250	1	06/06/2022 13:48	<a href="#">WG1874801</a>	
Xylenes, Total	0.247		0.00650	1	06/06/2022 13:48	<a href="#">WG1874801</a>	
1,2,4-Trimethylbenzene	0.0976		0.00500	1	06/06/2022 13:48	<a href="#">WG1874801</a>	
1,3,5-Trimethylbenzene	0.333		0.00500	1	06/06/2022 13:48	<a href="#">WG1874801</a>	
(S) Toluene-d8	99.7		75.0-131		06/06/2022 13:48	<a href="#">WG1874801</a>	
(S) 4-Bromofluorobenzene	110		67.0-138		06/06/2022 13:48	<a href="#">WG1874801</a>	
(S) 1,2-Dichloroethane-d4	92.0		70.0-130		06/06/2022 13:48	<a href="#">WG1874801</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	<u>Result</u> mg/kg	<u>Qualifier</u>	RDL mg/kg	Dilution	Analysis date / time	<u>Batch</u>	2 Tc
C10-C28 Diesel Range	71.3		4.00	1	06/08/2022 10:34	<a href="#">WG1875655</a>	
C28-C36 Motor Oil Range	87.0		4.00	1	06/08/2022 10:34	<a href="#">WG1875655</a>	
(S) o-Terphenyl	41.1		18.0-148		06/08/2022 10:34	<a href="#">WG1875655</a>	

## Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	<u>Result</u> mg/kg	<u>Qualifier</u>	RDL mg/kg	Dilution	Analysis date / time	<u>Batch</u>	3 Ss
Acenaphthene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
Anthracene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
Benzo(a)anthracene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
Benzo(b)fluoranthene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
Benzo(k)fluoranthene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
Benzo(a)pyrene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
Chrysene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
Dibenz(a,h)anthracene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
Fluoranthene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
Fluorene	0.00776		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
Indeno[1,2,3-cd]pyrene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
1-Methylnaphthalene	0.0587		0.0200	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
2-Methylnaphthalene	0.0968		0.0200	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
Naphthalene	0.0277		0.0200	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
Pyrene	ND		0.00600	1	06/08/2022 15:15	<a href="#">WG1875985</a>	
(S) p-Terphenyl-d14	93.3		23.0-120		06/08/2022 15:15	<a href="#">WG1875985</a>	
(S) Nitrobenzene-d5	91.3		14.0-149		06/08/2022 15:15	<a href="#">WG1875985</a>	
(S) 2-Fluorobiphenyl	77.0		34.0-125		06/08/2022 15:15	<a href="#">WG1875985</a>	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 Al

9 Sc

## SAMPLE RESULTS - 07

L1499059

## Calculated Results

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Sodium Adsorption Ratio	SAR		1	06/13/2022 21:53	WG1875466

<sup>1</sup>Cp

## Wet Chemistry by Method 7199

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hexavalent Chromium	mg/kg		mg/kg			WG1874637

<sup>2</sup>Tc

## Wet Chemistry by Method 9045D

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
pH	pH		1	06/06/2022 15:00	WG1874359

<sup>3</sup>Ss

## Sample Narrative:

L1499059-07 WG1874359: 8.6 at 21.1C

<sup>4</sup>Cn

## Wet Chemistry by Method 9050AMod

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Specific Conductance	umhos/cm		umhos/cm			WG1874043

<sup>5</sup>Sr

## Sample Narrative:

L1499059-07 WG1874043: at 25C

<sup>6</sup>Qc

## Metals (ICP) by Method 6010B

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Barium	mg/kg		mg/kg			WG1874713
Cadmium	282		0.500	1	06/09/2022 21:27	WG1874713
Copper	ND		0.500	1	06/09/2022 21:27	WG1874713
Lead	13.8		2.00	1	06/09/2022 21:27	WG1874713
Nickel	7.63		0.500	1	06/09/2022 21:27	WG1874713
Selenium	ND		2.00	1	06/09/2022 21:27	WG1874713
Silver	13.4		1.00	1	06/09/2022 21:27	WG1874713
Zinc	ND		5.00	1	06/09/2022 21:27	WG1874713

<sup>7</sup>Gl

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hot Water Sol. Boron	mg/l		mg/l			WG1875458

<sup>8</sup>Al

## Metals (ICPMS) by Method 6020

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Arsenic	mg/kg		mg/kg			WG1874714

<sup>9</sup>Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	mg/kg		mg/kg			WG1872997
(S) a,a,a-Trifluorotoluene(FID)	4.42		2.50	25	06/02/2022 04:01	WG1872997
	114		77.0-120		06/02/2022 04:01	WG1872997

## SAMPLE RESULTS - 07

L1499059

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	<u>Result</u> mg/kg	<u>Qualifier</u>	RDL mg/kg	Dilution	Analysis date / time	<u>Batch</u>	1 Cp
Benzene	0.00173		0.00100	1	06/06/2022 14:07	<a href="#">WG1874801</a>	
Toluene	0.0260		0.00500	1	06/06/2022 14:07	<a href="#">WG1874801</a>	
Ethylbenzene	0.0101		0.00250	1	06/06/2022 14:07	<a href="#">WG1874801</a>	
Xylenes, Total	0.346		0.00650	1	06/06/2022 14:07	<a href="#">WG1874801</a>	
1,2,4-Trimethylbenzene	0.147		0.00500	1	06/06/2022 14:07	<a href="#">WG1874801</a>	
1,3,5-Trimethylbenzene	0.359		0.00500	1	06/06/2022 14:07	<a href="#">WG1874801</a>	
(S) Toluene-d8	99.5		75.0-131		06/06/2022 14:07	<a href="#">WG1874801</a>	
(S) 4-Bromofluorobenzene	111		67.0-138		06/06/2022 14:07	<a href="#">WG1874801</a>	
(S) 1,2-Dichloroethane-d4	90.9		70.0-130		06/06/2022 14:07	<a href="#">WG1874801</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	<u>Result</u> mg/kg	<u>Qualifier</u>	RDL mg/kg	Dilution	Analysis date / time	<u>Batch</u>	2 Tc
C10-C28 Diesel Range	39.9		4.00	1	06/08/2022 09:55	<a href="#">WG1875655</a>	
C28-C36 Motor Oil Range	50.4		4.00	1	06/08/2022 09:55	<a href="#">WG1875655</a>	
(S) o-Terphenyl	33.6		18.0-148		06/08/2022 09:55	<a href="#">WG1875655</a>	

## Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	<u>Result</u> mg/kg	<u>Qualifier</u>	RDL mg/kg	Dilution	Analysis date / time	<u>Batch</u>	3 Ss
Acenaphthene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
Anthracene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
Benzo(a)anthracene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
Benzo(b)fluoranthene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
Benzo(k)fluoranthene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
Benzo(a)pyrene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
Chrysene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
Dibenz(a,h)anthracene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
Fluoranthene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
Fluorene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
Indeno[1,2,3-cd]pyrene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
1-Methylnaphthalene	ND		0.0200	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
2-Methylnaphthalene	ND		0.0200	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
Naphthalene	ND		0.0200	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
Pyrene	ND		0.00600	1	06/08/2022 14:23	<a href="#">WG1875985</a>	
(S) p-Terphenyl-d14	83.4		23.0-120		06/08/2022 14:23	<a href="#">WG1875985</a>	
(S) Nitrobenzene-d5	73.1		14.0-149		06/08/2022 14:23	<a href="#">WG1875985</a>	
(S) 2-Fluorobiphenyl	69.2		34.0-125		06/08/2022 14:23	<a href="#">WG1875985</a>	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 Al

9 Sc

## SAMPLE RESULTS - 08

L1499059

## Calculated Results

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Sodium Adsorption Ratio	SAR		1	06/13/2022 22:01	WG1875466

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> GI<sup>8</sup> Al<sup>9</sup> Sc

## Wet Chemistry by Method 7199

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hexavalent Chromium	mg/kg		mg/kg			
Hexavalent Chromium	ND	P1	1.00	1	06/07/2022 19:21	WG1874637

## Wet Chemistry by Method 9045D

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
pH	pH				
pH	8.46	T8	1	06/06/2022 15:00	WG1874359

## Sample Narrative:

L1499059-08 WG1874359: 8.46 at 21.1C

## Wet Chemistry by Method 9050AMod

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Specific Conductance	umhos/cm		umhos/cm			
Specific Conductance	137		10.0	1	06/03/2022 19:37	WG1874043

## Sample Narrative:

L1499059-08 WG1874043: at 25C

## Metals (ICP) by Method 6010B

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Barium	mg/kg		mg/kg			
Barium	363		0.500	1	06/09/2022 21:31	WG1874713
Cadmium	ND		0.500	1	06/09/2022 21:31	WG1874713
Copper	13.7		2.00	1	06/09/2022 21:31	WG1874713
Lead	8.94		0.500	1	06/09/2022 21:31	WG1874713
Nickel	19.2		2.00	1	06/09/2022 21:31	WG1874713
Selenium	ND		2.00	1	06/09/2022 21:31	WG1874713
Silver	ND		1.00	1	06/09/2022 21:31	WG1874713
Zinc	83.0		5.00	1	06/09/2022 21:31	WG1874713

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hot Water Sol. Boron	mg/l		mg/l			
Hot Water Sol. Boron	ND		0.200	1	06/13/2022 21:29	WG1875458

## Metals (ICPMS) by Method 6020

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Arsenic	mg/kg		mg/kg			
Arsenic	4.48		1.00	5	06/07/2022 02:08	WG1874714

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	mg/kg		mg/kg			
(S) a,a,a-Trifluorotoluene(FID)	4.26		2.50	25	06/02/2022 04:23	WG1872997
(S) a,a,a-Trifluorotoluene(FID)	112		77.0-120		06/02/2022 04:23	WG1872997

## SAMPLE RESULTS - 08

L1499059

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	06/06/2022 14:26	<a href="#">WG1874801</a>
Toluene	0.0137		0.00500	1	06/06/2022 14:26	<a href="#">WG1874801</a>
Ethylbenzene	0.00638		0.00250	1	06/06/2022 14:26	<a href="#">WG1874801</a>
Xylenes, Total	0.178		0.00650	1	06/06/2022 14:26	<a href="#">WG1874801</a>
1,2,4-Trimethylbenzene	0.109		0.00500	1	06/06/2022 14:26	<a href="#">WG1874801</a>
1,3,5-Trimethylbenzene	0.166		0.00500	1	06/06/2022 14:26	<a href="#">WG1874801</a>
(S) Toluene-d8	102		75.0-131		06/06/2022 14:26	<a href="#">WG1874801</a>
(S) 4-Bromofluorobenzene	106		67.0-138		06/06/2022 14:26	<a href="#">WG1874801</a>
(S) 1,2-Dichloroethane-d4	89.9		70.0-130		06/06/2022 14:26	<a href="#">WG1874801</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	74.2		4.00	1	06/08/2022 10:21	<a href="#">WG1875655</a>
C28-C36 Motor Oil Range	115		4.00	1	06/08/2022 10:21	<a href="#">WG1875655</a>
(S) o-Terphenyl	53.1		18.0-148		06/08/2022 10:21	<a href="#">WG1875655</a>

## Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Acenaphthene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Anthracene	0.00710		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Benzo(a)anthracene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Benzo(b)fluoranthene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Benzo(k)fluoranthene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Benzo(a)pyrene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Chrysene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Dibenz(a,h)anthracene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Fluoranthene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Fluorene	0.0115		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Indeno[1,2,3-cd]pyrene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
1-Methylnaphthalene	0.0614		0.0200	1	06/08/2022 14:58	<a href="#">WG1875985</a>
2-Methylnaphthalene	0.118		0.0200	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Naphthalene	0.0286		0.0200	1	06/08/2022 14:58	<a href="#">WG1875985</a>
Pyrene	ND		0.00600	1	06/08/2022 14:58	<a href="#">WG1875985</a>
(S) p-Terphenyl-d14	102		23.0-120		06/08/2022 14:58	<a href="#">WG1875985</a>
(S) Nitrobenzene-d5	102		14.0-149		06/08/2022 14:58	<a href="#">WG1875985</a>
(S) 2-Fluorobiphenyl	83.6		34.0-125		06/08/2022 14:58	<a href="#">WG1875985</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> GI<sup>8</sup> Al<sup>9</sup> Sc

## SAMPLE RESULTS - 09

L1499059

## Calculated Results

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Sodium Adsorption Ratio	SAR		1	06/13/2022 22:04	WG1875466
	2.94				

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> GI<sup>8</sup> Al<sup>9</sup> Sc

## Wet Chemistry by Method 7199

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hexavalent Chromium	mg/kg		mg/kg			
ND			1.00	1	06/07/2022 19:31	<a href="#">WG1874637</a>

## Wet Chemistry by Method 9045D

Analyte	Result	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
pH	pH				
	8.36	T8	1	06/06/2022 15:00	<a href="#">WG1874359</a>

## Sample Narrative:

L1499059-09 WG1874359: 8.36 at 21.1C

## Wet Chemistry by Method 9050AMod

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Specific Conductance	umhos/cm		umhos/cm			
	376		10.0	1	06/03/2022 19:37	<a href="#">WG1874043</a>

## Sample Narrative:

L1499059-09 WG1874043: at 25C

## Metals (ICP) by Method 6010B

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Barium	mg/kg		mg/kg			
	186		0.500	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Cadmium	ND		0.500	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Copper	10.6		2.00	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Lead	6.55		0.500	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Nickel	12.2		2.00	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Selenium	ND		2.00	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Silver	ND		1.00	1	06/09/2022 21:33	<a href="#">WG1874713</a>
Zinc	37.0		5.00	1	06/09/2022 21:33	<a href="#">WG1874713</a>

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Hot Water Sol. Boron	mg/l		mg/l			
	ND		0.200	1	06/13/2022 21:32	<a href="#">WG1875458</a>

## Metals (ICPMS) by Method 6020

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
Arsenic	mg/kg		mg/kg			
	5.64		1.00	5	06/07/2022 02:11	<a href="#">WG1874714</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result	<u>Qualifier</u>	RDL	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	mg/kg		mg/kg			
(S) a,a,a-Trifluorotoluene(FID)	0.188		0.100	1	06/03/2022 00:08	<a href="#">WG1873578</a>
	109		77.0-120		06/03/2022 00:08	<a href="#">WG1873578</a>

## SAMPLE RESULTS - 09

L1499059

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	<u>Result</u> mg/kg	<u>Qualifier</u>	RDL mg/kg	Dilution	Analysis date / time	<u>Batch</u>	1 Cp
Benzene	ND		0.00100	1	06/05/2022 18:41	<a href="#">WG1874579</a>	
Toluene	ND		0.00500	1	06/05/2022 18:41	<a href="#">WG1874579</a>	
Ethylbenzene	ND		0.00250	1	06/05/2022 18:41	<a href="#">WG1874579</a>	
Xylenes, Total	0.0106		0.00650	1	06/05/2022 18:41	<a href="#">WG1874579</a>	
1,2,4-Trimethylbenzene	ND		0.00500	1	06/05/2022 18:41	<a href="#">WG1874579</a>	
1,3,5-Trimethylbenzene	0.119		0.00500	1	06/05/2022 18:41	<a href="#">WG1874579</a>	
(S) Toluene-d8	106		75.0-131		06/05/2022 18:41	<a href="#">WG1874579</a>	
(S) 4-Bromofluorobenzene	91.0		67.0-138		06/05/2022 18:41	<a href="#">WG1874579</a>	
(S) 1,2-Dichloroethane-d4	104		70.0-130		06/05/2022 18:41	<a href="#">WG1874579</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	<u>Result</u> mg/kg	<u>Qualifier</u>	RDL mg/kg	Dilution	Analysis date / time	<u>Batch</u>	2 Tc
C10-C28 Diesel Range	150		4.00	1	06/08/2022 10:59	<a href="#">WG1875655</a>	
C28-C36 Motor Oil Range	149		4.00	1	06/08/2022 10:59	<a href="#">WG1875655</a>	
(S) o-Terphenyl	63.4		18.0-148		06/08/2022 10:59	<a href="#">WG1875655</a>	

## Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	<u>Result</u> mg/kg	<u>Qualifier</u>	RDL mg/kg	Dilution	Analysis date / time	<u>Batch</u>	3 Ss
Acenaphthene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
Anthracene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
Benzo(a)anthracene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
Benzo(b)fluoranthene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
Benzo(k)fluoranthene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
Benzo(a)pyrene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
Chrysene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
Dibenz(a,h)anthracene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
Fluoranthene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
Fluorene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
Indeno[1,2,3-cd]pyrene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
1-Methylnaphthalene	0.0338		0.0200	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
2-Methylnaphthalene	0.0568		0.0200	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
Naphthalene	0.0221		0.0200	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
Pyrene	ND		0.00600	1	06/09/2022 00:07	<a href="#">WG1875677</a>	
(S) p-Terphenyl-d14	82.1		23.0-120		06/09/2022 00:07	<a href="#">WG1875677</a>	
(S) Nitrobenzene-d5	93.6		14.0-149		06/09/2022 00:07	<a href="#">WG1875677</a>	
(S) 2-Fluorobiphenyl	78.8		34.0-125		06/09/2022 00:07	<a href="#">WG1875677</a>	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 Al

9 Sc

WG1874623

Wet Chemistry by Method 7199

## QUALITY CONTROL SUMMARY

L1499059-05,06

## Method Blank (MB)

(MB) R3801200-1 06/08/22 13:16

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
Hexavalent Chromium	U		0.255	1.00

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## L1499059-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1499059-06 06/08/22 15:54 • (DUP) R3801200-7 06/08/22 15:59

Analyte	Original Result mg/kg	DUP Result mg/kg	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Hexavalent Chromium	ND	ND	1	2.90		20

## L1498947-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1498947-02 06/08/22 14:05 • (DUP) R3801200-8 06/08/22 14:21

Analyte	Original Result mg/kg	DUP Result mg/kg	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Hexavalent Chromium	ND	ND	1	8.17		20

## Laboratory Control Sample (LCS)

(LCS) R3801200-2 06/08/22 13:24

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Hexavalent Chromium	10.0	10.7	107	80.0-120	

## L1499058-07 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1499058-07 06/08/22 15:02 • (MS) R3801200-4 06/08/22 15:23 • (MSD) R3801200-5 06/08/22 15:28

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Hexavalent Chromium	20.0	ND	19.9	19.9	95.8	95.9	1	75.0-125			0.0737	20

## L1499058-07 Original Sample (OS) • Matrix Spike (MS)

(OS) L1499058-07 06/08/22 15:02 • (MS) R3801200-6 06/08/22 15:33

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Hexavalent Chromium	693	ND	621	89.6	50	75.0-125	

ACCOUNT:

Caerus Oil and Gas

PROJECT:

MESA 3

SDG:

L1499059

DATE/TIME:

06/14/22 09:46

PAGE:

21 of 42

## QUALITY CONTROL SUMMARY

L1499059-07,08,09

## Method Blank (MB)

(MB) R3801057-1 06/07/22 16:48

Analyst	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
Hexavalent Chromium	U		0.255	1.00

<sup>1</sup>Cp

## L1498750-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1498750-05 06/07/22 18:08 • (DUP) R3801057-7 06/07/22 18:13

Analyst	Original Result mg/kg	DUP Result mg/kg	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Hexavalent Chromium	ND	ND	1	200	P1	20

<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc

## L1499059-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1499059-08 06/07/22 19:21 • (DUP) R3801057-8 06/07/22 19:26

Analyst	Original Result mg/kg	DUP Result mg/kg	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Hexavalent Chromium	ND	ND	1	200	P1	20

<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## Laboratory Control Sample (LCS)

(LCS) R3801057-2 06/07/22 16:56

Analyst	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Hexavalent Chromium	10.0	10.6	106	80.0-120	

## L1497157-56 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1497157-56 06/07/22 17:11 • (MS) R3801057-4 06/07/22 17:21 • (MSD) R3801057-5 06/07/22 17:27

Analyst	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Hexavalent Chromium	20.0	ND	22.0	21.9	110	110	1	75.0-125			0.200	20

## L1497157-56 Original Sample (OS) • Matrix Spike (MS)

(OS) L1497157-56 06/07/22 17:11 • (MS) R3801057-6 06/07/22 17:32

Analyst	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Hexavalent Chromium	660	ND	632	95.7	50	75.0-125	

<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## QUALITY CONTROL SUMMARY

L1499059-01,03

## L1498929-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1498929-04 06/04/22 17:00 • (DUP) R3799449-2 06/04/22 17:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
	pH	su		%		%
pH	8.53	8.55	1	0.234		1

## Sample Narrative:

OS: 8.53 at 22.1C  
 DUP: 8.55 at 21.5C

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## L1499058-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1499058-06 06/04/22 17:00 • (DUP) R3799449-3 06/04/22 17:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
	pH	su		%		%
pH	7.52	7.50	1	0.266		1

## Sample Narrative:

OS: 7.52 at 21.1C  
 DUP: 7.5 at 21.1C

## Laboratory Control Sample (LCS)

(LCS) R3799449-1 06/04/22 17:00

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
	su	su	%	%	
pH	10.0	9.91	99.1	99.0-101	

## Sample Narrative:

LCS: 9.91 at 20C

## QUALITY CONTROL SUMMARY

[L1499059-02,04,05,06,07,08,09](#)

## L1499077-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1499077-02 06/06/22 15:00 • (DUP) R3799965-2 06/06/22 15:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
	pH	su		%		%
pH	8.85	8.84	1	0.113		1

## Sample Narrative:

OS: 8.85 at 21.3C  
 DUP: 8.84 at 21.3C

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## L1499077-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1499077-12 06/06/22 15:00 • (DUP) R3799965-3 06/06/22 15:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
	pH	su		%		%
pH	8.39	8.39	1	0.000		1

## Sample Narrative:

OS: 8.39 at 21.4C  
 DUP: 8.39 at 21.2C

## Laboratory Control Sample (LCS)

(LCS) R3799965-1 06/06/22 15:00

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
	su	su	%	%	
pH	10.0	9.91	99.1	99.0-101	

## Sample Narrative:

LCS: 9.91 at 21.2C

WG1874043

Wet Chemistry by Method 9050AMod

## QUALITY CONTROL SUMMARY

[L1499059-01,02,03,04,05,06,07,08,09](#)

## Method Blank (MB)

(MB) R3799350-1 06/03/22 19:37

Analyte	MB Result umhos/cm	<u>MB Qualifier</u>	MB MDL umhos/cm	MB RDL umhos/cm
Specific Conductance	U		10.0	10.0

## Sample Narrative:

BLANK: at 25C

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## L1499059-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1499059-01 06/03/22 19:37 • (DUP) R3799350-3 06/03/22 19:37

Analyte	Original Result umhos/cm	DUP Result umhos/cm	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Specific Conductance	129	115	1	11.7		20

## Sample Narrative:

OS: at 25C

DUP: at 25C

## L1499059-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1499059-06 06/03/22 19:37 • (DUP) R3799350-4 06/03/22 19:37

Analyte	Original Result umhos/cm	DUP Result umhos/cm	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Specific Conductance	163	169	1	3.73		20

## Sample Narrative:

OS: at 25C

DUP: at 25C

## Laboratory Control Sample (LCS)

(LCS) R3799350-2 06/03/22 19:37

Analyte	Spike Amount umhos/cm	LCS Result umhos/cm	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Specific Conductance	268	282	105	85.0-115	

## Sample Narrative:

LCS: at 25C

ACCOUNT:

Caerus Oil and Gas

PROJECT:

MESA 3

SDG:

L1499059

DATE/TIME:

06/14/22 09:46

PAGE:

25 of 42

## QUALITY CONTROL SUMMARY

[L1499059-05,06,07,08,09](#)

## Method Blank (MB)

(MB) R3801625-1 06/09/22 20:09

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
Barium	0.183	J	0.0852	0.500
Cadmium	U		0.0471	0.500
Copper	U		0.400	2.00
Lead	U		0.208	0.500
Nickel	U		0.132	2.00
Selenium	U		0.764	2.00
Silver	U		0.127	1.00
Zinc	U		0.832	5.00

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## Laboratory Control Sample (LCS)

(LCS) R3801625-2 06/09/22 20:11

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Barium	100	96.4	96.4	80.0-120	
Cadmium	100	92.9	92.9	80.0-120	
Copper	100	95.1	95.1	80.0-120	
Lead	100	94.2	94.2	80.0-120	
Nickel	100	94.6	94.6	80.0-120	
Selenium	100	94.4	94.4	80.0-120	
Silver	20.0	17.6	88.2	80.0-120	
Zinc	100	93.6	93.6	80.0-120	

<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## L1498904-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1498904-02 06/09/22 20:14 • (MS) R3801625-5 06/09/22 20:24 • (MSD) R3801625-6 06/09/22 20:27

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits	
Barium	100	261	338	333	76.6	71.7	1	75.0-125	J6	1.47	20	
Cadmium	100	1.07	96.8	97.3	95.7	96.2	1	75.0-125		0.479	20	
Copper	100	21.2	114	118	93.2	96.6	1	75.0-125		2.94	20	
Lead	100	12.3	105	107	92.8	95.0	1	75.0-125		2.04	20	
Nickel	100	18.3	110	112	91.7	93.7	1	75.0-125		1.77	20	
Selenium	100	ND	97.1	97.9	97.1	97.9	1	75.0-125		0.846	20	
Silver	20.0	ND	18.8	19.0	94.1	94.8	1	75.0-125		0.683	20	
Zinc	100	56.5	128	129	71.4	72.8	1	75.0-125	J6	J6	1.10	20

## QUALITY CONTROL SUMMARY

[L1499059-05,06,07,08,09](#)

## L1499100-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1499100-01 06/09/22 20:29 • (MS) R3801625-7 06/09/22 20:32 • (MSD) R3801625-8 06/09/22 20:35

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Barium	100	120	165	188	45.5	68.2	1	75.0-125	J6	J6	12.8	20
Cadmium	100	ND	93.9	90.0	93.8	89.9	1	75.0-125			4.18	20
Copper	100	17.5	122	112	105	94.8	1	75.0-125			8.26	20
Lead	100	ND	94.3	90.5	94.3	90.5	1	75.0-125			4.07	20
Nickel	100	10.2	103	100	93.1	90.0	1	75.0-125			3.05	20
Selenium	100	2.40	99.9	95.8	97.5	93.4	1	75.0-125			4.14	20
Silver	20.0	ND	16.0	15.5	80.1	77.5	1	75.0-125			3.25	20
Zinc	100	10.4	99.7	96.7	89.3	86.3	1	75.0-125			3.07	20

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

WG1875458

Metals (ICP) by Method 6010B-NE493 Ch 2

## QUALITY CONTROL SUMMARY

[L1499059-01,02,03,04,05,06,07,08,09](#)

## Method Blank (MB)

(MB) R3802745-1 06/13/22 20:22

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
Hot Water Sol. Boron	U		0.0167	0.200

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3802745-2 06/13/22 20:24 • (LCSD) R3802745-3 06/13/22 20:27

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Hot Water Sol. Boron	1.00	1.03	1.04	103	104	80.0-120			0.444	20

WG1873336

Metals (ICPMS) by Method 6020

## QUALITY CONTROL SUMMARY

[L1499059-01,02,03,04](#)

## Method Blank (MB)

(MB) R3800969-1 06/08/22 15:49

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
Arsenic	U		0.100	1.00

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## Laboratory Control Sample (LCS)

(LCS) R3800969-2 06/08/22 15:52

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Arsenic	100	96.1	96.1	80.0-120	

## L1499059-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1499059-04 06/08/22 15:55 • (MS) R3800969-5 06/08/22 16:05 • (MSD) R3800969-6 06/08/22 16:09

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Arsenic	100	3.72	98.3	103	94.5	99.3	5	75.0-125			4.71	20

## QUALITY CONTROL SUMMARY

[L1499059-05,06,07,08,09](#)

## Method Blank (MB)

(MB) R3800489-9 06/07/22 00:32

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
Arsenic	U		0.100	1.00

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## Laboratory Control Sample (LCS)

(LCS) R3800489-10 06/07/22 00:36

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Arsenic	100	91.5	91.5	80.0-120	

## L1498904-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1498904-02 06/07/22 00:39 • (MS) R3800489-13 06/07/22 00:48 • (MSD) R3800489-14 06/07/22 00:52

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits
Arsenic	100	10.3	94.6	99.4	84.3	89.2	5	75.0-125			5.04	20

## L1499100-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1499100-01 06/07/22 00:55 • (MS) R3800489-15 06/07/22 00:58 • (MSD) R3800489-16 06/07/22 01:01

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits
Arsenic	100	4.78	91.1	89.7	86.4	84.9	5	75.0-125			1.63	20

WG1872997

Volatile Organic Compounds (GC) by Method 8015D/GRO

## QUALITY CONTROL SUMMARY

[L1499059-06,07,08](#)

## Method Blank (MB)

(MB) R3799251-2 06/02/22 02:13

Analyst	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.543	2.50
(S) <i>a,a,a-Trifluorotoluene(FID)</i>	113			77.0-120

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## Laboratory Control Sample (LCS)

(LCS) R3799251-1 06/02/22 01:30

Analyst	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	4.24	77.1	72.0-127	
(S) <i>a,a,a-Trifluorotoluene(FID)</i>		99.9		77.0-120	

WG1873578

Volatile Organic Compounds (GC) by Method 8015D/GRO

## QUALITY CONTROL SUMMARY

[L1499059-05.09](#)

## Method Blank (MB)

(MB) R3798940-3 06/02/22 21:02

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) <i>a,a,a-Trifluorotoluene(FID)</i>	110			77.0-120

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## Laboratory Control Sample (LCS)

(LCS) R3798940-2 06/02/22 20:19

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
TPH (GC/FID) Low Fraction	5.50	5.16	93.8	72.0-127	
(S) <i>a,a,a-Trifluorotoluene(FID)</i>		103		77.0-120	

WG1874579

Volatile Organic Compounds (GC/MS) by Method 8260B

## QUALITY CONTROL SUMMARY

[L1499059-05.09](#)

## Method Blank (MB)

(MB) R3799654-2 06/05/22 12:27

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	<sup>1</sup> Cp
Benzene	U		0.000467	0.00100	<sup>2</sup> Tc
Toluene	U		0.00130	0.00500	<sup>3</sup> Ss
Ethylbenzene	U		0.000737	0.00250	<sup>4</sup> Cn
Xylenes, Total	U		0.000880	0.00650	<sup>5</sup> Sr
1,2,4-Trimethylbenzene	U		0.00158	0.00500	<sup>6</sup> Qc
1,3,5-Trimethylbenzene	U		0.00200	0.00500	<sup>7</sup> Gl
(S) Toluene-d8	107		75.0-131		<sup>8</sup> Al
(S) 4-Bromofluorobenzene	91.1		67.0-138		<sup>9</sup> Sc
(S) 1,2-Dichloroethane-d4	98.6		70.0-130		

## Laboratory Control Sample (LCS)

(LCS) R3799654-1 06/05/22 11:28

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	
Benzene	0.125	0.126	101	70.0-123		
Toluene	0.125	0.118	94.4	75.0-121		
Ethylbenzene	0.125	0.117	93.6	74.0-126		
Xylenes, Total	0.375	0.363	96.8	72.0-127		
1,2,4-Trimethylbenzene	0.125	0.120	96.0	70.0-126		
1,3,5-Trimethylbenzene	0.125	0.119	95.2	73.0-127		
(S) Toluene-d8		97.1		75.0-131		
(S) 4-Bromofluorobenzene		89.8		67.0-138		
(S) 1,2-Dichloroethane-d4		110		70.0-130		

WG1874801

Volatile Organic Compounds (GC/MS) by Method 8260B

## QUALITY CONTROL SUMMARY

[L1499059-06,07,08](#)

## Method Blank (MB)

(MB) R3800022-3 06/06/22 12:36

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg	<sup>1</sup> Cp
Benzene	U		0.000467	0.00100	<sup>2</sup> Tc
Toluene	U		0.00130	0.00500	<sup>3</sup> Ss
Ethylbenzene	U		0.000737	0.00250	<sup>4</sup> Cn
Xylenes, Total	U		0.000880	0.00650	<sup>5</sup> Sr
1,2,4-Trimethylbenzene	U		0.00158	0.00500	<sup>6</sup> Qc
1,3,5-Trimethylbenzene	U		0.00200	0.00500	<sup>7</sup> Gl
(S) Toluene-d8	101		75.0-131		<sup>8</sup> Al
(S) 4-Bromofluorobenzene	104		67.0-138		<sup>9</sup> Sc
(S) 1,2-Dichloroethane-d4	90.3		70.0-130		

## Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3800022-1 06/06/22 11:00 • (LCSD) R3800022-2 06/06/22 11:20

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD	RPD Limits
Benzene	0.125	0.122	0.123	97.6	98.4	70.0-123			0.816	20
Toluene	0.125	0.122	0.124	97.6	99.2	75.0-121			1.63	20
Ethylbenzene	0.125	0.123	0.123	98.4	98.4	74.0-126			0.000	20
Xylenes, Total	0.375	0.383	0.377	102	101	72.0-127			1.58	20
1,2,4-Trimethylbenzene	0.125	0.112	0.115	89.6	92.0	70.0-126			2.64	20
1,3,5-Trimethylbenzene	0.125	0.106	0.113	84.8	90.4	73.0-127			6.39	20
(S) Toluene-d8				96.6	100	75.0-131				
(S) 4-Bromofluorobenzene				107	106	67.0-138				
(S) 1,2-Dichloroethane-d4				99.2	99.9	70.0-130				

ACCOUNT:

Caerus Oil and Gas

PROJECT:

MESA 3

SDG:

L1499059

DATE/TIME:

06/14/22 09:46

PAGE:

34 of 42

WG1875655

Semi-Volatile Organic Compounds (GC) by Method 8015M

## QUALITY CONTROL SUMMARY

[L1499059-05,06,07,08,09](#)

## Method Blank (MB)

(MB) R3800804-1 06/08/22 09:06

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C36 Motor Oil Range	0.534	J	0.274	4.00
(S) o-Terphenyl	90.8			18.0-148

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## Laboratory Control Sample (LCS)

(LCS) R3800804-2 06/08/22 09:20

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
C10-C28 Diesel Range	50.0	45.0	90.0	50.0-150	
(S) o-Terphenyl		106		18.0-148	

## L1499257-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1499257-02 06/08/22 12:15 • (MS) R3800815-1 06/08/22 12:42 • (MSD) R3800815-2 06/08/22 12:55

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
C10-C28 Diesel Range	49.0	25.4	35.8	38.3	21.2	26.3	1	50.0-150	J6	6.75	20
(S) o-Terphenyl				49.8	40.2		18.0-148				

ACCOUNT:

Caerus Oil and Gas

PROJECT:

MESA 3

SDG:

L1499059

DATE/TIME:

06/14/22 09:46

PAGE:

35 of 42

## Method Blank (MB)

(MB) R3801062-2 06/08/22 17:34

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Acenaphthene	U		0.00209	0.00600	<sup>1</sup> Cp
Anthracene	U		0.00230	0.00600	<sup>2</sup> Tc
Benzo(a)anthracene	U		0.00173	0.00600	<sup>3</sup> Ss
Benzo(b)fluoranthene	U		0.00153	0.00600	<sup>4</sup> Cn
Benzo(k)fluoranthene	U		0.00215	0.00600	<sup>5</sup> Sr
Benzo(a)pyrene	U		0.00179	0.00600	<sup>6</sup> Qc
Chrysene	U		0.00232	0.00600	<sup>7</sup> Gl
Dibenz(a,h)anthracene	U		0.00172	0.00600	<sup>8</sup> Al
Fluoranthene	U		0.00227	0.00600	<sup>9</sup> Sc
Fluorene	U		0.00205	0.00600	
Indeno(1,2,3-cd)pyrene	U		0.00181	0.00600	
1-Methylnaphthalene	U		0.00449	0.0200	
2-Methylnaphthalene	U		0.00427	0.0200	
Naphthalene	U		0.00408	0.0200	
Pyrene	U		0.00200	0.00600	
(S) p-Terphenyl-d14	86.6		23.0-120		
(S) Nitrobenzene-d5	85.5		14.0-149		
(S) 2-Fluorobiphenyl	84.7		34.0-125		

## Laboratory Control Sample (LCS)

(LCS) R3801062-1 06/08/22 17:14

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Acenaphthene	0.0800	0.0699	87.4	50.0-120	
Anthracene	0.0800	0.0691	86.4	50.0-126	
Benzo(a)anthracene	0.0800	0.0692	86.5	45.0-120	
Benzo(b)fluoranthene	0.0800	0.0685	85.6	42.0-121	
Benzo(k)fluoranthene	0.0800	0.0666	83.3	49.0-125	
Benzo(a)pyrene	0.0800	0.0693	86.6	42.0-120	
Chrysene	0.0800	0.0712	89.0	49.0-122	
Dibenz(a,h)anthracene	0.0800	0.0651	81.4	47.0-125	
Fluoranthene	0.0800	0.0703	87.9	49.0-129	
Fluorene	0.0800	0.0716	89.5	49.0-120	
Indeno(1,2,3-cd)pyrene	0.0800	0.0670	83.8	46.0-125	
1-Methylnaphthalene	0.0800	0.0670	83.8	51.0-121	
2-Methylnaphthalene	0.0800	0.0702	87.8	50.0-120	
Naphthalene	0.0800	0.0658	82.3	50.0-120	
Pyrene	0.0800	0.0693	86.6	43.0-123	

## Laboratory Control Sample (LCS)

(LCS) R3801062-1 06/08/22 17:14

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
(S) <i>p</i> -Terphenyl- <i>d</i> 14		89.0		23.0-120	
(S) Nitrobenzene- <i>d</i> 5		90.3		14.0-149	
(S) 2-Fluorobiphenyl		89.2		34.0-125	

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## L1501516-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1501516-02 06/08/22 22:09 • (MS) R3801062-3 06/08/22 22:28 • (MSD) R3801062-4 06/08/22 22:48

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits
Acenaphthene	0.0800	ND	0.0668	0.0544	83.5	68.0	1	14.0-127			20.5	27
Anthracene	0.0800	0.0199	0.0642	0.0520	55.4	40.1	1	10.0-145			21.0	30
Benz(a)anthracene	0.0800	0.00893	0.0650	0.0528	70.1	54.8	1	10.0-139			20.7	30
Benzo(b)fluoranthene	0.0800	ND	0.0655	0.0527	75.9	59.9	1	10.0-140			21.7	36
Benzo(k)fluoranthene	0.0800	ND	0.0640	0.0520	80.0	65.0	1	10.0-137			20.7	31
Benzo(a)pyrene	0.0800	ND	0.0669	0.0549	80.4	65.4	1	10.0-141			19.7	31
Chrysene	0.0800	0.00779	0.0677	0.0553	74.9	59.4	1	10.0-145			20.2	30
Dibenz(a,h)anthracene	0.0800	ND	0.0621	0.0509	77.6	63.6	1	10.0-132			19.8	31
Fluoranthene	0.0800	0.0342	0.0672	0.0544	41.2	25.3	1	10.0-153			21.1	33
Fluorene	0.0800	ND	0.0682	0.0556	81.9	66.1	1	11.0-130			20.4	29
Indeno(1,2,3-cd)pyrene	0.0800	ND	0.0606	0.0504	75.8	63.0	1	10.0-137			18.4	32
1-Methylnaphthalene	0.0800	ND	0.0660	0.0533	82.5	66.6	1	10.0-142			21.3	28
2-Methylnaphthalene	0.0800	ND	0.0702	0.0580	87.8	72.5	1	10.0-137			19.0	28
Naphthalene	0.0800	ND	0.0651	0.0530	81.4	66.3	1	10.0-135			20.5	27
Pyrene	0.0800	0.0241	0.0650	0.0529	51.1	36.0	1	10.0-148			20.5	35
(S) <i>p</i> -Terphenyl- <i>d</i> 14					85.9	66.8		23.0-120				
(S) Nitrobenzene- <i>d</i> 5					88.1	66.3		14.0-149				
(S) 2-Fluorobiphenyl					87.5	68.2		34.0-125				

## QUALITY CONTROL SUMMARY

[L1499059-05,06,07,08](#)

## Method Blank (MB)

(MB) R3800808-2 06/08/22 09:45

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	1 Cp
Acenaphthene	U		0.00209	0.00600	
Anthracene	U		0.00230	0.00600	
Benzo(a)anthracene	U		0.00173	0.00600	
Benzo(b)fluoranthene	U		0.00153	0.00600	
Benzo(k)fluoranthene	U		0.00215	0.00600	
Benzo(a)pyrene	U		0.00179	0.00600	
Chrysene	U		0.00232	0.00600	
Dibenz(a,h)anthracene	U		0.00172	0.00600	
Fluoranthene	U		0.00227	0.00600	
Fluorene	U		0.00205	0.00600	
Indeno(1,2,3-cd)pyrene	U		0.00181	0.00600	
1-Methylnaphthalene	U		0.00449	0.0200	
2-Methylnaphthalene	U		0.00427	0.0200	
Naphthalene	U		0.00408	0.0200	
Pyrene	U		0.00200	0.00600	
(S) p-Terphenyl-d14	89.6		23.0-120		
(S) Nitrobenzene-d5	74.1		14.0-149		
(S) 2-Fluorobiphenyl	75.1		34.0-125		

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Laboratory Control Sample (LCS)

(LCS) R3800808-1 06/08/22 09:27

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Acenaphthene	0.0800	0.0651	81.4	50.0-120	
Anthracene	0.0800	0.0650	81.3	50.0-126	
Benzo(a)anthracene	0.0800	0.0674	84.3	45.0-120	
Benzo(b)fluoranthene	0.0800	0.0667	83.4	42.0-121	
Benzo(k)fluoranthene	0.0800	0.0658	82.3	49.0-125	
Benzo(a)pyrene	0.0800	0.0619	77.4	42.0-120	
Chrysene	0.0800	0.0667	83.4	49.0-122	
Dibenz(a,h)anthracene	0.0800	0.0644	80.5	47.0-125	
Fluoranthene	0.0800	0.0657	82.1	49.0-129	
Fluorene	0.0800	0.0685	85.6	49.0-120	
Indeno(1,2,3-cd)pyrene	0.0800	0.0646	80.7	46.0-125	
1-Methylnaphthalene	0.0800	0.0657	82.1	51.0-121	
2-Methylnaphthalene	0.0800	0.0646	80.7	50.0-120	
Naphthalene	0.0800	0.0654	81.8	50.0-120	
Pyrene	0.0800	0.0645	80.6	43.0-123	

## Laboratory Control Sample (LCS)

(LCS) R3800808-1 06/08/22 09:27

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
(S) p-Terphenyl-d14		97.4		23.0-120	
(S) Nitrobenzene-d5		85.0		14.0-149	
(S) 2-Fluorobiphenyl		83.6		34.0-125	

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## L1499059-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1499059-06 06/08/22 15:15 • (MS) R3800808-3 06/08/22 15:33 • (MSD) R3800808-4 06/08/22 15:50

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits
Acenaphthene	0.0800	ND	0.0602	0.0619	75.3	77.4	1	14.0-127			2.78	27
Anthracene	0.0800	ND	0.0617	0.0651	77.1	81.4	1	10.0-145			5.36	30
Benz(a)anthracene	0.0800	ND	0.0634	0.0656	79.3	82.0	1	10.0-139			3.41	30
Benzo(b)fluoranthene	0.0800	ND	0.0575	0.0583	71.9	72.9	1	10.0-140			1.38	36
Benzo(k)fluoranthene	0.0800	ND	0.0566	0.0575	70.8	71.9	1	10.0-137			1.58	31
Benzo(a)pyrene	0.0800	ND	0.0589	0.0598	73.6	74.8	1	10.0-141			1.52	31
Chrysene	0.0800	ND	0.0635	0.0633	79.4	79.1	1	10.0-145			0.315	30
Dibenz(a,h)anthracene	0.0800	ND	0.0581	0.0587	72.6	73.4	1	10.0-132			1.03	31
Fluoranthene	0.0800	ND	0.0615	0.0632	76.9	79.0	1	10.0-153			2.73	33
Fluorene	0.0800	0.00776	0.0702	0.0714	78.1	79.5	1	11.0-130			1.69	29
Indeno(1,2,3-cd)pyrene	0.0800	ND	0.0590	0.0603	73.8	75.4	1	10.0-137			2.18	32
1-Methylnaphthalene	0.0800	0.0587	0.129	0.120	87.9	76.6	1	10.0-142			7.23	28
2-Methylnaphthalene	0.0800	0.0968	0.175	0.152	97.8	69.0	1	10.0-137			14.1	28
Naphthalene	0.0800	0.0277	0.0903	0.0879	78.3	75.3	1	10.0-135			2.69	27
Pyrene	0.0800	ND	0.0626	0.0621	78.3	77.6	1	10.0-148			0.802	35
(S) p-Terphenyl-d14					88.7	92.7		23.0-120				
(S) Nitrobenzene-d5					90.9	96.8		14.0-149				
(S) 2-Fluorobiphenyl					74.8	78.5		34.0-125				

# GLOSSARY OF TERMS

## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

**Results Disclaimer -** Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

### Abbreviations and Definitions

MDL	Method Detection Limit.	<sup>1</sup> Cp
ND	Not detected at the Reporting Limit (or MDL where applicable).	<sup>2</sup> Tc
RDL	Reported Detection Limit.	<sup>3</sup> Ss
Rec.	Recovery.	<sup>4</sup> Cn
RPD	Relative Percent Difference.	<sup>5</sup> Sr
SDG	Sample Delivery Group.	<sup>6</sup> Qc
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.	<sup>7</sup> GI
U	Not detected at the Reporting Limit (or MDL where applicable).	<sup>8</sup> Al
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	<sup>9</sup> Sc
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.
T8	Sample(s) received past/too close to holding time expiration.

# ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1,6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1,4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



## CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company: Campos EPC  
Address: 1401 Blake St. Denver, CO 80202

Report To: Brett Middleton  
Copy To: Jake Janicek - jjanicek@caerusoilandgas.com

Customer Project Name/Number:  
**Mesa 3**

Phone: 970-619-0800  
Email: same as above

Collected By (print):  
**Evan Mason**

Collected By (signature):

Sample Disposal:  
[ ] Dispose as appropriate [ ] Return  
[ ] Archive: \_\_\_\_\_  
[ ] Hold: \_\_\_\_\_

Billing Information:  
**Caerus Oil and Gas, LLC**  
Account: CAERUSPCO

Email To: **bmiddleton@caerusoilandgas.com**

Site Collection Info/Address:

State: CO / County/City: Time Zone Collected:  
[ ] PT [ ] MT [ ] CT [ ] ET

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

## ALL SHADED AREAS are for LAB USE ONLY

Container Preservative Type \*\*

Lab Project Manager:

\*\* Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

## Analyses

## Lab Profile/Line:

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y N   
 Custody Signatures Present Y N   
 Collector Signature Present  N NA  
 Bottles Intact  N NA  
 Correct Bottles  N NA  
 Sufficient Volume  N NA  
 Samples Received on Ice  N NA  
 VOA - Headspace Acceptable Y N   
 USDA Regulated Soils  N   
 Samples in Holding Time  N NA  
 Residual Chlorine Present  N NA  
 Cl Strips: \_\_\_\_\_  
 Sample pH Acceptable Y N NA  
 pH Strips: \_\_\_\_\_  
 Sulfide Present Y N NA  
 Lead Acetate Strips: \_\_\_\_\_

LAB USE ONLY:  
Lab Sample # / Comments:**U499059**

-01  
-02  
-03  
-04  
-05  
-06  
-07  
-08  
-09

## COGCC Table 915-1

## EC, SAR, pH, Boron (hot water sol.), Arsenic

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
20220526-Mesa 3(BG-N)@1'	sl		5/26/22	13:00	-	-	-	1
20220526-Mesa 3(BG-S)@2.5'	sl		5/26/22	13:10	-	-	-	1
20220526-Mesa 3(BG-E)@2'	sl		5/26/22	13:20	-	-	-	1
20220526-Mesa 3(BG-W)@3'	sl		5/26/22	13:30	-	-	-	1
20220526-Mesa 3(N.Wall)@6'	sl		5/26/22	13:45	-	-	-	2
20220526-Mesa 3(S.Wall)@6'	sl		5/26/22	14:00	-	-	-	2
20220526-Mesa 3(E.Wall)@6'	sl		5/26/22	14:15	-	-	-	2
20220526-Mesa 3(W.Wall)@6'	sl		5/26/22	14:30	-	-	-	2
20220526-Mesa 3(Base)@8'	sl		5/26/22	14:45	-	-	-	2

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: Wet Blue Dry None

SHORT HOLDS PRESENT (&lt;72 hours): Y N N/A

Packing Material Used: Lab Tracking #:

Radchem sample(s) screened (&lt;500 cpm): Y N NA Samples received via:

FEDEX UPS Client Courier Pace Courier

Relinquished by/Company: (Signature)

Date/Time:

5/26/22 1600

Received by/Company: (Signature)

Date/Time:

5/26/1600

Acctnum:

Template:

Prelogin:

PM:

PB:

1232

Relinquished by/Company: (Signature)

Date/Time:

5/26/22 1700

Received by/Company: (Signature)

Date/Time:

Date/Time:

Acctnum:

Template:

Prelogin:

PM:

PB:

Relinquished by/Company: (Signature)

Date/Time:

Date/Time:

Received by/Company: (Signature)

Date/Time:

Date/Time:

Acctnum:

Template:

Prelogin:

PM:

PB:

Lab Sample Temperature Info:

Temp Blank Received: Y N NA

Therm ID#:

Cooler 1 Temp Upon Receipt: oC

Cooler 1 Therm Corr. Factor: oC

Cooler 1 Corrected Temp: 115 oC

Comments:

Trip Blank Received: Y N NA

HCL MeOH TSP Other

Non Conformance(s): YES / NO

Page: of:

Location

Mesa 4 / Mesa 3

Date

5/26/22

Project / Client

Cactus

Sunny. 80°F. Mild wind

1000: Arrive on site to conduct wall sampling,  
background sampling & drone flight

- Review & Sign JSIA
- Review Scope of work
- Calibrate PDI
- Prepare equipment for sampling

### Sample / Screen ID

### Time:

### PDI:

20220526-Mesa 4 (BG-N)@1'	1100	0.00
" (BG-S)@2.5'	1110	0.00
" (BG-E)@2'	1120	0.00
" (BG-W)@2.5'	1130	0.00
" (NWALL)@7'	1140	0.00
" (SWALL)@7'	1150	0.60
" (EWALL)@7'	1200	.25
" (WWALL)@7'	1215	0.00
" (BASE) @9'	1230	1.05
20220526-Mesa 3 (BG-N)@1'	1300	—
" (BG-S)@2.5'	1310	—
" (BG-E)@2'	1320	—
" (BG-W)@3'	1330	—
" (NWALL)@6'	1345	308.5
" (SWALL)@6'	1400	127.3
" (EWALL)@6'	1415	105.5
" (WWALL)@6'	1430	150.5
" (BASE) @8'	1445	25.5 <i>End of the Rain.</i>

Location Mesa 3/4Date 5/26/22Project / Client Caerus

Sunny. 90°F. Mild wind

\* Contd.

- Conduct drone flight at both sites

1500: All sampling & drone flights complete

- Load equipment

1530: off site

5/26/22

GM





