


Data Collection Report

Gauge Information	
Serial Number	563559
Model	3KPSIXP2I
Message Store	SC-9 Bradenhead Test
Units	PSI

Run Info	
Start Time	10/19/22 1:21:09 PM
Stop Time	10/19/22 1:57:22 PM
Logging Interval	60

Bradenhead pressure during SC-9 bradenhead test



Serial Number 563559
 Model 3KPSIXP2I
 Units PSI
 Firmware Version R0224 Message Store -----
 Run Index Sc-9 BH test braden pres
 Logging Type Actual
 Logging Interval 60
 Start Time 10/19/2022 13:21
 Stop Time 10/19/2022 13:57
 Time Reading

Event Event Data
 Battery OK
 Logging Interval, 60
 Tare, -2.5

0	0
60	0
120	-0.1
180	-0.1 Start Test
240	0
300	0
360	0
420	-0.1
480	-0.1
540	-0.1
600	-0.1
660	-0.1
720	-0.1
780	-0.1
840	-0.1
900	-0.1
960	-0.1
1020	-0.1
1080	-0.1
1140	-0.1
1200	-0.1
1260	-0.1
1320	-0.1
1380	-0.1
1440	-0.1
1500	-0.1
1560	-0.1
1620	-0.1
1680	-0.1
1740	-0.1
1800	-0.1
1860	-0.1
1920	-0.1
1980	-0.1 End test
2040	-0.1
2100	0
2160	0


Data Collection Report

Gauge Information	
Serial Number	563532
Model	3KPSIXP2I
Message Store	SC-9 Bradenhead Test
Units	PSI

Run Info	
Start Time	10/19/22 1:21:09 PM
Stop Time	10/19/22 1:57:22 PM
Logging Interval	60

Production casing pressure during SC-9 bradenhead test

SC-9 Bradenhead Test: Prod. Casing Pressure vs. Time



Serial Number 563532
 Model 3KPSIXP2I
 Units PSI
 Firmware Version R0223 Message Store -----
 Run Index SC-9 BH test casing pres
 Logging Type Actual
 Logging Interval 60
 Start Time 10/19/2022 13:21
 Stop Time 10/19/2022 13:57
 Time Reading

Event Event Data
 Battery OK
 Logging Interval, 60
 Tare, -2.6

0	651.8
60	651.8
120	651.8
180	651.8 Start test
240	651.7
300	651.7
360	651.6
420	651.7
480	651.7
540	651.7
600	651.7
660	651.7
720	651.8
780	651.7
840	651.7
900	651.7
960	651.7
1020	651.7
1080	651.7
1140	651.6
1200	651.6
1260	651.7
1320	651.5
1380	651.6
1440	651.5
1500	651.6
1560	651.6
1620	651.5
1680	651.5
1740	651.5
1800	651.7
1860	652.9
1920	653.4
1980	653.6 End test
2040	653.7