


**WELL NAME:** Eagle 2-12  
**LOCATION:** 2,150' FSL & 450' FWL  
 NWSW Sec 2, T3S, R46W  
**COUNTY, STATE:** Yuma, Colorado  
**FIELD:** Mildred South

**GL:** 4,053'  
**KB:** 4,058'  
**API NO:** 05-125-11015-00  
**Fed. Lse. No:**  
**PBTD:** 2,337'  
**TD:** 2,405'  
**WI:**  
**NRI:**

CBL TOC at surface (04-01-08)

**7" Surface Casing Landed at 279.11' (02-26-08)**

7 jts (279.11') 7", 17#, J-55, STC  
 M&P 75 sx "G" + 3% CaCl2 + 2% gel @15.6 ppg; y = 1.15. Bumped plug. Circulated 1 bbls cement to pit.



| Tubing Detail as of 04/08/08 |                  |                  |  |
|------------------------------|------------------|------------------|--|
|                              | 5.00'            |                  | KB Elevation                           |
| 3                            | 5.00'            | 2,179.85'        | 67 jts 2-3/8", 4.7#, N-80, 8 rd Tubing |
| 2                            | 2,184.85'        | 1.10'            | 2-3/8" Standard Seat Nipple            |
| 1                            | 2,185.95'        | 33.25'           | 2-3/8" Mud Anchor                      |
|                              | <b>2,219.20'</b> | <b>2,219.20'</b> | <b>67 jts End of Tubing</b>            |

| Niobrara Perforated Interval (04-01-08) |        |     |
|---|--------|-----|
| 2,196'                                  | 2,226' | 30' |

**4-1/2" Production Casing Landed at 2,362' (02-27-08)**

62 jts (2,360.75') 4-1/2", 10.5#, J-55, STC  
 M&P 100 sx "Lite" + 0.24 pps Flo-Seal @12.2 ppg; y = 1.81 Lead and 75 sx "ASC" + 2% gel + 0.25 pps Flo-Seal @14.5 ppg; y = 1.57 Tail. Bumpnd plug. 8 bbls cement to pit.

Note: Centralizers on jts 1, 2, 3, 4, 5 & 6. Cement baskets on jts 6, 18 & 30 (02-27-08).

Prepared by:

JMM

Date: 10/20/2009

Blue Shale: 95' 3,963' SS

TD 9-7/8" Hole: 283'

Beecher Island: 2,175' 1,883' SS

PBTD: 2,337' 1,721' SS

TD 6-1/4" Hole: 2,385' 1,673' SS