

FORM  
2

Rev  
05/22

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403218127

(SUBMITTED)

Date Received:

11/10/2022

APPLICATION FOR PERMIT TO

☒ Drill ☐ Deepen ☐ Re-enter ☐ Recomplete and Operate

Amend ☐

TYPE OF WELL OIL ☒ GAS ☐ COALBED ☐ OTHER: \_\_\_\_\_

Refill ☐

ZONE TYPE SINGLE ZONE ☒ MULTIPLE ZONES ☐ COMMINGLE ZONES ☐

Sidetrack ☐

Well Name: Cosslett East Well Number: 1J-22H-H168  
Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLC COGCC Operator Number: 10633  
Address: 1801 CALIFORNIA STREET #2500  
City: DENVER State: CO Zip: 80202  
Contact Name: Kathy Denzer Phone: (303)312-8131 Fax: ( )  
Email: kdenzer@civiresources.com

FINANCIAL ASSURANCE FOR PLUGGING, ABANDONMENT, AND RECLAMATION

COGCC Financial Assurance

☒ The Operator has provided or will provide Financial Assurance to the COGCC for this Well.

Surety ID Number (if applicable): 20150104

Federal Financial Assurance

☐ In checking this box, the Operator certifies that it has provided or will provide at least this amount of Financial Assurance to the federal government for this Well. (Per Rule702.a.)

Amount of Federal Financial Assurance \$ \_\_\_\_\_

WELL LOCATION INFORMATION

Surface Location

QtrQtr: SENE Sec: 22 Twp: 1N Rng: 68W Meridian: 6

FNL/FSL

FEL/FWL

Footage at Surface: 1715 Feet FNL 1118 Feet FEL

Latitude: 40.039230 Longitude: -104.984044

GPS Data: GPS Quality Value: 1.3 Type of GPS Quality Value: PDOP Date of Measurement: 07/24/2019

Ground Elevation: 5181

Field Name: WATTENBERG Field Number: 90750

Well Plan: is ☐ Directional ☒ Horizontal (highly deviated) ☐ Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 23 Twp: 1N Rng: 68W Footage at TPZ: 460 FNL 1880 FEL  
Measured Depth of TPZ: 9700 True Vertical Depth of TPZ: 7730 FNL/FSL FEL/FWL

**Base of Productive Zone (BPZ)**Sec: 26 Twp: 1N Rng: 68WFootage at BPZ: 460 FSL 1856 FELMeasured Depth of BPZ: 19430True Vertical Depth of BPZ: 7730 FNL/FSL FEL/FWL**Bottom Hole Location (BHL)**Sec: 26 Twp: 1N Rng: 68WFootage at BHL: 460 FSL 1856 FEL

FNL/FSL FEL/FWL

**LOCAL GOVERNMENT PERMITTING INFORMATION**County: WELD Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of §

24-65.1-108 C.R.S.? Yes

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? ☒ Yes ☐ No☒ If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.The disposition of the application filed with the Relevant Local Government is: Approved Date of Final Disposition: 10/26/2020Comments: The WOGLA 1041WOGLA20-0018 was approved on October 26, 2020**SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION**Surface Owner of the land at this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ IndianMineral Owner beneath this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Surface Owner Protection Bond (if applicable):

Surety ID Number (if applicable):

**MINERALS DEVELOPED BY WELL**

The ownership of all the minerals that will be developed by this Well is (check all that apply):

☒ Fee☐ State☐ Federal☐ Indian☐ N/A

## LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

\* If this Well is within a unit, describe a lease that will be developed by the Well.

\* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

T1N R67W Sec. 19: Lots 1, 2; E/2W/2, SE/4; Sec. 29: NW/4, S/2; T1N R68W Sec. 3: Lot 2, S/2NW/4, SW/4, SE/4; Sec. 10: NW/4; S/2; Sec. 11: NW/4; S/2; Sec. 13: NW/4; S/2; Sec. 14: NW/4; S/2; Sec. 15: NW/4; S/2; Sec. 23: NW/4; S/2; Sec. 25: NW/4; S/2; Sec. 27: NW/4; S/2; Sec. 35: NW/4; S/2.

Total Acres in Described Lease: 5753

Described Mineral Lease is: ☒ Fee

☐ State

☐ Federal

☐ Indian

Federal or State Lease # \_\_\_\_\_

## SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 608 Feet  
Building Unit: 1015 Feet  
Public Road: 555 Feet  
Above Ground Utility: 847 Feet  
Railroad: 4202 Feet  
Property Line: 306 Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

## OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
NIOBRARA	NBRR	407-2533	1920	T1N R68W Sec. 22: E/2; Sec. 23: All; Sec. 26: All; Sec. 27: All

Federal or State Unit Name (if appl): \_\_\_\_\_

Unit Number: \_\_\_\_\_

## SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 460 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 320 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

## Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

## SPACING & FORMATIONS COMMENTS

The OGDG Order No. 407-3397 approved the expansion of the Cosslett pad and approved the COGCC Form 2A.

## DRILLING PROGRAM

Proposed Total Measured Depth: 19430 Feet

TVD at Proposed Total Measured Depth 7730 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: 38 Feet ☐ No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than

or equal to 100 ppm? No If yes, attach an H<sub>2</sub>S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? Yes

BOP Equipment Type: ☒ Annular Preventor ☒ Double Ram ☒ Rotating Head ☐ None

Beneficial reuse or land application plan submitted?

Reuse Facility ID:  or Document Number:

## CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	26	16	A53B	42.09	0	100	114	100	0
SURF	13+1/2	9+5/8	J55	36	0	2580	860	2580	0
1ST	8+1/2	5+1/2	P110	17	0	19430	3026	19430	

☐ Conductor Casing is NOT planned

## POTENTIAL FLOW AND CONFINING FORMATIONS

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Denver	0	0	154	154	501-1000	Groundwater Atlas	USGS HA-646 (Robson & Romero, 1981)
Groundwater	Laramie	154	154	641	631	501-1000	Groundwater Atlas	USGS HA-646 (Robson & Romero, 1981)
Groundwater	Fox Hills	641	631	803	803	501-1000	Groundwater Atlas	USGS HA-646 (Robson & Romero, 1981)
Confining Layer	Pierre Shale	803	803	1055	1049			
Groundwater	Upper Pierre Aquifer	1055	1049	2080	1985	1001-10000	Electric Log Calculation	Coslett B Unit 1X (05-123-12630)
Confining Layer	Base of Upper Pierre Aq	2080	1985	5187	4363			
Hydrocarbon	Larimer	5187	4363	5723	4771			
Hydrocarbon	Sussex	5723	4771	6478	5346			
Hydrocarbon	Shannon	6478	5346	6732	5539			
Confining Layer	Pierre Shale	6732	5539	9624	7613			
Confining Layer	Sharon Springs	9624	7613	9649	7618			
Hydrocarbon	Niobrara	9649	7618	9782	7630			

## OPERATOR COMMENTS AND SUBMITTAL

### Comments

Distance from completed zone of this wellbore to nearest completed zone of an offset well within the same unit permitted or completed in the same formation was measured to the proposed Cosslett East 11-22H-H168 operated by Crestone Peak Resources Operating LLC in 2D.

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells was measured to the producing Ranchview 3N-11HZ (05-123-39972) operated by Kerr-McGee Oil & Gas Onshore LP. This distance was determined by the Anticollision report.

This application is in a Comprehensive Area Plan No CAP #: \_\_\_\_\_  
Oil and Gas Development Plan Name Cosslett East 22H-H168 OGD ID#: 482207  
Location ID: 323151

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Andrea Gross

Title: Permit Tech Date: 11/10/2022 Email: agross@upstreamup.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_

Expiration Date: \_\_\_\_\_

API NUMBER

05

### Conditions Of Approval

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

### COA Type

### Description

0 COA

## Best Management Practices

<u>No</u>	<u>BMP/COA Type</u>	<u>Description</u>
1	Drilling/Completion Operations	Alternative Logging Program: One of the first wells drilled on the pad will be logged with openhole resistivity log and gamma-ray log from the kick-off point into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs shall state "Alternative Logging Program - No open-hole logs were run" and shall clearly identify the type of log and the well (by API#) in which open-hole logs were run.
2	Drilling/Completion Operations	Anti-collision: Operator will perform an anti-collision evaluation of all active (producing, shut in, or temporarily abandoned) offset wellbores that have the potential of being within 150 feet of a proposed well prior to drilling operations for the proposed well. Notice shall be given to all offset operators prior to drilling.

Total: 2 comment(s)

### Attachment List

<u>Att Doc Num</u>	<u>Name</u>
403218187	WELL LOCATION PLAT
403218196	DIRECTIONAL DATA
403225197	OffsetWellEvaluations Data
403225200	DEVIATED DRILLING PLAN
403225202	OTHER

Total Attach: 5 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)