



WELL DETAILS: OTTESEN 29C

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
0.0	0.0	1245345.70	3202239.33	40° 0' 16.559 N	104° 46' 41.002 W

Project: WELD COUNTY
 Site: Ottesen Pad
 Well: OTTESEN 29C
 Wellbore: OWB
 Design: Plan #2
 Lat: 40° 0' 16.559 N
 Long: 104° 46' 41.002 W
 GL: 5076.0
 KB: KB 20' @ 5096.0usft





Azimuths to True North
 Magnetic North: 7.73°

Magnetic Field
 Strength: 51656.7nT
 Dip Angle: 66.30°
 Date: 4/12/2022
 Model: IGRF2000

SECTION DETAILS

MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Annotation
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
250.0	0.00	0.00	250.0	0.0	0.0	0.00	0.00	0.0	Build @ 3.0°/100'
677.8	12.84	213.18	674.3	-39.9	-26.1	3.00	213.18	41.8	6606' Hold
7283.9	12.84	213.18	7115.2	-1268.1	-829.3	0.00	0.00	1328.5	Build @ 8.0°/100'
8274.0	89.91	179.85	7694.0	-1970.9	-899.9	8.00	-34.01	2034.6	TPZ - 8274' MD / 7694 TVD - 460' FNL 2430' FWL Sec 4
17591.9	89.91	179.85	7709.0	-11288.7	-875.6	0.00	0.00	11322.6	BHL / BPZ - 17591' MD / 7709' TVD - 460' FSL 2475' FWL Sec 9



Vertical Section at 184.44° (1750 usft/in)

Plan: Plan #2 (OTTESEN 29C/OWB)

Created By: Mike Mataalii Date: 14:38, October 03 2022

PDC Energy Inc.
Anticollision Summary Report

Company:	GWP - PLANNING DB	Local Co-ordinate Reference:	Well OTTESEN 29C
Project:	WELD COUNTY	TVD Reference:	KB 20' @ 5096.0usft
Reference Site:	Ottesen Pad	MD Reference:	KB 20' @ 5096.0usft
Site Error:	0.0 usft	North Reference:	True
Reference Well:	OTTESEN 29C	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	OWB	Database:	EDM 5000.15 Single User Db
Reference Design:	Plan #2	Offset TVD Reference:	Offset Datum

Reference	Plan #2		
Filter type:	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
Interpolation Method:	Stations	Error Model:	ISCWSA
Depth Range:	Unlimited	Scan Method:	Closest Approach 3D
Results Limited by:	Maximum center-center distance of 10,000.0 usft	Error Surface:	Pedal Curve
Warning Levels Evaluated at:	2.00 Sigma	Casing Method:	Not applied

Survey Tool Program	Date	10/3/2022		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
0.0	17,591.9	Plan #2 (OWB)	MWD	OWSG MWD - Standard

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
Ottesen Offsets						
Bailey #1 - OWB - OWB	9,132.8	7,674.4	1,615.2	1,548.7	24.289	CC, ES
Bailey #1 - OWB - OWB	9,600.0	7,675.1	1,681.4	1,607.7	22.798	SF
Great Western Sugar 3X - OWB - OWB						Out of range
Grein #1 - OWB - OWB	9,059.8	7,618.3	4,035.9	3,970.6	61.815	CC
Grein #1 - OWB - OWB	9,100.0	7,618.3	4,036.1	3,970.2	61.201	ES
Grein #1 - OWB - OWB	11,200.0	7,621.7	4,568.3	4,472.3	47.595	SF
OTTESEN LE 06-290HN - OWB - OWB	1,052.1	1,039.7	19.7	11.9	2.532	CC, ES
OTTESEN LE 06-290HN - OWB - OWB	1,100.0	1,086.4	22.4	13.4	2.487	SF
OTTESEN LE 06-290HNX - OWB - OWB	1,119.0	1,104.8	32.3	24.1	3.929	CC, ES
OTTESEN LE 06-290HNX - OWB - OWB	1,700.0	1,689.8	39.5	26.0	2.920	SF
OTTESEN LE 06-311HC - OWB - OWB	1,997.4	1,988.1	45.8	31.2	3.131	CC, ES, SF
OTTESEN LE 06-311HN - OWB - OWB	1,518.2	1,500.2	57.8	46.1	4.935	CC
OTTESEN LE 06-311HN - OWB - OWB	1,600.0	1,580.6	59.0	45.7	4.446	ES
OTTESEN LE 06-311HN - OWB - OWB	1,700.0	1,677.0	65.9	50.6	4.308	SF
OTTESEN LE 06-351HN - OWB - OWB	1,366.0	1,343.3	82.6	70.3	6.677	CC
OTTESEN LE 06-351HN - OWB - OWB	1,400.0	1,376.8	82.7	70.0	6.487	ES
OTTESEN LE 06-351HN - OWB - OWB	1,600.0	1,568.6	94.5	78.5	5.889	SF
OTTESEN LE 06-351HNX - OWB - OWB	1,105.0	1,074.7	124.3	111.7	9.896	CC, ES
OTTESEN LE 06-351HNX - OWB - OWB	1,400.0	1,353.9	142.2	125.6	8.548	SF
OTTESEN LE 06-370HC - OWB - OWB	1,269.6	1,240.9	119.7	107.6	9.901	CC
OTTESEN LE 06-370HC - OWB - OWB	1,300.0	1,270.5	119.8	107.4	9.674	ES
OTTESEN LE 06-370HC - OWB - OWB	1,500.0	1,456.1	130.4	115.1	8.493	SF
OTTESEN LE 06-370HN - OWB - OWB	866.2	828.4	182.4	170.9	15.820	CC
OTTESEN LE 06-370HN - OWB - OWB	900.0	858.8	182.8	170.8	15.261	ES
OTTESEN LE 06-370HN - OWB - OWB	12,600.0	9,782.0	2,456.2	2,235.2	11.115	SF
OTTESEN LE 09-362HC - OWB - OWB	0.0	0.5	179.9			
OTTESEN LE 09-362HC - OWB - OWB	250.0	249.9	181.1	177.8	54.607	ES
OTTESEN LE 09-362HC - OWB - OWB	17,591.9	17,866.6	2,329.0	1,926.0	5.778	SF
OTTESEN LE 09-363HN - OWB - OWB	0.0	0.5	149.5			
OTTESEN LE 09-363HN - OWB - OWB	250.0	250.1	149.7	146.4	45.374	ES
OTTESEN LE 09-363HN - OWB - OWB	17,591.9	17,502.5	1,995.7	1,596.0	4.993	SF
OTTESEN LE 09-365HC - OWB - OWB	0.0	0.5	119.2			
OTTESEN LE 09-365HC - OWB - OWB	200.0	199.4	120.5	117.5	40.109	ES
OTTESEN LE 09-365HC - OWB - OWB	17,591.9	17,674.0	1,636.9	1,236.0	4.083	SF
OTTESEN LE 09-365HN - OWB - OWB	0.0	0.5	134.0			
OTTESEN LE 09-365HN - OWB - OWB	200.0	199.5	134.8	131.8	44.851	ES
OTTESEN LE 09-365HN - OWB - OWB	17,591.9	17,626.0	1,735.7	1,336.7	4.349	SF

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

PDC Energy Inc.
Anticollision Summary Report

Company:	GWP - PLANNING DB	Local Co-ordinate Reference:	Well OTTESEN 29C
Project:	WELD COUNTY	TVD Reference:	KB 20' @ 5096.0usft
Reference Site:	Ottesen Pad	MD Reference:	KB 20' @ 5096.0usft
Site Error:	0.0 usft	North Reference:	True
Reference Well:	OTTESEN 29C	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	OWB	Database:	EDM 5000.15 Single User Db
Reference Design:	Plan #2	Offset TVD Reference:	Offset Datum

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
Ottesen Offsets						
OTTESEN LE 09-366HN - OWB - OWB	0.0	0.5	90.4			
OTTESEN LE 09-366HN - OWB - OWB	256.2	256.9	90.7	87.4	27.377	ES
OTTESEN LE 09-366HN - OWB - OWB	17,591.9	17,533.2	1,233.6	836.8	3.108	SF
OTTESEN LE 09-366HNX - OWB - OWB	0.0	0.5	105.2			
OTTESEN LE 09-366HNX - OWB - OWB	250.0	250.4	106.1	102.8	32.181	ES
OTTESEN LE 09-366HNX - OWB - OWB	17,591.9	17,249.5	1,426.0	1,044.2	3.735	SF
OTTESEN LE 09-368HC - OWB - OWB	0.0	0.5	60.1			
OTTESEN LE 09-368HC - OWB - OWB	200.0	200.1	60.8	57.8	20.198	ES
OTTESEN LE 09-368HC - OWB - OWB	17,591.9	17,681.3	872.8	473.3	2.185	SF
OTTESEN LE 09-368HN - OWB - OWB	0.0	0.5	74.8			
OTTESEN LE 09-368HN - OWB - OWB	250.0	250.2	75.1	71.8	22.737	ES
OTTESEN LE 09-368HN - OWB - OWB	17,591.9	17,469.6	988.1	600.9	2.552	SF

PDC Energy Inc.
Anticollision Summary Report

Company:	GWP - PLANNING DB	Local Co-ordinate Reference:	Well OTTESEN 29C
Project:	WELD COUNTY	TVD Reference:	KB 20' @ 5096.0usft
Reference Site:	Ottesen Pad	MD Reference:	KB 20' @ 5096.0usft
Site Error:	0.0 usft	North Reference:	True
Reference Well:	OTTESEN 29C	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	OWB	Database:	EDM 5000.15 Single User Db
Reference Design:	Plan #2	Offset TVD Reference:	Offset Datum

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Ottesen Pad						
OTTESEN 15C - OWB - OWB	420.7	420.3	168.0	164.0	41.557	CC
OTTESEN 15C - OWB - OWB	500.0	499.1	168.3	163.7	36.973	ES
OTTESEN 15C - OWB - OWB	1,712.1	1,734.0	185.1	166.6	9.993	SF
OTTESEN 15C - OWB - Plan #2	2,441.1	2,490.0	12.3	-8.8	0.584	No-Go Zone - Stop Drilling, f
OTTESEN 16N - OWB - OWB	367.7	367.7	179.8	176.0	47.259	CC
OTTESEN 16N - OWB - OWB	400.0	399.6	179.8	175.8	45.225	ES
OTTESEN 16N - OWB - OWB	1,708.2	1,735.0	264.8	246.6	14.541	SF
OTTESEN 16N - OWB - Plan #2	2,798.4	2,868.2	18.7	-5.9	0.759	No-Go Zone - Stop Drilling, f
OTTESEN 17N - OWB - OWB	894.8	885.4	151.1	144.5	22.804	CC
OTTESEN 17N - OWB - OWB	900.0	890.4	151.1	144.5	22.704	ES
OTTESEN 17N - OWB - OWB	1,500.0	1,477.3	199.7	188.1	17.188	SF
OTTESEN 17N - OWB - Plan #2	894.8	885.4	151.1	144.5	22.804	CC
OTTESEN 17N - OWB - Plan #2	900.0	890.4	151.1	144.5	22.704	ES
OTTESEN 17N - OWB - Plan #2	17,591.9	17,949.3	2,294.1	1,896.2	5.765	SF
OTTESEN 18C - OWB - Plan #2	250.0	250.0	164.9	162.1	59.018	CC
OTTESEN 18C - OWB - Plan #2	400.0	389.4	166.5	161.3	32.120	ES
OTTESEN 18C - OWB - Plan #2	17,591.9	17,825.8	2,094.1	1,695.1	5.249	SF
OTTESEN 19NA - OWB - Plan #2	250.0	250.0	149.8	147.0	53.634	CC
OTTESEN 19NA - OWB - Plan #2	400.0	390.2	151.5	146.3	29.112	ES
OTTESEN 19NA - OWB - Plan #2	17,591.9	17,654.7	1,938.1	1,540.8	4.879	SF
OTTESEN 20N - OWB - Plan #2	250.0	250.0	134.9	132.1	48.278	CC
OTTESEN 20N - OWB - Plan #2	400.0	391.2	136.5	131.3	26.294	ES
OTTESEN 20N - OWB - Plan #2	17,591.9	17,785.1	1,716.1	1,316.2	4.292	SF
OTTESEN 21N - OWB - OWB	741.2	735.7	101.3	95.6	17.704	CC, ES
OTTESEN 21N - OWB - OWB	1,100.0	1,086.7	125.7	116.4	13.455	SF
OTTESEN 21N - OWB - Plan #2	741.2	735.7	101.3	95.6	17.704	CC, ES
OTTESEN 21N - OWB - Plan #2	17,591.9	17,855.7	1,535.4	1,138.2	3.865	SF
OTTESEN 22C - OWB - Plan #2	250.0	250.0	104.9	102.1	37.542	CC
OTTESEN 22C - OWB - Plan #2	400.0	393.4	106.4	101.2	20.656	ES
OTTESEN 22C - OWB - Plan #2	17,591.9	17,850.5	1,329.7	930.8	3.333	SF
OTTESEN 23NA - OWB - Plan #2	250.0	250.0	89.8	87.0	32.161	CC
OTTESEN 23NA - OWB - Plan #2	400.0	394.4	91.3	86.1	17.832	ES
OTTESEN 23NA - OWB - Plan #2	17,591.9	17,444.9	1,201.4	812.3	3.088	SF
OTTESEN 24N - OWB - OWB	604.5	602.2	66.8	61.5	12.521	CC, ES
OTTESEN 24N - OWB - OWB	800.0	789.8	85.5	77.3	10.383	SF
OTTESEN 24N - OWB - Plan #2	604.5	602.2	66.8	61.5	12.521	CC, ES
OTTESEN 24N - OWB - Plan #2	17,591.9	17,737.6	962.3	565.6	2.426	SF
OTTESEN 25N - OWB - Plan #2	250.0	250.0	59.7	56.9	21.360	CC
OTTESEN 25N - OWB - Plan #2	400.0	396.5	60.8	55.8	12.107	ES
OTTESEN 25N - OWB - Plan #2	17,591.9	17,469.7	789.6	397.6	2.014	SF
OTTESEN 26C - OWB - Plan #2	250.0	250.0	45.1	42.3	16.145	CC
OTTESEN 26C - OWB - Plan #2	500.0	495.8	47.8	40.9	6.992	ES
OTTESEN 26C - OWB - Plan #2	17,591.9	17,679.5	569.9	170.9	1.428	Collision Avoidance Req., SF
OTTESEN 27NA - OWB - OWB	489.4	488.6	24.8	20.4	5.642	CC
OTTESEN 27NA - OWB - OWB	500.0	499.2	24.8	20.4	5.572	ES
OTTESEN 27NA - OWB - OWB	600.0	597.7	30.6	24.2	4.733	SF
OTTESEN 27NA - OWB - Plan #2	489.4	488.6	24.8	20.4	5.642	CC
OTTESEN 27NA - OWB - Plan #2	500.0	499.2	24.8	20.4	5.572	ES
OTTESEN 27NA - OWB - Plan #2	17,591.9	17,364.8	537.3	219.7	1.692	Collision Risk Procedures Re
OTTESEN 28N - OWB - Plan #2	250.0	250.0	14.6	11.8	5.215	CC
OTTESEN 28N - OWB - Plan #2	17,591.9	17,449.6	245.2	-92.6	0.726	No-Go Zone - Stop Drilling, f
OTTESEN 30N - OWB - OWB	203.7	203.7	14.4	11.8	5.515	CC
OTTESEN 30N - OWB - OWB	300.0	300.1	14.6	11.1	4.136	ES

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

PDC Energy Inc.
Anticollision Summary Report

Company:	GWP - PLANNING DB	Local Co-ordinate Reference:	Well OTTESEN 29C
Project:	WELD COUNTY	TVD Reference:	KB 20' @ 5096.0usft
Reference Site:	Ottesen Pad	MD Reference:	KB 20' @ 5096.0usft
Site Error:	0.0 usft	North Reference:	True
Reference Well:	OTTESEN 29C	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	OWB	Database:	EDM 5000.15 Single User Db
Reference Design:	Plan #2	Offset TVD Reference:	Offset Datum

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
Ottesen Pad						
OTTESEN 30N - OWB - OWB	400.0	399.9	18.3	13.1	3.536	SF
OTTESEN 30N - OWB - Plan #2	203.7	203.7	14.4	11.8	5.515	CC
OTTESEN 30N - OWB - Plan #2	17,591.4	17,395.0	286.9	1.1	1.004	Collision Avoidance Req., ES
OTTESEN 31N - OWB - Plan #2	250.0	250.0	30.5	27.7	10.931	CC
OTTESEN 31N - OWB - Plan #2	400.0	400.9	31.6	27.1	7.091	ES
OTTESEN 31N - OWB - Plan #2	17,591.9	17,390.0	412.2	43.1	1.117	Collision Avoidance Req., SF
OTTESEN 32NA - OWB - OWB	204.4	204.4	43.2	40.6	16.449	CC
OTTESEN 32NA - OWB - OWB	300.0	300.3	43.7	40.5	13.742	ES
OTTESEN 32NA - OWB - OWB	600.0	598.1	67.5	59.7	8.639	SF
OTTESEN 32NA - OWB - Plan #2	204.4	204.4	43.2	40.6	16.449	CC
OTTESEN 32NA - OWB - Plan #2	300.0	300.3	43.7	40.5	13.742	ES
OTTESEN 32NA - OWB - Plan #2	17,591.9	17,211.7	696.2	360.6	2.074	SF
OTTESEN FEDERAL 01N - OWB - Plan #2	701.7	675.1	120.2	106.7	8.915	CC, ES
OTTESEN FEDERAL 01N - OWB - Plan #2	800.0	767.1	122.9	108.4	8.471	SF
OTTESEN FEDERAL 02NA - OWB - Plan #2	714.6	689.7	110.4	96.7	8.074	CC, ES
OTTESEN FEDERAL 02NA - OWB - Plan #2	800.0	770.1	112.5	97.9	7.692	SF
OTTESEN FEDERAL 03C - OWB - Plan #2	728.4	705.2	102.1	88.4	7.413	CC, ES
OTTESEN FEDERAL 03C - OWB - Plan #2	900.0	867.1	110.4	94.7	7.019	SF
OTTESEN FEDERAL 04N - OWB - Plan #2	745.3	724.0	94.9	81.2	6.921	CC, ES
OTTESEN FEDERAL 04N - OWB - Plan #2	900.0	870.7	101.5	85.8	6.473	SF
OTTESEN FEDERAL 05N - OWB - Plan #2	762.8	743.2	90.2	76.8	6.720	CC
OTTESEN FEDERAL 05N - OWB - Plan #2	800.0	778.8	90.5	76.6	6.489	ES
OTTESEN FEDERAL 05N - OWB - Plan #2	900.0	874.0	95.2	79.8	6.189	SF
OTTESEN FEDERAL 06NA - OWB - Plan #2	781.6	763.7	87.9	75.0	6.819	CC
OTTESEN FEDERAL 06NA - OWB - Plan #2	800.0	781.4	88.0	74.8	6.678	ES
OTTESEN FEDERAL 06NA - OWB - Plan #2	1,000.0	971.8	100.4	84.2	6.167	SF
OTTESEN FEDERAL 07C - OWB - Plan #2	802.9	786.8	88.3	76.2	7.319	CC, ES
OTTESEN FEDERAL 07C - OWB - Plan #2	1,000.0	975.4	97.9	82.4	6.301	SF
OTTESEN FEDERAL 08N - OWB - Plan #2	827.4	813.1	90.9	79.7	8.097	CC
OTTESEN FEDERAL 08N - OWB - Plan #2	900.0	883.3	92.0	79.5	7.331	ES
OTTESEN FEDERAL 08N - OWB - Plan #2	1,100.0	1,073.0	109.4	92.9	6.655	SF
OTTESEN FEDERAL 09N - OWB - Plan #2	851.4	838.9	96.2	85.8	9.249	CC
OTTESEN FEDERAL 09N - OWB - Plan #2	900.0	886.1	96.6	85.3	8.561	ES
OTTESEN FEDERAL 09N - OWB - Plan #2	1,100.0	1,076.6	110.5	95.0	7.134	SF
OTTESEN FEDERAL 10NA - OWB - Plan #2	875.3	864.7	103.3	93.6	10.630	CC
OTTESEN FEDERAL 10NA - OWB - Plan #2	900.0	888.7	103.4	93.2	10.187	ES
OTTESEN FEDERAL 10NA - OWB - Plan #2	1,200.0	1,172.8	128.2	111.7	7.744	SF
OTTESEN FEDERAL 11C - OWB - OWB	1,724.3	1,736.0	96.5	77.9	5.190	CC, ES, SF
OTTESEN FEDERAL 11C - OWB - Plan #2	2,026.8	2,053.6	5.4	-11.7	0.317	No-Go Zone - Stop Drilling, (
OTTESEN FEDERAL 12N - OWB - OWB	599.5	597.3	129.7	124.7	25.750	CC
OTTESEN FEDERAL 12N - OWB - OWB	600.0	597.8	129.7	124.7	25.737	ES
OTTESEN FEDERAL 12N - OWB - OWB	1,721.4	1,742.0	234.8	217.0	13.227	SF
OTTESEN FEDERAL 12N - OWB - Plan #1	2,745.5	2,804.4	65.9	42.8	2.852	CC, ES, SF
OTTESEN FEDERAL 13HN - OWB - Plan #2	947.3	942.5	133.8	125.1	15.401	CC
OTTESEN FEDERAL 13HN - OWB - Plan #2	1,000.0	993.8	134.2	124.6	14.061	ES
OTTESEN FEDERAL 13HN - OWB - Plan #2	1,300.0	1,274.8	161.2	145.2	10.028	SF
OTTESEN FEDERAL 14NA - OWB - Plan #2	967.0	964.2	145.8	137.2	16.973	CC
OTTESEN FEDERAL 14NA - OWB - Plan #2	1,000.0	996.3	145.9	136.8	16.081	ES
OTTESEN FEDERAL 14NA - OWB - Plan #2	1,400.0	1,367.1	188.9	171.5	10.836	SF


CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

PDC Energy Inc.
Anticollision Summary Report

Company:	GWP - PLANNING DB	Local Co-ordinate Reference:	Well OTTESEN 29C
Project:	WELD COUNTY	TVD Reference:	KB 20' @ 5096.0usft
Reference Site:	Ottesen Pad	MD Reference:	KB 20' @ 5096.0usft
Site Error:	0.0 usft	North Reference:	True
Reference Well:	OTTESEN 29C	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	OWB	Database:	EDM 5000.15 Single User Db
Reference Design:	Plan #2	Offset TVD Reference:	Offset Datum

Reference Depths are relative to KB 20' @ 5096.0usft
Offset Depths are relative to Offset Datum
Central Meridian is 105° 30' 0.000 W

Coordinates are relative to: OTTESEN 29C
Coordinate System is US State Plane 1983, Colorado Northern Zone
Grid Convergence at Surface is: 0.47°



CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation


PDC Energy Inc.
Anticollision Summary Report

Company:	GWP - PLANNING DB	Local Co-ordinate Reference:	Well OTTESSEN 29C
Project:	WELD COUNTY	TVD Reference:	KB 20' @ 5096.0usft
Reference Site:	Ottesen Pad	MD Reference:	KB 20' @ 5096.0usft
Site Error:	0.0 usft	North Reference:	True
Reference Well:	OTTESSEN 29C	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	OWB	Database:	EDM 5000.15 Single User Db
Reference Design:	Plan #2	Offset TVD Reference:	Offset Datum

Reference Depths are relative to KB 20' @ 5096.0usft
Offset Depths are relative to Offset Datum
Central Meridian is 105° 30' 0.000 W

Coordinates are relative to: OTTESSEN 29C
Coordinate System is US State Plane 1983, Colorado Northern Zone
Grid Convergence at Surface is: 0.47°

Separation Factor Plot



LEGEND

● Bailey#11.OWB,OWB#0	● OTTESSEN 16N.OWB,OWB#0	● OTTESSEN 31N.OWB,Plan#2 V0
● Otter#11.OWB,OWB#0	● OTTESSEN 16N.OWB,OWB#0	● OTTESSEN 32N.OWB,OWB#0
● OTTESSEN LE03-250HN.OWB,OWB#0	● OTTESSEN 17N.OWB,OWB#0	● OTTESSEN 32NACWB,Plan#2 V0
● OTTESSEN LE03-311HC.OWB,OWB#0	● OTTESSEN 18C.OWB,Plan#2 V0	● OTTESSEN FEDERAL 01N.OWB,Plan#2 V0
● OTTESSEN LE03-311HN.OWB,OWB#0	● OTTESSEN 18NACWB,Plan#2 V0	● OTTESSEN FEDERAL 02N.OWB,Plan#2 V0
● OTTESSEN LE03-351HN.OWB,OWB#0	● OTTESSEN 20N.OWB,Plan#2 V0	● OTTESSEN FEDERAL 03C.OWB,Plan#2 V0
● OTTESSEN LE03-351HN.OWB,OWB#0	● OTTESSEN 21N.OWB,OWB#0	● OTTESSEN FEDERAL 04N.OWB,Plan#2 V0
● OTTESSEN LE03-370HC.OWB,OWB#0	● OTTESSEN 21N.OWB,Plan#2 V0	● OTTESSEN FEDERAL 05N.OWB,Plan#2 V0
● OTTESSEN LE03-370HN.OWB,OWB#0	● OTTESSEN 22C.OWB,Plan#2 V0	● OTTESSEN FEDERAL 06NA.OWB,Plan#2 V0
● OTTESSEN LE03-362HC.OWB,OWB#0	● OTTESSEN 23NACWB,Plan#2 V0	● OTTESSEN FEDERAL 07C.OWB,Plan#2 V0
● OTTESSEN LE03-363HN.OWB,OWB#0	● OTTESSEN 24N.OWB,OWB#0	● OTTESSEN FEDERAL 08N.OWB,Plan#2 V0
● OTTESSEN LE03-365HC.OWB,OWB#0	● OTTESSEN 24N.OWB,Plan#2 V0	● OTTESSEN FEDERAL 09N.OWB,Plan#2 V0
● OTTESSEN LE03-365HN.OWB,OWB#0	● OTTESSEN 25N.OWB,Plan#2 V0	● OTTESSEN FEDERAL 10NA.OWB,Plan#2 V0
● OTTESSEN LE03-366HN.OWB,OWB#0	● OTTESSEN 26C.OWB,Plan#2 V0	● OTTESSEN FEDERAL 11C.OWB,OWB#0
● OTTESSEN LE03-366HN.OWB,OWB#0	● OTTESSEN 27NACWB,OWB#0	● OTTESSEN FEDERAL 11C.OWB,Plan#2 V0
● OTTESSEN LE03-368HC.OWB,OWB#0	● OTTESSEN 27NACWB,Plan#2 V0	● OTTESSEN FEDERAL 12N.OWB,OWB#0
● OTTESSEN LE03-368HN.OWB,OWB#0	● OTTESSEN 28N.OWB,OWB#0	● OTTESSEN FEDERAL 12N.OWB,Plan#1 V0
● OTTESSEN 15C.OWB,OWB#0	● OTTESSEN 30N.OWB,OWB#0	● OTTESSEN FEDERAL 13HN.OWB,Plan#2 V0
● OTTESSEN 15C.OWB,Plan#2 V0	● OTTESSEN 30N.OWB,Plan#2 V0	● OTTESSEN FEDERAL 14NA.OWB,Plan#2 V0

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation