

FORM  
2

Rev  
05/22

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403177447

Date Received:

10/19/2022

APPLICATION FOR PERMIT TO

☒ Drill ☐ Deepen ☐ Re-enter ☐ Recomplete and Operate

Amend ☐

TYPE OF WELL OIL ☒ GAS ☐ COALBED ☐ OTHER: \_\_\_\_\_

Refill ☐

ZONE TYPE SINGLE ZONE ☒ MULTIPLE ZONES ☐ COMMINGLE ZONES ☐

Sidetrack ☐

Well Name: Shelton Well Number: 25W-25-05  
Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLC COGCC Operator Number: 10633  
Address: 1801 CALIFORNIA STREET #2500  
City: DENVER State: CO Zip: 80202  
Contact Name: Jeff Annable Phone: (303)312-8529 Fax: ( )  
Email: jannable@civiresources.com

FINANCIAL ASSURANCE FOR PLUGGING, ABANDONMENT, AND RECLAMATION

COGCC Financial Assurance

☒ The Operator has provided or will provide Financial Assurance to the COGCC for this Well.

Surety ID Number (if applicable): 20160104

Federal Financial Assurance

☐ In checking this box, the Operator certifies that it has provided or will provide at least this amount of Financial Assurance to the federal government for this Well. (Per Rule702.a.)

Amount of Federal Financial Assurance \$ \_\_\_\_\_

WELL LOCATION INFORMATION

Surface Location

QtrQtr: NESE Sec: 25 Twp: 4N Rng: 65W Meridian: 6

Footage at Surface: 2334 Feet FSL 302 Feet FEL

Latitude: 40.282371 Longitude: -104.603388

GPS Data: GPS Quality Value: 3.4 Type of GPS Quality Value: PDOP Date of Measurement: 03/22/2022

Ground Elevation: 4836

Field Name: WATTENBERG Field Number: 90750

Well Plan: is ☐ Directional ☒ Horizontal (highly deviated) ☐ Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 25 Twp: 4N Rng: 65W Footage at TPZ: 1486 FNL 2476 FWL  
Measured Depth of TPZ: 7655 True Vertical Depth of TPZ: 6840 FNL/FSL FEL/FWL

**Base of Productive Zone (BPZ)**

Sec: 27 Twp: 4N Rng: 65W Footage at BPZ: 1484 FNL 150 FWL  
Measured Depth of BPZ: 20540 True Vertical Depth of BPZ: 6840 FNL/FSL FEL/FWL

**Bottom Hole Location (BHL)**

Sec: 27 Twp: 4N Rng: 65W Footage at BHL: 1484 FNL 150 FWL  
FNL/FSL FEL/FWL

**LOCAL GOVERNMENT PERMITTING INFORMATION**

County: WELD Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of §  
24-65.1-108 C.R.S.? Yes

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? ☒ Yes ☐ No

☒ If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: Approved Date of Final Disposition: 05/06/2022

Comments: 1041WOGLA22-0002

**SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION**

Surface Owner of the land at this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Mineral Owner beneath this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Surface Owner Protection Bond (if applicable): \_\_\_\_\_ Surety ID Number (if applicable): \_\_\_\_\_

**MINERALS DEVELOPED BY WELL**

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- ☒ Fee  
☐ State  
☐ Federal  
☐ Indian  
☐ N/A

## LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

\* If this Well is within a unit, describe a lease that will be developed by the Well.

\* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

Township 4 North Range 65 West  
Section 27: S2SW

Total Acres in Described Lease: 80

Described Mineral Lease is: ☒ Fee ☐ State ☐ Federal ☐ Indian

Federal or State Lease # \_\_\_\_\_

## SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 1597 Feet  
Building Unit: 3158 Feet  
Public Road: 273 Feet  
Above Ground Utility: 853 Feet  
Railroad: 5280 Feet  
Property Line: 229 Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

## OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
NIOBRARA	NBRR	407-3095	1600	T4N R65W SEC 25: W2, SEC 26: ALL, SEC 27: ALL

Federal or State Unit Name (if appl): \_\_\_\_\_

Unit Number: \_\_\_\_\_

## SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 150 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 330 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

## Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

## SPACING & FORMATIONS COMMENTS

### DRILLING PROGRAM

Proposed Total Measured Depth: 20540 Feet

TVD at Proposed Total Measured Depth 6840 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: 85 Feet ☐ No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than

or equal to 100 ppm? No If yes, attach an H<sub>2</sub>S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? Yes

BOP Equipment Type: ☒ Annular Preventor ☒ Double Ram ☒ Rotating Head ☐ None

Beneficial reuse or land application plan submitted?

Reuse Facility ID:  or Document Number:

### CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	24	16	N/A	42	0	80	100	80	0
SURF	12+1/4	9+5/8	J-55	36	0	1750	468	1750	0
1ST	8+1/2	5+1/2	P-110	20	0	20540	2738	20540	

☐ Conductor Casing is NOT planned

### POTENTIAL FLOW AND CONFINING FORMATIONS

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Laramie-Fox Hills	24	24	535	535	1001-10000	Groundwater Atlas	USGS HA-650 (Robson et al, 1981)
Confining Layer	Pierre Formation	535	535	770	770			
Groundwater	Upper Pierre	770	770	1640	1610	501-1000	Electric Log Calculation	Shelton G 25-22 (05-123-33519)
Confining Layer	Base of Upper Pierre	1640	1610	4011	3780			
Hydrocarbon	Parkman Sandstone	4011	3780	4098	3860			Not productive in this area
Confining Layer	Pierre Formation	4098	3860	4683	4395			
Hydrocarbon	Sussex Sandstone	4683	4395	4830	4530			Not productive in this area
Confining Layer	Pierre Formation	4830	4530	5464	5110			
Hydrocarbon	Shannon Sandstone	5464	5110	5562	5200			Not productive in this area
Confining Layer	Pierre Formation	5562	5200	7324	6750			
Subsurface Hazard	Sharon Springs	7324	6750	7655	6840			Sloughing shales
Hydrocarbon	Niobrara	7655	6840	20540	6840			

## OPERATOR COMMENTS AND SUBMITTAL

### Comments

The distance to the completed portion of the nearest well in the same unit on the "Spacing & Formations" tab is measured to the proposed Shelton 25W-25-04. This distance was measured in 2-dimensional space.

The distance to the nearest well belonging to another operator on the "Drilling Plan" tab was measured to the Arens G 26-19 (API #05-123-30608). A stimulation setback consent signed by Noble Energy Inc. is attached as STIMULATION SETBACK CONSENT.

The proposed wellbore is less than 150' from the Shelton G 25-22 (API #05-123-33519). Since this well is PA, a stimulation setback consent is not required.

The producing interval of the proposed well is less than 150 from the producing intervals of the Shelton 18-25XX (API #05-123-22169-00) and Shelton 18-25XX (API #05-123-22169-02) . A stimulation setback consent signed by Noble Energy Inc. is attached as STIMULATION SETBACK CONSENT.

Attached as OTHER, is the anti-collision analysis which factors in three dimensional measurements as well as gyro surveys performed on some of the offset wellbores. All measurements to offset wellbores were derived from this analysis.

This application is in a Comprehensive Area Plan \_\_\_\_\_ CAP #: \_\_\_\_\_  
Oil and Gas Development Plan Name Shelton 4N65W-West OGD OGD ID#: 482324  
Location ID: 483039

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Jeff Annable

Title: Lead, Regulatory Date: 10/19/2022 Email: jannable@civiresources.com

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved:  Director of COGCC Date: 11/18/2022  
Expiration Date: 11/17/2025

#### API NUMBER

05 123 51884 00

## Conditions Of Approval

**All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.**

COA Type	Description
Drilling/Completion Operations	<p>Operator acknowledges the proximity of the listed wells. Operator agrees to: provide mitigation option 1 or 2 (per the Offset Well Evaluation and Hydraulic Fracturing Operator Guidance Document) to mitigate the situation, ensure all applicable documentation is submitted based on the selected mitigation option chosen, and submit a Form 42 ("OFFSET MITIGATION COMPLETED") stating that appropriate mitigation occurred and that it has been completed, prior to the hydraulic stimulation of this well.</p> <p>CRESTONE PEAK RESOURCES OPERATING LLC 123-11086 BEEBE DRAW *1  CRESTONE PEAK RESOURCES OPERATING LLC 123-11847 DUPPER *1  NOBLE ENERGY INC 123-12367 SHELTON RG *26-1  NOBLE ENERGY INC 123-12393 SHELTON RG *26-7  NOBLE ENERGY INC 123-12588 PLUSS G *25-07  NOBLE ENERGY INC 123-12791 SHELTON R G *26-8  NOBLE ENERGY INC 123-12798 SHELTON R G *26-2  NOBLE ENERGY INC 123-14875 DABNEY G *23-15  NOBLE ENERGY INC 123-15547 RUPERT G *23-16  NOBLE ENERGY INC 123-18172 ANDERSON *41-27  NOBLE ENERGY INC 123-17875 CRAVEN *44-22</p> <p>Operator acknowledges the proximity of the listed non-operated wells. Operator assures that this offset list will be remediated per the Offset Well Evaluation and Hydraulic Fracturing Operator Guidance Document Operator using Option 3. Operator will submit a Form 42 ("OFFSET MITIGATION COMPLETED") stating what appropriate mitigation occurred and that it has been completed, prior to the hydraulic stimulation of this well.</p> <p>RICHARDSON OPERATING COMPANY 123-13214 BOHLENDER 1</p> <p>Operator acknowledges the proximity of the listed wells. Operator agrees to: provide mitigation option 4 (per the Offset Well Evaluation and Hydraulic Fracturing Operator Guidance Document). Operator will submit a Form 42 ("OTHER – AS SPECIFIED BY PERMIT CONDITION") stating that appropriate mitigation will be completed, during the hydraulic stimulation of this well. This Form 42 shall be filed 48 hours prior to stimulation. Surface and production casing pressures of this offset well list will be actively monitored during stimulation of this well. Records shall be retained and provided to COGCC engineering upon request. If there is indication of communication between the stimulation treatment and an offset well, treatment will be stopped and COGCC Engineering notified.</p> <p>CRESTONE PEAK RESOURCES OPERATING LLC 123-24148 BRANCH *0-6-23  CRESTONE PEAK RESOURCES OPERATING LLC 123-26212 LIBSACK *4-8-27  NOBLE ENERGY INC 123-39549 Heartland State *G36-75-1HN  NOBLE ENERGY INC 123-39551 Heartland *G25-73-1HN  PDC ENERGY INC 123-46838 Lory *9N  PDC ENERGY INC 123-46860 Lory *12N</p>
Drilling/Completion Operations	<p>Per COGCC Order 1-232, Bradenhead tests shall be performed according to the following schedule and Form 17 submitted within 10 days of each test:</p> <ol style="list-style-type: none"> <li>1) Within 60 days of rig release, prior to stimulation. If any pressure greater than 200 psi is observed or if there is continuous flow, Operator must contact COGCC engineering for approval prior to stimulation.</li> <li>2) If a delayed completion, a second test is required between 6-9 months after rig release and must be conducted prior to stimulation. If any pressure greater than 200 psi is observed or if there is continuous flow, Operator must contact COGCC engineering for approval prior to stimulation.</li> <li>3) A post-production test within 60 days after first sales, as reported on the Form 10, Certificate of Clearance.</li> </ol>

Drilling/Completion Operations	<p>1) Submit Form 42 electronically to COGCC 2 business days prior to MIRU (spud notice) for the first well activity with a rig on the pad and provide 2 business day spud notice via Form 42 for all subsequent wells drilled on the pad.</p> <p>2) Comply with Rule 408.j. and provide cement coverage from TD to a minimum of 500' above Niobrara and from 500' below Sussex to 500' above Sussex. Verify coverage with a cement bond log.</p> <p>3) Oil based drilling fluid can only be used after all groundwater has been isolated.</p>
3 COAs	

### **Best Management Practices**

<b><u>No</u></b>	<b><u>BMP/COA Type</u></b>	<b><u>Description</u></b>
1	Drilling/Completion Operations	One of the first wells drilled on the pad during the first rig occupation will be logged with open-hole resistivity log with gamma-ray log from the kick-off point into the surface casing for one of the stratigraphically deepest wells on the pad. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs will state "Alternative Logging Program - No open-hole logs were run" and will clearly identify the type of log and the well (by API#) in which open-hole logs were run.
2	Drilling/Completion Operations	Anti-collision: Operator will perform an anti-collision evaluation of all active (producing, shut in, or temporarily abandoned) offset wellbores that have the potential of being within 150 feet of a proposed well prior to drilling operations for the proposed well. Notice shall be given to all offset operators prior to drilling.

Total: 2 comment(s)

### **Attachment List**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
403177447	FORM 2 SUBMITTED
403184093	DEVIATED DRILLING PLAN
403184095	WELL LOCATION PLAT
403184100	DIRECTIONAL DATA
403188544	OTHER
403188925	OffsetWellEvaluations Data
403202741	STIMULATION SETBACK CONSENT
403234249	OFFSET WELL EVALUATION

Total Attach: 8 Files

### **General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Permit	Final Review Completed.	11/18/2022
Permit	Permitting Review Complete.	11/08/2022
OGLA	The Commission approved OGDG #482324 on September 28, 2022 for the Oil and Gas Location related to this Form 2. OGLA task passed.	10/20/2022

Total: 3 comment(s)