

| | | | | | | | | |
|------------|--------------------------|------|---------|----|----------|------------|--------------------------|-----|
| WELL NAME: | Coyote Trails #33S-20-4N | | | | | OPERATOR: | Extraction Oil & Gas Inc | |
| FIELD: | Wattenberg | | | | | FORMATION: | Niobrara | |
| SHL: | qtr-qtr | SWSE | Section | 28 | Township | 1N | Range | 68W |
| BHL: | qtr-qtr | SWSE | Section | 4 | Township | 1S | Range | 68W |
| COUNTY: | Weld | | STATE: | CO | | API: | 05-123-45992 | |

| | |
|----------------|-----------|
| not to scale | |
| GROUND LEVEL: | 5271' |
| KELLY BUSHING: | 5299' |
| SPUD DATE: | 2/4/2019 |
| TD DATE: | 2/16/2019 |

9 5/8" csg @
1605'

| | |
|------------------|-----|
| CONDUCTOR CASING | |
| SIZE: | 16" |
| WEIGHT: | 42# |
| HOLE SIZE: | 24" |
| CSG DEPTH: | 80' |

| | |
|----------------|---------|
| SURFACE CASING | |
| SIZE: | 9 5/8" |
| WEIGHT: | 36# |
| HOLE SIZE: | 12 1/4" |
| | |
| HOLE DEPTH: | 1605' |
| CSG DEPTH: | 1605' |
| CEMENT: | 625 sx |
| | |
| TOC: | Surface |

| | |
|-------------------|---------|
| PRODUCTION CASING | |
| SIZE: | 5 1/2" |
| WEIGHT: | 20# |
| HOLE SIZE: | 8 1/2" |
| TOTAL DEPTH TVD | 7785' |
| TOTAL DEPTH MD | 17751' |
| CSG DEPTH: | 17751' |
| CEMENT: | 2988 sx |
| | |
| TOC: | 100' |

| | |
|-------------------|--------|
| PRODUCTION TUBING | |
| SIZE: | 2 3/8" |
| WEIGHT: | 4.70# |
| | |
| DEPTH: | 8164' |

EOT @ 8164'

| | |
|-------------------------------|-------|
| FORMATION TOPS & PERFORATIONS | |
| NIOBRARA MD | 7951' |

| | |
|--------------|--------------|
| PERFORATIONS | 8207'-17735' |
|--------------|--------------|

| | |
|-----------|-------------------|
| FRAC DATA | |
| 207,600 | BBLS GELLED FLUID |
| -- | BBLS ACID |
| 18,292 | BBLS FRESH WATER |
| 225,892 | BBLS TOTAL FLUID |
| | |
| 4,800,000 | # 40/70 MESH |
| 4,800,030 | # 30/60 MESH |
| 9,600,030 | # TOTAL SAND |
| 48 | # TOTAL STAGES |

Production Csg @ 17751'
MD TD 17751'