

Document Number:  
403240952

Date Received:  
11/28/2022

**WELL ABANDONMENT REPORT**

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set. A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 10677 Contact Name: Richard Murray

Name of Operator: WOLVERINE RESOURCES LLC Phone: (970) 989-3092

Address: 109 EAST 17TH STREET #430 Fax: \_\_\_\_\_

City: CHEYENNE State: WY Zip: 82001 Email: g.richard.murray@state.co.us

**For "Intent" 24 hour notice required,** Name: Ramsey, Scott Tel: (970) 623-9782

**COGCC contact:** Email: scott.ramsey@state.co.us

Type of Well Abandonment Report:  Notice of Intent to Abandon  Subsequent Report of Abandonment

API Number 05-081-07347-00

Well Name: ELLIS (OWP) Well Number: 13-29

Location: QtrQtr: NWSW Section: 29 Township: 10N Range: 93W Meridian: 6

County: MOFFAT Federal, Indian or State Lease Number: \_\_\_\_\_

Field Name: GREAT DIVIDE Field Number: 32750

*Only Complete the Following Background Information for Intent to Abandon*

Latitude: 40.795130 Longitude: -107.866170

GPS Data: GPS Quality Value: 1.2 Type of GPS Quality Value: \_\_\_\_\_ Date of Measurement: 07/07/2015

Reason for Abandonment:  Dry  Production Sub-economic  Mechanical Problems

Other Orphan Well Program

Casing to be pulled:  Yes  No Estimated Depth: 7872

Fish in Hole:  Yes  No If yes, explain details below

Wellbore has Uncemented Casing leaks:  Yes  No If yes, explain details below

Details: \_\_\_\_\_

**Current and Previously Abandoned Zones**

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
LEWIS	7460	7689			

Total: 1 zone(s)

**Casing History**

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
CONDUCTOR	20	16	UK	UK	0	40				
SURF	12+1/4	8+5/8	J-55	24	0	803	340	803	0	
1ST	7+7/8	5+1/2	N-80	17	0	7798	372	7798	5500	CBL

## Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 7410 with 3 sacks cmt on top. CIBP #2: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
 CIBP #3: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top. CIBP #4: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
 CIBP #5: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 15 sks cmt from 7000 ft. to 6900 ft. Plug Type: ANNULUS Plug Tagged:   
 Set 15 sks cmt from 6810 ft. to 6710 ft. Plug Type: ANNULUS Plug Tagged:   
 Set 15 sks cmt from 5570 ft. to 5470 ft. Plug Type: ANNULUS Plug Tagged:   
 Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged:   
 Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged:

Perforate and squeeze at 4850 ft. with 32 sacks. Leave at least 100 ft. in casing 4800 CICR Depth  
 Perforate and squeeze at 2550 ft. with 32 sacks. Leave at least 100 ft. in casing 2500 CICR Depth  
 Perforate and squeeze at 853 ft. with 32 sacks. Leave at least 100 ft. in casing 803 CICR Depth  
(Cast Iron Cement Retainer Depth)

Set \_\_\_\_\_ sacks half in. half out surface casing from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Tagged:   
 Set 15 sacks at surface  
 Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker:  Yes  No  
 Set \_\_\_\_\_ sacks in rat hole Set \_\_\_\_\_ sacks in mouse hole

### Additional Plugging Information for Subsequent Report Only

Casing Recovered: \_\_\_\_\_ ft. of \_\_\_\_\_ inch casing Number of Days from Setting Surface Plug to Capping or Sealing the Well: \_\_\_\_\_  
 Surface Plug Setting Date: \_\_\_\_\_ Cut and Cap Date: \_\_\_\_\_  
 \*Wireline Contractor: \_\_\_\_\_ \*Cementing Contractor: \_\_\_\_\_  
 Type of Cement and Additives Used: \_\_\_\_\_  
 Flowline/Pipeline has been abandoned per Rule 1105  Yes  No

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Richard Murray  
 Title: OWP Specialist Date: 11/28/2022 Email: g.richard.murray@state.co.us

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Date: \_\_\_\_\_

**CONDITIONS OF APPROVAL, IF ANY:** \_\_\_\_\_ Expiration Date: \_\_\_\_\_

COA Type	Description
0 COA	

## Attachment List

**Att Doc Num**

**Name**

403241572

WELLBORE DIAGRAM

Total Attach: 1 Files

## General Comments

**User Group**

**Comment**

**Comment Date**

Stamp Upon  
Approval

Total: 0 comment(s)