

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>403178001</u>			
Date Received: <u>10/11/2022</u>			

**SUNDRY NOTICE**

This form is required for reports, updates, and requests as specified in the COGCC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

OGCC Operator Number: <u>96850</u>	Contact Name <u>Melissa Luke</u>
Name of Operator: <u>TEP ROCKY MOUNTAIN LLC</u>	Phone: <u>(970) 263-2721</u>
Address: <u>1058 COUNTY ROAD 215</u>	Fax: ( )
City: <u>PARACHUTE</u> State: <u>CO</u> Zip: <u>81635</u>	Email: <u>mluke@terraep.com</u>

**FORM 4 SUBMITTED FOR:**

Facility Type: WELL

API Number : 05- 103 11174 00 ID Number: 284

Name: FEDERAL RGU Number: 514-33-198

Location QtrQtr: NESW Section: 33 Township: 1S Range: 98W Meridian: 6

County: RIO BLANCO Field Name: SULPHUR CREEK

**Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information**

**Location(s)**

Location ID	Location Name and Number
335719	FEDERAL RGU-61S98W 33NESW

**OGDP(s)**

No OGDP

**WELL LOCATION CHANGE OR AS-BUILT GPS REPORT**

- Change of Location for Well \*     As-Built GPS Location Report     As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

**SURFACE LOCATION GPS DATA**    Data must be provided for Change of Surface Location and As Built Reports.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

GPS Quality Value: \_\_\_\_\_ Type of GPS Quality Value: \_\_\_\_\_ Measurement Date: \_\_\_\_\_

Well Ground Elevation: \_\_\_\_\_ feet (Required for change of Surface Location.)

**WELL LOCATION CHANGE**

Well plan is: \_\_\_\_\_ (Vertical, Directional, Horizontal)

				FNL/FSL		FEL/FWL				
Change of <b>Surface</b> Footage <b>From:</b>				<input type="text" value="1591"/>	<input type="text" value="FSL"/>	<input type="text" value="1657"/>	<input type="text" value="FWL"/>			
Change of <b>Surface</b> Footage <b>To:</b>				<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>			
Current <b>Surface</b> Location <b>From</b>	QtrQtr	<input type="text" value="NESW"/>	Sec	<input type="text" value="33"/>	Twp	<input type="text" value="1S"/>	Range	<input type="text" value="98W"/>	Meridian	<input type="text" value="6"/>
New <b>Surface</b> Location <b>To</b>	QtrQtr	<input type="text"/>	Sec	<input type="text"/>	Twp	<input type="text"/>	Range	<input type="text"/>	Meridian	<input type="text"/>
Change of <b>Top of Productive Zone</b> Footage <b>From:</b>				<input type="text" value="231"/>	<input type="text" value="FSL"/>	<input type="text" value="584"/>	<input type="text" value="FWL"/>			
Change of <b>Top of Productive Zone</b> Footage <b>To:</b>				<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>		**	
Current <b>Top of Productive Zone</b> Location	Sec	<input type="text" value="33"/>	Twp	<input type="text" value="1S"/>	Range	<input type="text" value="98W"/>				
New <b>Top of Productive Zone</b> Location	Sec	<input type="text"/>	Twp	<input type="text"/>	Range	<input type="text"/>				

Change of **Base of Productive Zone** Footage **From:**

FSL

FWL

Change of **Base of Productive Zone** Footage **To:**

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

231 FSL

584 FWL

Change of **Bottomhole** Footage **To:**

\*\*

Current **Bottomhole** Location

Sec

Twp

Range

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

### SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

- Building: \_\_\_\_\_ Feet
- Building Unit: \_\_\_\_\_ Feet
- Public Road: \_\_\_\_\_ Feet
- Above Ground Utility: \_\_\_\_\_ Feet
- Railroad: \_\_\_\_\_ Feet
- Property Line: \_\_\_\_\_ Feet

**INSTRUCTIONS:**

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

### SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? \_\_\_\_\_

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: \_\_\_\_\_ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

### Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

### LOCATION CHANGE COMMENTS



Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

- Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

**ENGINEERING AND ENVIRONMENTAL WORK**

- REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

- REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

**TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK**

Details of work must be described in full in the COMMENTS below or provided as an attachment.

- NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date 10/12/2022
- SUBSEQUENT REPORT      Date of Activity \_\_\_\_\_

- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Bradenhead Plan  | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement           |
| <input type="checkbox"/> Change Drilling Plan   | <input checked="" type="checkbox"/> Repair Well        | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change  |  |  |
| <input type="checkbox"/> Underground Injection Control  |  |  |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)                    |  |  |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) |  |  |
| <input type="checkbox"/> Other  |  |  |

- Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

- Subsequent well operations with heavy equipment (Rule 312)  
(No Well Provided)

COMMENTS:

Procedure:

1. MIRU service unit, kill well.
  2. NU BOP and test.
  3. POOH 2-3/8" tubing while TUBOSCOPE/SCANNING, and inspecting tbg. Scan entire string leaving final 10-15jts of tbg in hole for tail string.
    - a. Note- condition of scanned pipe with engineer to discuss if we keep or replace tail string at final landing
  4. RIH with 4-1/2" TSBP using only YB tbg pulled from well. If necessary pickup makeup tbg that is YB, WB or new P-110
  5. Set BP at appx 7390'. (TOC – 7140')
  6. Pull casing slips and lay down parted casing.
  7. RIH latch onto fish and pull test csg
  8. Manually backoff production casing with string shot appx 1+ jt below joint of parted csg
  9. POOH with casing and lay down. (hopefully pins up; if we break at collar and come out with pins on bottom discuss possible second backoff as we have better luck with good screw in with pins up)
  10. RIH with new casing and screw back into existing casing, fully torque (appx 2650ft-lbs) pressure test csg and pull test appx 65k. Land in minimum tension (appx 55k)
  11. Pressure test casing.
  12. RIH and retrieve RBP. POOH ENTIRE STRING – including tail string, visually inspect tbg and tally
  13. RIH with production tubing while HYDROTESTING, get light tag on fill POOH to land depth appx (+/-200 rig tag). Pump tbg volume if tagged to clear tbg; Hydrotest hanger connection.
  14. RDMO Service Unit and cleanup location.
- Note – Run lower grade pipe on bottom of string. Clearly notate within daily operation activity details the makeup of the string (grade, color, depths)  
The start date is an estimate based on rig availability and the completion or other well work.

TEP Rocky Mountain LLC consulted with CPW on 10/11/2022 for COGCC Rule 312. Please see attached email from CPW regarding consultation on this casing repair for the FEDERAL RGU 514-33-198. TEP and CPW have discussed implementing BMPs for this casing repair, which have been included with this submission.

GAS CAPTURE

VENTING AND FLARING:

Operation type: \_\_\_\_\_ Operational phase requiring venting/flaring: \_\_\_\_\_

Reason for venting/flaring: \_\_\_\_\_

Describe Other reason for venting/flaring:

\_\_\_\_\_

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

\_\_\_\_\_

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

\_\_\_\_\_

Total volume of gas vented or flared: \_\_\_\_\_ mcf  estimated  measured

Total duration of emission event: \_\_\_\_\_ hours  consecutive  cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: \_\_\_\_\_

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

\_\_\_\_\_

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

CASING PROGRAM

(No Casing Provided)

POTENTIAL FLOW AND CONFINING FORMATIONS

**H2S REPORTING**

- Intentional release of H2S gas due to Upset Condition or malfunction.
- Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million)                      Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

**OIL & GAS LOCATION UPDATES**

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

**SITE EQUIPMENT LIST UPDATES**

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____		Vapor Recovery Towers _____	

**OTHER PERMANENT EQUIPMENT UPDATES**

**OTHER TEMPORARY EQUIPMENT UPDATES**

**CULTURAL AND SAFETY SETBACK UPDATES**

**OTHER LOCATION CHANGES AND UPDATES**

Provide a description of other changes or updates to technical information for this Location:

\_\_\_\_\_

**POTENTIAL OGDG UPDATES**

**PROPOSED CHANGES TO AN APPROVED OGDG**

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- Add Oil and Gas Location(s)
- Add Drilling and Spacing Unit(s)
- Amend Oil and Gas Location(s)
- Amend Drilling and Spacing Unit(s)
- Remove Oil and Gas Location(s)
- Remove Drilling and Spacing Unit(s)
- Oil and Gas Location attachment or plan updates
- Amend the lands subject to the OGDG
- Other

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

\_\_\_\_\_

**Best Management Practices**

**No BMP/COA Type**

**Description**

1	Wildlife	Minimization: To minimize the potential for wildlife related traffic accidents, TEP has implemented speed restrictions for all lease roads and requires that all TEP employees and contractors adhere to these posted speed restrictions.
2	Wildlife	Minimization: TEP will make best efforts to minimize operations at these location during winter months by conducting operations, when possible, between 9:00am to 4:00pm when wildlife activity minimal.

Total: 2 comment(s)

**Operator Comments:**

TEP Rocky Mountains LLC (TEP) respectfully requests approval to repair parted casing on the Federal RGU 514-33-198 (API #05-103-11174). The start date is an estimate based on rig availability and the completion or other well work. TEP Rocky Mountain LLC consulted with CPW on 10/11/2022 for COGCC Rule 312. Please see attached email from CPW regarding consultation on this casing repair for the FEDERAL RGU 514-33-198. TEP and CPW have discussed implementing BMPs for this casing repair, which have been included with this submission.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Melissa Luke  
Title: Regulatory Specialist Email: mluke@terraep.com Date: 10/11/2022

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Katz, Aaron Date: 11/29/2022

**CONDITIONS OF APPROVAL, IF ANY:**

<b>COA Type</b>	<b>Description</b>
	<p>1) Report work completed with a Form 4 Sundry REPORT OF WORK DONE - Repair Well noting final pressure test results and include any operational or job summaries.</p> <p>If the wellbore geometry changes or there is not an updated WBD in the well file submit one as an attachment.</p> <p>2) Complete a bradenhead test following completion of the repair and submit results on a Form 17 or directive approved method</p> <p>3) Complete repair work by 12/31/2023. Repair by date is contingent on approval of Docket#221000272</p> <p>4) Operator shall comply with COGCC Rule 419. Bradenhead Monitoring, Testing, and Reporting and Rule 420. Form 17, Bradenhead Test Report</p>
	Operator will implement measures to capture, combust, or control emissions to protect health and safety, and to ensure that vapors and odors from well repair/maintenance do not constitute a nuisance or hazard to public health, welfare and the environment.
2 COAs	

**General Comments**

<b>User Group</b>	<b>Comment</b>	<b>Comment Date</b>
Engineer	<p>Operator has been in communication with the engineering unit on the time period for completing repairs due to the number of wells requiring casing repairs. Due to the number wells, not all repairs would be completed within 6 months. The Operator has a dedicated rig working on casing repairs in the Ryan's Gulch area. The Operator has investigated the causal factors for the casing failures and has made operational changes.</p> <p>The Operator is currently seeking a variance from the COGCC on Docket# 221000272 to complete all repairs by 12/31/2023.</p>	11/29/2022

Total: 1 comment(s)

**Attachment List**

<b>Att Doc Num</b>	<b>Name</b>
403178001	SUNDRY NOTICE APPROVED-OBJ-SBSQ-OPS-REPAIR
403194349	CPW CONSULTATION
403242850	FORM 4 SUBMITTED

Total Attach: 3 Files