

FORM
5A

Rev
09/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:
403252825

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: <u>69175</u>	4. Contact Name: <u>Cassie Gonzalez</u>
2. Name of Operator: <u>PDC ENERGY INC</u>	Phone: <u>(303) 860-5800</u>
3. Address: <u>1775 SHERMAN STREET - STE 3000</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80203</u>	Email: <u>Cassie.Gonzalez@pdce.com</u>

5. API Number <u>05-123-51452-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>Bost Farm</u>	Well Number: <u>9C-8-L</u>
8. Location: QtrQtr: <u>Lot2</u> Section: <u>7</u> Township: <u>5N</u> Range: <u>66W</u> Meridian: <u>6</u>	
9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	

Completed Interval

FORMATION: CARLILE Status: COMMINGLED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date this Formation was Completed: _____

Perforations Top: 10987 Bottom: 11476 No. Holes: 984 Hole size: 42/100 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

Completed Depths: 10,987'-11,476

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: CARLILE-CODELL-FORT HAYS Status: PRODUCING Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 10/08/2022 End Date: 10/17/2022 Date this Formation was Completed: 11/09/2022

Perforations Top: 8044 Bottom: 17947 No. Holes: 984 Hole size: 42/100 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

28 Stage Plug and Perf
Total Fluid: 166,982 bbls
Gel Fluid: 108,908 bbls
Slickwater Fluid: 57,741 bbls
15% HCl Acid: 333 bbls
Total Proppant: 11,851,545 lbs
Silica Proppant: 11,851,545 lbs
Method for determining flowback: Measuring flowback tank volumes.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): 166982 Max pressure during treatment (psi): 4861

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: _____ Min frac gradient (psi/ft): 0.96

Total acid used in treatment (bbl): 333 Number of staged intervals: 28

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): 10687
Fresh water used in treatment (bbl): 166649 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 11851545

Fracture stimulations must be reported on FracFocus.org

Test Information:

11/18/2022 Hours: 24 Bbl oil: 215 Mcf Gas: 740 Bbl H2O: 141
Date Calculated 24 hour rate: Bbl oil: 215 Mcf Gas: 740 Bbl H2O: 141 GOR: 3442
Test Method: Flowing Casing PSI: 2216 Tubing PSI: 1281 Choke Size: 16/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1335 API Gravity Oil: 55
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7607 Tbg setting date: 10/26/2022 Packer Depth: _____
Reason for Non-Production: _____
Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____
** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: CODELL Status: COMMINGLED Treatment Type: _____
Treatment Date: _____ End Date: _____ Date this Formation was Completed: _____
Perforations Top: 8120 Bottom: 17947 No. Holes: 984 Hole size: 42/100 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

Completed Depths: 8,120'-9,467', 9,594'-10,987', 11,476'-17,947'

This formation is commingled with another formation: Yes No
Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

_____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Date Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
Reason for Non-Production: _____
Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____
** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: FORT HAYS Status: COMMINGLED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date this Formation was Completed: _____

Perforations Top: 8044 Bottom: 9594 No. Holes: 984 Hole size: 42/100 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

Completed Depths: 8,044'-8,120', 9,467'-9,594'

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Estimated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

Comment:

Actual Top of Productive Zone footage: 1,682 FSL & 196' FWL Sec: 7 Twp: 5N Rng: 66W
The wellbore is physically isolated by a composite frac plug set at 17,896'.
The bottom productive interval footage is 1,678' FSL & 515' FEL Sec: 8 Twp: 5N Rng: 66W

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Cassie Gonzalez
Title: Regulatory Analyst Date: _____ Email: Cassie.Gonzalez@pdce.com

Attachment List

Att Doc Num	Name

Total Attach: 0 Files

General Comments

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)