

Location

Lease Road:			
Type	Access		
comment:	PHOTO 1: LOCATION NOT ACCESSABLE DO TO TREE FALL ACROSS ROW.		
Corrective Action:	Repair and maintain lease road to comply with rule 204.	Date:	01/07/2023

Overall Good:

Emergency Contact Number:

Comment:	<input style="width: 95%;" type="text"/>		
Corrective Action:	<input style="width: 95%;" type="text"/>	Date:	<input style="width: 95%;" type="text"/>

Overall Good:

Spills:				
Type	Area	Volume		

In Containment: No

Comment:

Multiple Spills and Releases?

Venting:

Yes/No			
Comment:	<input style="width: 95%;" type="text"/>		
Corrective Action:	<input style="width: 95%;" type="text"/>	Date:	<input style="width: 95%;" type="text"/>

Flaring:

Type			
Comment:	<input style="width: 95%;" type="text"/>		
Corrective Action:	<input style="width: 95%;" type="text"/>	Date:	<input style="width: 95%;" type="text"/>

Inspected FacilitiesFacility ID: 288883 Type: WELL API Number: 071-09160 Status: PR Insp. Status: PR**Attached Documents**You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
695107018	INSP. PHOTOS	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5937319