

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:  
403258980

Date Received:  
12/13/2022

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

1 of 4 CAs from the FIR responded to on this Form

1 CA Completed  
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10456

Name of Operator: CAERUS PICEANCE LLC

Address: 1001 17TH STREET #1600

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: \_\_\_\_\_

Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

Email: \_\_\_\_\_

Additional Operator Contact:

Contact Name	Phone	Email
<u>Romana Cowden</u>	<u>720-951-5895</u>	<u>COGCC.inspections@caerusoilandgas.com</u>

COGCC INSPECTION SUMMARY:

FIR Document Number: 702800148

Inspection Date: 04/21/2022

FIR Submit Date: 04/26/2022

FIR Status: \_\_\_\_\_

Inspected Operator Information:

Company Name: CAERUS PICEANCE LLC

Company Number: 10456

Address: 1001 17TH STREET #1600

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 334892

Location Name: SHIDELER-66S92W Number: 32SWNE County: \_\_\_\_\_

Qtrqr: SWNE Sec: 32 Twp: 6S Range: 92W Meridian: 6

Latitude: 39.485000 Longitude: -107.689880

FACILITY - API Number: 05-045- -00 Facility ID: 334892

Facility Name: SHIDELER-66S92W Number: 32SWNE

Qtrqr: SWNE Sec: 32 Twp: 6S Range: 92W Meridian: 6

Latitude: 39.485000 Longitude: -107.689880

CORRECTIVE ACTIONS:

3  CA# 161286

Corrective Action: Comply with the 1003 interim reclamation rules. Establish total perennial, non-invasive uniform plant cover of at least eighty (80) percent of pre-disturbance or reference area levels. Revegetation activities shall be completed no later than 11/15/2022.

Date: 09/15/2022

Conduct weed management to prevent further establishment and spread of salt cedar by 9/15/2022.

Response: CA COMPLETED Date of Completion: 11/23/2022

Erosion was repaired. Weeds were treated in June and July 2022, and salt cedar was removed. On 11/23, additional control measures were installed (water bars), northern disturbance was seeded, and amendments

Operator Comment: were applied. Per 2022 vegetation assessments, the greater reclaim meets 1003.e. standards, therefore maintenance was only completed on areas needing additional stormwater controls.

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed.

On 10/31/2022 Caerus submitted Form 4 document #403213897 which included a quantitative vegetation assessment indicating the interim areas of the location have achieved total perennial, non-invasive uniform plant cover of at least eighty (80) percent of reference area levels.

A field inspection will be conducted at a future date to evaluate compliance with COGCC rules, and to assess interim area vegetation and confirm the findings in the quantitative vegetation assessment.

Inspector acknowledges Operator comments regarding installation of stormwater controls, although they are unrelated to this specific corrective action.

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Romana Cowden

Signed: \_\_\_\_\_

Title: EHS

Date: 12/13/2022 11:42:55 AM

**ATTACHMENT LIST**

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403258980	FIR RESOLUTION SUBMITTED

Total Attach: 1 Files