

Kevin Tautkus

From: Avi Mehler <AMehler@kpk.com>
Sent: Monday, November 21, 2022 12:24 PM
To: Graber - DNR, Nikki
Cc: Craig Meis; Kevin Tautkus
Subject: RE: [EXTERNAL]Re: [EXTERNAL]Complaints

Nikki,

On or around 10/5/22 I had a phone call with Phil Tiffany, as representative for the fort Lupton Fire Department. The way we left that conversation was that when KPK had a scheduled time to resume work out there I would call him to coordinate that process.

Thanks

Avi Mehler, CPL
K.P. Kauffman Company, Inc.

From: Graber - DNR, Nikki <nikki.graber@state.co.us>
Sent: Monday, November 21, 2022 11:07 AM
To: Avi Mehler <AMehler@kpk.com>
Cc: Craig Meis <cmeis@kpk.com>; ktautkus@marcomllc.net
Subject: [EXTERNAL]Re: [EXTERNAL]Complaints

Please be cautious: KPK External Sender Notice: This email is from an external sender. Please take care when clicking links or opening attachments. When in doubt, contact your IT Department

Avi,

Do you have documentation of any of the coordination KPK had with the landowner between the initial spill report and the complaint?

Nikki Graber, P.G.
DJ Basin Region Environmental Supervisor



C 970-250-0543
O 970-663-5719
1120 Lincoln Street, Suite 801, Denver, CO 80203
nikki.graber@state.co.us | www.colorado.gov/cogcc

On Fri, Nov 18, 2022 at 12:56 PM Avi Mehler <AMehler@kpk.com> wrote:

All,

My last correspondence with Phil Tiffany from the George Norden site was that I would reach out and coordinate logistics with him prior to any additional activity on their site. I will touch base with our crews to see when we can get over there.

Thanks

Avi Mehler, CPL

K.P. Kauffman Company, Inc.

From: Craig Meis <cmeis@kpk.com>
Sent: Friday, November 18, 2022 12:48 PM
To: Graber - DNR, Nikki <nikki.graber@state.co.us>
Cc: Avi Mehler <AMehler@kpk.com>; ktautkus@marcomllc.net
Subject: RE: [EXTERNAL]Complaints

Nikki

I apologize for not seeing this email sooner till now. I'm working with Campos on the finalizing their inspection of the pressure test for Rodgers now. I've attached the latest email exchange with the HOA that I'm aware of regarding the reclamation plan for Rodgers which simply states that we will return the site to preconstruction conditions. I never heard back from Mr. Bartz regarding my email stating such.

I will need to look into George Norden info requested and get back to you. I've copied both Avi and Kevin incase they have something responsive to your request quicker than I can find or obtain.

Thanks

Craig

From: Graber - DNR, Nikki <nikki.graber@state.co.us>
Sent: Wednesday, November 16, 2022 9:26 AM
To: Craig Meis <cmeis@kpk.com>
Subject: [EXTERNAL]Complaints

Please be cautious: KPK External Sender Notice: This email is from an external sender. Please take care when clicking links or opening attachments. When in doubt, contact your IT Department

Craig,

I would like to work with the landowners to resolve the complaints at Rodgers and George Norden tomorrow. Do you have the following information so I can do so?

- Emails with the HOA indicating that reclamation plan KPK has provided meets or exceeds their expectations
- Pressure test on the Rodgers line
- Email coordination with the landowner at George Norden providing a status update
- Any additional information of contact made with George Norden landowner between the spill response and the complaint

Nikki Graber, P.G.
DJ Basin Region Environmental Supervisor



C 970-250-0543

O 970-663-5719

1120 Lincoln Street, Suite 801, Denver, CO 80203

nikki.graber@state.co.us | www.colorado.gov/cogcc



MARCUM LLC.

<http://www.marcomllc.net>