

VERDAD RESOURCES

**WATTENBERG FIELD
2N-64W-28 GEORGENE PAD
GEORGENE 2833-06H**

**Plan B
Design #3**

Anticollision Summary Report

28 October, 2022

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well GEORGENE 2833-06H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 24' @ 5042.00usft (RIG)
Reference Site:	2N-64W-28 GEORGENE PAD	MD Reference:	RKB = 24' @ 5042.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	GEORGENE 2833-06H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan B	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #3	Offset TVD Reference:	Offset Datum

Reference	Design #3		
Filter type:	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
Interpolation Method:	Stations	Error Model:	ISCWSA
Depth Range:	Unlimited	Scan Method:	Closest Approach 3D
Results Limited by:	Maximum centre distance of 1,000.00usft	Error Surface:	Pedal Curve
Warning Levels Evaluated at:	2.45 Sigma	Casing Method:	Added to Error Values

Survey Tool Program	Date	10/28/2022			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
0.00	2,376.00	Design #3 (Plan B)	ISCWSA MWD	Fixed:v2:standard declination	
2,376.00	15,157.18	Design #3 (Plan B)	ISCWSA MWD	Fixed:v2:standard declination	

Summary						
Site Name Offset Well - Wellbore - Design	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
1N-64W-05 Offsets						
GRINDE 01-64-05 0108C - HPR PR Well - Actual Atlas S	15,157.18	16,151.00	865.07	685.69	4.823	CC, ES, SF
2N-64W-28 GEORGENE PAD						
GEORGENE 2833-01H - Plan B - Design #3	200.00	200.00	80.00	72.43	10.572	CC, ES, SF
GEORGENE 2833-02H - Plan B - Design #3	200.00	200.00	64.00	56.43	8.457	CC, ES, SF
GEORGENE 2833-03H - Plan B - Design #3	208.13	208.13	48.00	40.43	6.339	CC, ES
GEORGENE 2833-03H - Plan B - Design #3	300.00	299.26	48.46	40.80	6.333	SF
GEORGENE 2833-04H - Plan B - Design #3	208.50	208.50	32.00	24.43	4.226	CC
GEORGENE 2833-04H - Plan B - Design #3	300.00	299.87	32.04	24.39	4.187	ES, SF
GEORGENE 2833-05H - Plan B - Design #3	300.00	300.00	16.00	8.35	2.091	CC, ES
GEORGENE 2833-05H - Plan B - Design #3	15,157.18	15,184.03	541.69	253.01	1.876	SF
GEORGENE 2833-07H - Plan B - Design #3	320.70	320.70	16.00	8.32	2.084	CC, ES
GEORGENE 2833-07H - Plan B - Design #3	15,157.18	15,095.21	541.70	253.35	1.879	SF
GEORGENE 2833-08H - Plan B - Design #3	200.00	200.00	32.00	24.43	4.229	CC
GEORGENE 2833-08H - Plan B - Design #3	300.00	299.94	32.08	24.43	4.192	ES
GEORGENE 2833-08H - Plan B - Design #3	320.70	320.60	32.15	24.47	4.188	SF

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well GEORGENE 2833-06H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 24' @ 5042.00usft (RIG)
Reference Site:	2N-64W-28 GEORGENE PAD	MD Reference:	RKB = 24' @ 5042.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	GEORGENE 2833-06H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan B	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #3	Offset TVD Reference:	Offset Datum


Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
2N-64W-28 Offsets Incomplete						
BRNAK 34-28 - Noble T/A Well - No Surveys	9,572.50	7,008.00	393.15	103.83	1.359	Level 3, CC, ES, SF
BRNAK 44-28 - Noble T/A Well - No Surveys	1,692.62	1,608.78	113.68	48.34	1.740	CC
BRNAK 44-28 - Noble T/A Well - No Surveys	1,700.00	1,615.33	113.73	48.09	1.733	ES, SF
BRNAK 77-28 - Noble P&A Well - No Surveys	8,892.12	7,000.00	243.59	-45.43	0.843	Level 1, CC
BRNAK 77-28 - Noble P&A Well - No Surveys	8,900.00	7,000.00	243.72	-45.66	0.842	Level 1, ES, SF
GREER 13-28 - Noble T/A Well - No Surveys						Out of range
GREER 14-28 - Noble T/A Well - No Surveys						Out of range
GREER 23-28 - Noble T/A Well - No Surveys						Out of range
GREER 24-28 - Noble T/A Well - No Surveys						Out of range
STONEBRAKER 32-28 - PDC P&A Well - No Surveys	7,207.68	6,465.50	836.57	567.89	3.114	CC, ES
STONEBRAKER 32-28 - PDC P&A Well - No Surveys	7,250.00	6,505.98	837.49	568.10	3.109	SF
STONEBRAKER 42-28 - PDC P&A Well - No Surveys						Out of range
STONEBREAKER 28V-234 - PDC PR Well - Actual Ensi	7,329.43	8,115.34	828.76	758.62	11.816	CC
STONEBREAKER 28V-234 - PDC PR Well - Actual Ensi	7,350.00	8,117.66	829.34	758.38	11.686	ES
STONEBREAKER 28V-234 - PDC PR Well - Actual Ensi	7,450.00	8,127.60	848.53	774.09	11.399	SF
STONEBREAKER 28W-304 - PDC PR Well - Actual Ens	7,526.98	8,208.12	309.79	249.37	5.128	CC
STONEBREAKER 28W-304 - PDC PR Well - Actual Ens	7,550.00	8,210.40	311.04	247.66	4.907	ES
STONEBREAKER 28W-304 - PDC PR Well - Actual Ens	7,600.00	8,215.18	322.22	253.23	4.671	SF
2N-64W-29 Offsets						
BAUMGARTNER 14-29 - Noble P&A Well - Actual VES S						Out of range
BELL #41-29 - Noble T/A Well - No Surveys						Out of range
Bell USX #Y29-03 - Noble T/A Well - No Surveys						Out of range
JIM CREEK #1-29 - Noble P&A Well - No Surveys						Out of range
KAMINSKY #1-29 - Noble P&A Well - Actual VES Survey						Out of range
NGL C5 - NGL T/A IJ Well - No Surveys						Out of range
NGL C5A - NGL IJ Well - Actual Ensign Surveys						Out of range
NGL C5B - NGL IJ Well - Actual Total Surveys						Out of range
PARKER #29-34 - Noble SI Well - Actual Coretech Surve						Out of range
2N-64W-32 Offsets						
Ruhl 1K-32H-B264 - CPR PR Well - Actual Cathedral Su						Out of range
Ruhl 1L-32H-B264 - CPR PR Well - Actual Cathedral Su						Out of range
2N-64W-33 Offsets						
JACKSON 33-6H - Verdad PR Well - Actual BHI Surveys						Out of range
JACKSON 33-7H - Verdad PR Well - Actual BHI Surveys						Out of range
UPV 33-13K4 - Noble T/A Well - No Surveys						Out of range
UPV 33-15K4 - Noble P&A Well - No Surveys	14,528.16	7,044.00	85.17	-292.81	0.225	Level 1, CC, ES, SF
UPV 33-7K4 - Noble T/A Well - No Surveys	11,883.59	7,048.00	153.64	-169.09	0.476	Level 1, CC, ES, SF
2N-64W-34 Offsets Incomplete						
FRITZLER 12-34 - Noble PR Well - Actual VES Surveys						Out of range

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well GEORGENE 2833-06H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 24' @ 5042.00usft (RIG)
Reference Site:	2N-64W-28 GEORGENE PAD	MD Reference:	RKB = 24' @ 5042.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	GEORGENE 2833-06H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan B	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #3	Offset TVD Reference:	Offset Datum

Reference Depths are relative to RKB = 24' @ 5042.00usft (RIG)
Offset Depths are relative to Offset Datum
Central Meridian is -105.500000

Coordinates are relative to: GEORGENE 2833-06H
Coordinate System is US State Plane 1983, Colorado Northern Zone
Grid Convergence at Surface is: 0.61°



Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well GEORGENE 2833-06H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 24' @ 5042.00usft (RIG)
Reference Site:	2N-64W-28 GEORGENE PAD	MD Reference:	RKB = 24' @ 5042.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	GEORGENE 2833-06H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan B	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #3	Offset TVD Reference:	Offset Datum

Reference Depths are relative to RKB = 24' @ 5042.00usft (RIG)

Offset Depths are relative to Offset Datum


Central Meridian is -105.500000

Coordinates are relative to: GEORGENE 2833-06H

Coordinate System is US State Plane 1983, Colorado Northern Zone

Grid Convergence at Surface is: 0.61°

Separation Factor Plot



LEGEND

GEORGENE 2833-06H, Plan B, Design #3 V0	GEORGENE 2833-04H, Plan B, Design #3 V0	BRNAK 3428, Noble T/A Well, No Surveys V0
GEORGENE 2833-03H, Plan B, Design #3 V0	GRINDE 0164-06 0109C, HPR PR Well, Actual Atlas Surveys V0	BRNAK 7728, Noble P&A Well, No Surveys V0
GEORGENE 2833-05H, Plan B, Design #3 V0	STONEBREAKER 28W-304, PDCPR Well, Actual Ensign Surveys V0	UPV 33-19K4, Noble P&A Well, No Surveys V0
GEORGENE 2833-07H, Plan B, Design #3 V0	BRNAK 4428, Noble T/A Well, No Surveys V0	UPV 33-7K4, Noble T/A Well, No Surveys V0
GEORGENE 2833-02H, Plan B, Design #3 V0	STONEBREAKER 28V-234, PDCPR Well, Actual Ensign Surveys V0	
GEORGENE 2833-01H, Plan B, Design #3 V0	STONEBREAKER 32-28, PDC P&A Well, No Surveys V0	