

TABLE 6
UPRR 42 PAN AM AT TRUE 1 WELLHEAD
SOIL VAPOR SCREENING RESULTS SUMMARY TABLE
KERR-McGEE OIL AND GAS ONSHORE LP

Screening Location	Date	Time	Depth (ft)	CH4	CO2	O2	H2S	CO
Ambient 01	10/25/2022	15:17	NA	0.0	0.1	21.4	0	0
SVP01	10/25/2022	15:19	8	Pump Flow Fail - Not Screened				
SVP02	10/25/2022	15:25	8	0.0	0.2	20.9	0	0
	10/25/2022	15:27	8	0.0	0.2	20.9	0	0
	10/25/2022	15:29	8	0.0	0.2	20.8	0	0
SVP03	10/25/2022	15:31	5	0.0	1.7	20.1	0	0
	10/25/2022	15:33	5	0.0	1.6	20.1	0	0
	10/25/2022	15:35	5	0.0	1.6	20.1	0	0
SVP04	10/25/2022	15:37	5	0.0	1.8	19.8	0	0
	10/25/2022	15:39	5	0.0	1.8	19.7	0	0
	10/25/2022	15:41	5	0.0	1.8	19.7	0	0
SVP05	10/25/2022	15:43	5	0.0	1.1	20.3	0	0
	10/25/2022	15:45	5	0.0	1.0	20.3	0	0
	10/25/2022	15:47	5	0.0	1.0	20.3	0	0

Notes:

CH4 = Methane

CO2 = Carbon dioxide

O2 = Oxygen

H2S = Hydrogen sulfide

CO = Carbon monoxide

NA = Not applicable