

VERDAD RESOURCES

**WATTENBERG FIELD
2N-64W-32 KIWI 2920 PAD
KIWI 2929-09H**

**Wellbore #1
Design #2**

Anticollision Summary Report

20 December, 2022

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well KIWI 2929-09H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 20' @ 4991.00usft (RIG)
Reference Site:	2N-64W-32 KIWI 2920 PAD	MD Reference:	RKB = 20' @ 4991.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	KIWI 2929-09H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #2	Offset TVD Reference:	Offset Datum

Reference	Design #2		
Filter type:	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
Interpolation Method:	Stations	Error Model:	ISCWSA
Depth Range:	Unlimited	Scan Method:	Closest Approach 3D
Results Limited by:	Maximum centre distance of 1,500.00usft	Error Surface:	Pedal Curve
Warning Levels Evaluated at:	2.45 Sigma	Casing Method:	Added to Error Values

Survey Tool Program	Date	12/15/2022		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
0.00	2,486.00	Design #2 (Wellbore #1)	ISCWSA MWD	Fixed:v2:standard declination
2,486.00	12,405.84	Design #2 (Wellbore #1)	ISCWSA MWD	Fixed:v2:standard declination

Summary						
Site Name Offset Well - Wellbore - Design	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
2N-64W-20 Offsets						
DALE 1 - Noble SI Well - Actual VES Surveys						Out of range
Dale 4A-20H-O264 - CPR PR Well - Actual SDI Surveys						Out of range
Dale 4B-20H-O264 - CPR PR Well - Actual SDI Surveys						Out of range
Dale 4C-20H-O264 - CPR PR Well - Actual SDI Surveys						Out of range
Dale 4D-20H-O264 - CPR PR Well - Actual SDI Surveys	12,405.84	6,760.11	1,413.43	1,241.55	8.223	CC, ES, SF
Dale 4E-20H-O264 - CPR PR Well - Actual SDI Surveys	12,405.84	6,841.65	1,190.04	1,018.45	6.935	CC, ES, SF
Dale 4F-20H-O264 - CPR PR Well - Actual SDI Surveys	12,405.84	6,700.00	1,087.34	924.52	6.678	CC, ES, SF
Dale 4G-20H-O264 - CPR PR Well - Actual SDI Surveys	12,405.84	6,752.72	876.56	717.93	5.526	CC, ES, SF
Dale 4H-20H-O264 - CPR PR Well - Actual SDI Surveys	12,405.84	6,891.00	668.37	514.47	4.343	CC, ES, SF
Dale 4I-20H-O264 - CPR PR Well - Actual SDI Surveys	12,405.84	6,772.69	671.19	552.43	5.652	CC, ES, SF
Dale 4J-20H-O264 - CPR PR Well - Actual SDI Surveys	12,405.84	6,908.95	538.17	449.32	6.057	CC, ES, SF
Dale 4K-20H-O264 - CPR PR Well - Actual SDI Surveys	12,405.84	6,994.00	545.07	460.99	6.483	CC, ES, SF
DALE 'E' UNIT #1 - CPR P&A Well - No Surveys						Out of range
FOY #1 - Noble SI Well - Actual VES Surveys						Out of range
FOY Y #20-6 - Noble SI Well - Actual VES Surveys						Out of range
KELLER #20-2 - Noble T/A Well - No Surveys						Out of range
RUHL 1 - Nebraska Drillers DA Well - No Surveys						Out of range
STARKE Y #20-03 - Noble P&A Well - Actual VES Surveys						Out of range

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well KIWI 2929-09H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 20' @ 4991.00usft (RIG)
Reference Site:	2N-64W-32 KIWI 2920 PAD	MD Reference:	RKB = 20' @ 4991.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	KIWI 2929-09H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #2	Offset TVD Reference:	Offset Datum

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
2N-64W-28 Offsets Incomplete						
BRNAK 34-28 - Noble T/A Well - No Surveys						Out of range
BRNAK 44-28 - Noble T/A Well - No Surveys						Out of range
BRNAK 77-28 - Noble P&A Well - No Surveys						Out of range
GREER 13-28 - Noble T/A Well - No Surveys	9,266.87	6,991.00	1,100.23	779.18	3.427	CC
GREER 13-28 - Noble T/A Well - No Surveys	9,300.00	6,991.00	1,100.73	777.48	3.405	ES
GREER 13-28 - Noble T/A Well - No Surveys	9,500.00	6,991.00	1,122.20	787.27	3.351	SF
GREER 14-28 - Noble T/A Well - No Surveys	8,150.54	7,015.00	930.08	621.42	3.013	CC
GREER 14-28 - Noble T/A Well - No Surveys	8,200.00	7,015.00	931.83	620.19	2.990	ES
GREER 14-28 - Noble T/A Well - No Surveys	8,300.00	7,015.00	945.86	628.72	2.982	SF
GREER 23-28 - Noble T/A Well - No Surveys						Out of range
GREER 24-28 - Noble T/A Well - No Surveys						Out of range
STONEBRAKER 32-28 - PDC P&A Well - No Surveys						Out of range
STONEBRAKER 42-28 - PDC P&A Well - No Surveys						Out of range
STONEBREAKER 28V-234 - PDC PR Well - Actual Ensi	11,129.21	11,319.00	1,046.22	882.00	6.371	CC
STONEBREAKER 28V-234 - PDC PR Well - Actual Ensi	11,300.00	11,319.00	1,061.24	872.35	5.618	ES
STONEBREAKER 28V-234 - PDC PR Well - Actual Ensi	11,600.00	11,319.00	1,170.05	945.19	5.204	SF
STONEBREAKER 28W-304 - PDC PR Well - Actual Ens	10,497.28	11,403.00	1,136.34	980.69	7.301	CC
STONEBREAKER 28W-304 - PDC PR Well - Actual Ens	10,700.00	11,403.00	1,154.28	969.82	6.257	ES
STONEBREAKER 28W-304 - PDC PR Well - Actual Ens	11,100.00	11,403.00	1,286.29	1,057.30	5.617	SF
2N-64W-29 Offsets						
BAUMGARTNER 14-29 - Noble P&A Well - Actual VES S						Out of range
BELL #41-29 - Noble T/A Well - No Surveys	12,100.00	6,956.00	197.96	-194.65	0.504	Level 1, ES, SF
BELL #41-29 - Noble T/A Well - No Surveys	12,122.78	6,956.00	196.64	-192.65	0.505	Level 1, CC
Bell USX #Y29-03 - Noble T/A Well - No Surveys						Out of range
JIM CREEK #1-29 - Noble P&A Well - No Surveys						Out of range
KAMINSKY #1-29 - Noble P&A Well - Actual VES Survey						Out of range
NGL C5 - NGL T/A IJ Well - No Surveys						Out of range
NGL C5A - NGL IJ Well - Actual Ensign Surveys	9,713.90	7,376.00	155.26	43.67	1.391	Level 3, CC
NGL C5A - NGL IJ Well - Actual Ensign Surveys	9,800.00	7,378.94	176.48	42.00	1.312	Level 3, ES, SF
NGL C5B - NGL IJ Well - Actual Total Surveys						Out of range
PARKER #29-34 - Noble SI Well - Actual Coretech Surve						Out of range
2N-64W-32 KIWI 2920 PAD						
KIWI 2920-01H - Wellbore #1 - Design #2	201.50	201.50	128.00	120.43	16.910	CC, ES, SF
KIWI 2920-02H - Wellbore #1 - Design #2	201.50	201.50	112.00	104.43	14.796	CC, ES, SF
KIWI 2920-03H - Wellbore #1 - Design #2	201.50	201.50	96.00	88.43	12.682	CC, ES, SF
KIWI 2920-04H - Wellbore #1 - Design #2	201.50	201.50	80.00	72.43	10.569	CC, ES, SF
KIWI 2929-05H - Wellbore #1 - Design #2	201.50	201.50	64.00	56.43	8.455	CC, ES, SF
KIWI 2929-06H - Wellbore #1 - Design #2	201.50	201.50	48.00	40.43	6.341	CC, ES, SF
KIWI 2929-07H - Wellbore #1 - Design #2	201.50	201.50	32.00	24.43	4.227	CC, ES
KIWI 2929-07H - Wellbore #1 - Design #2	12,405.84	12,140.41	1,084.74	779.51	3.554	SF
KIWI 2929-08H - Wellbore #1 - Design #2	201.50	201.50	16.00	8.43	2.114	CC, ES
KIWI 2929-08H - Wellbore #1 - Design #2	10,100.00	9,949.95	348.11	145.85	1.721	SF

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well KIWI 2929-09H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 20' @ 4991.00usft (RIG)
Reference Site:	2N-64W-32 KIWI 2920 PAD	MD Reference:	RKB = 20' @ 4991.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	KIWI 2929-09H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #2	Offset TVD Reference:	Offset Datum

Summary

Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
2N-64W-32 Offsets						
NEWNAM 2-32 - CPR P&A Well - No Surveys						Out of range
Newnam 2A-32H-C264 - CPR PR Well - Actual SDI Surv						Out of range
Newnam 2B-32H-C264 - CPR PR Well - Actual SDI Surv						Out of range
Newnam 2C-32H-C264 - CPR PR Well - Actual SDI Surv						Out of range
Newnam 2D-32H-C264 - CPR PR Well - Actual SDI Surv						Out of range
Newnam 2E-32H-C264 - CPR PR Well - Actual SDI Surv						Out of range
Newnam 2F-32H-C264 - CPR PR Well - Actual SDI Surv						Out of range
Newnam 2G-32H-C264 - CPR PR Well - Actual SDI Surv						Out of range
Newnam 2H-32H-C264 - CPR PR Well - Actual SDI Surv						Out of range
Newnam 2I-32H-C264 - CPR PR Well - Actual SDI Surv						Out of range
Newnam 2J-32H-C264 - CPR PR Well - Actual SDI Surv						Out of range
Newnam 2K-32H-C264 - CPR PR Well - Actual SDI Surv						Out of range
Newnam 2L-32H-C264 - SDI MWD Surveys - Actual SDI						Out of range
RUHL 1 - CPR P&A Well - No Surveys	5,142.21	4,766.56	396.38	184.77	1.873	CC
RUHL 1 - CPR P&A Well - No Surveys	5,200.00	4,819.02	397.12	183.15	1.856	ES
RUHL 1 - CPR P&A Well - No Surveys	5,300.00	4,909.80	401.87	184.14	1.846	SF
Ruhl 1A-32H-B264 - CPR PR Well - Actual SDI Surveys	4,033.36	3,751.09	1,359.30	1,317.97	32.889	CC
Ruhl 1A-32H-B264 - CPR PR Well - Actual SDI Surveys	4,100.00	3,797.93	1,359.90	1,317.85	32.345	ES
Ruhl 1A-32H-B264 - CPR PR Well - Actual SDI Surveys	5,500.00	5,084.05	1,499.45	1,444.04	27.062	SF
Ruhl 1B-32H-B264 - CPR PR Well - Actual SDI Surveys	4,395.22	4,069.34	1,209.47	1,163.60	26.365	CC
Ruhl 1B-32H-B264 - CPR PR Well - Actual SDI Surveys	4,500.00	4,163.31	1,210.30	1,163.21	25.699	ES
Ruhl 1B-32H-B264 - CPR PR Well - Actual SDI Surveys	5,600.00	5,166.15	1,321.34	1,264.00	23.048	SF
Ruhl 1C-32H-B264 - CPR PR Well - Actual SDI Surveys	4,719.62	4,356.87	1,053.27	1,002.31	20.668	CC
Ruhl 1C-32H-B264 - CPR PR Well - Actual SDI Surveys	4,800.00	4,431.10	1,053.86	1,001.95	20.303	ES
Ruhl 1C-32H-B264 - CPR PR Well - Actual SDI Surveys	5,600.00	5,153.57	1,118.76	1,059.39	18.846	SF
Ruhl 1D-32H-B264 - CPR PR Well - Actual SDI Surveys	5,258.16	4,878.87	911.21	851.79	15.334	CC
Ruhl 1D-32H-B264 - CPR PR Well - Actual SDI Surveys	5,300.00	4,915.41	911.41	851.55	15.226	ES
Ruhl 1D-32H-B264 - CPR PR Well - Actual SDI Surveys	5,700.00	5,252.42	936.28	873.06	14.810	SF
Ruhl 1E-32H-B264 - CPR PR Well - Actual SDI Surveys	5,580.93	5,179.35	758.06	692.34	11.536	CC
Ruhl 1E-32H-B264 - CPR PR Well - Actual SDI Surveys	5,600.00	5,198.13	758.08	692.19	11.504	ES
Ruhl 1E-32H-B264 - CPR PR Well - Actual SDI Surveys	5,900.00	5,473.70	767.39	699.37	11.282	SF
Ruhl 1F-32H-B264 - CPR PR Well - Actual SDI Surveys	6,157.30	5,762.77	631.65	558.46	8.631	CC
Ruhl 1F-32H-B264 - CPR PR Well - Actual SDI Surveys	6,200.00	5,800.91	631.87	558.42	8.603	ES
Ruhl 1F-32H-B264 - CPR PR Well - Actual SDI Surveys	6,300.00	5,887.76	634.29	560.40	8.584	SF
Ruhl 1G-32H-B264 - CPR SI Well - Actual Cathedral Sur	6,356.79	5,901.91	432.37	361.15	6.071	CC
Ruhl 1G-32H-B264 - CPR SI Well - Actual Cathedral Sur	6,400.00	5,939.78	432.76	361.06	6.036	ES
Ruhl 1G-32H-B264 - CPR SI Well - Actual Cathedral Sur	6,500.00	6,026.96	436.74	364.21	6.022	SF
Ruhl 1H-32H-B264 - CPR PR Well - Actual Cathedral Su	6,900.00	6,456.13	220.84	141.79	2.794	SF
Ruhl 1H-32H-B264 - CPR PR Well - Actual Cathedral Su	6,990.07	6,542.43	215.75	140.04	2.850	CC, ES
Ruhl 1I-32H-B264 - CPR PR Well - Actual Cathedral Sur	7,150.00	6,685.93	98.59	15.38	1.185	Level 2, ES, SF
Ruhl 1I-32H-B264 - CPR PR Well - Actual Cathedral Sur	7,185.41	6,714.34	96.39	16.68	1.209	Level 2, CC
Ruhl 1J-32H-B264 - CPR PR Well - Actual Cathedral Su	7,226.45	6,765.29	119.92	43.10	1.561	CC
Ruhl 1J-32H-B264 - CPR PR Well - Actual Cathedral Su	7,250.00	6,776.96	121.73	41.46	1.516	ES, SF
Ruhl 1K-32H-B264 - CPR PR Well - Actual Cathedral Su	7,330.05	6,869.49	320.24	241.54	4.069	CC
Ruhl 1K-32H-B264 - CPR PR Well - Actual Cathedral Su	7,350.00	6,875.39	320.88	240.45	3.990	ES
Ruhl 1K-32H-B264 - CPR PR Well - Actual Cathedral Su	7,400.00	6,887.81	328.15	244.08	3.903	SF
Ruhl 1L-32H-B264 - CPR PR Well - Actual Cathedral Su	7,425.88	6,984.13	537.19	456.05	6.621	CC
Ruhl 1L-32H-B264 - CPR PR Well - Actual Cathedral Su	7,450.00	6,989.70	537.82	454.90	6.486	ES
Ruhl 1L-32H-B264 - CPR PR Well - Actual Cathedral Su	7,550.00	7,006.00	554.22	464.60	6.184	SF

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well KIWI 2929-09H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 20' @ 4991.00usft (RIG)
Reference Site:	2N-64W-32 KIWI 2920 PAD	MD Reference:	RKB = 20' @ 4991.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	KIWI 2929-09H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #2	Offset TVD Reference:	Offset Datum

Reference Depths are relative to RKB = 20' @ 4991.00usft (RIG)

Offset Depths are relative to Offset Datum


Central Meridian is -105.500000

Coordinates are relative to: KIWI 2929-09H

Coordinate System is US State Plane 1983, Colorado Northern Zone

Grid Convergence at Surface is: 0.60°

Ladder Plot



LEGEND

<ul style="list-style-type: none"> Dale 4K-20H-Q264, CPR PR Wel, Actual SDI Surveys V0 Dale 4I20H-Q264, CPR PR Wel, Actual SDI Surveys V0 Dale 4E-20H-Q264, CPR PR Wel, Actual SDI Surveys V0 Dale 4G-20H-Q264, CPR PR Wel, Actual SDI Surveys V0 Dale 4J20H-Q264, CPR PR Wel, Actual SDI Surveys V0 Dale 4F-20H-Q264, CPR PR Wel, Actual SDI Surveys V0 Dale 4D-20H-Q264, CPR PR Wel, Actual SDI Surveys V0 Dale 4H-20H-Q264, CPR PR Wel, Actual SDI Surveys V0 STONEBREAKER 28W304, PDC PR Wel, Actual Ensign Surveys V0 GREER 14-28, Noble T/A Well No Surveys V0 STONEBREAKER 28V234, PDC PR Wel, Actual Ensign Surveys V0 GREER 13-28, Noble T/A Well No Surveys V0 	<ul style="list-style-type: none"> Ruhl 1L-32H-B264, CPR PR Wel, Actual Cathedral Surveys V0 Ruhl 1D-32H-B264, CPR PR Wel, Actual SDI Surveys V0 Ruhl 1K-32H-B264, CPR PR Wel, Actual Cathedral Surveys V0 RUHL 1, CPR P&A Well, No Surveys V0 Ruhl 1F-32H-B264, CPR PR Wel, Actual SDI Surveys V0 Ruhl 1C-32H-B264, CPR PR Wel, Actual SDI Surveys V0 Ruhl 1J-32H-B264, CPR PR Wel, Actual Cathedral Surveys V0 Ruhl 1I-32H-B264, CPR PR Wel, Actual Cathedral Surveys V0 Ruhl 1A-32H-B264, CPR PR Wel, Actual SDI Surveys V0 Ruhl 1G-32H-B264, CPR SI Wel, Actual Cathedral Surveys V0 Ruhl 1H-32H-B264, CPR PR Wel, Actual Cathedral Surveys V0 Ruhl 1B-32H-B264, CPR PR Wel, Actual SDI Surveys V0 	<ul style="list-style-type: none"> Ruhl 1E-32H-B264, CPR PR Wel, Actual SDI Surveys V0 KIWI 2920-01H, Wellbore #1, Design #2 V0 KIWI 2920-04H, Wellbore #1, Design #2 V0 KIWI 2920-06H, Wellbore #1, Design #2 V0 KIWI 2920-07H, Wellbore #1, Design #2 V0 KIWI 2920-05H, Wellbore #1, Design #2 V0 KIWI 2920-08H, Wellbore #1, Design #2 V0 KIWI 2920-03H, Wellbore #1, Design #2 V0 KIWI 2920-02H, Wellbore #1, Design #2 V0 NGL CSA, NGL IJ Well, Actual Ensign Surveys V0 BELL #41-29, Noble T/A Well, No Surveys V0
--	--	---

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well KIWI 2929-09H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 20' @ 4991.00usft (RIG)
Reference Site:	2N-64W-32 KIWI 2920 PAD	MD Reference:	RKB = 20' @ 4991.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	KIWI 2929-09H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #2	Offset TVD Reference:	Offset Datum

Reference Depths are relative to RKB = 20' @ 4991.00usft (RIG)

Offset Depths are relative to Offset Datum


Central Meridian is -105.500000

Coordinates are relative to: KIWI 2929-09H

Coordinate System is US State Plane 1983, Colorado Northern Zone

Grid Convergence at Surface is: 0.60°

Separation Factor Plot



LEGEND

<ul style="list-style-type: none"> Dale 4K-20H-Q264, CPR PR Wet, Actual SDI Surveys V0 Dale 4I20H-Q264, CPR PR Wet, Actual SDI Surveys V0 Dale 4E-20H-Q264, CPR PR Wet, Actual SDI Surveys V0 Dale 4G-20H-Q264, CPR PR Wet, Actual SDI Surveys V0 Dale 4J-20H-Q264, CPR PR Wet, Actual SDI Surveys V0 Dale 4F-20H-Q264, CPR PR Wet, Actual SDI Surveys V0 Dale 4D-20H-Q264, CPR PR Wet, Actual SDI Surveys V0 Dale 4H-20H-Q264, CPR PR Wet, Actual SDI Surveys V0 STONEBREAKER 28W304, PDC PR Wet, Actual Ensign Surveys V0 GREER 14-28, Noble T/A Wet, No Surveys V0 STONEBREAKER 28V234, PDC PR Wet, Actual Ensign Surveys V0 GREER 13-28, Noble T/A Wet, No Surveys V0 	<ul style="list-style-type: none"> Ruhl 1L-32H-B264, CPR PR Wet, Actual Cathedral Surveys V0 Ruhl 1D-32H-B264, CPR PR Wet, Actual SDI Surveys V0 Ruhl 1K-32H-B264, CPR PR Wet, Actual Cathedral Surveys V0 RUHL 1, CPR P&A Wet, No Surveys V0 Ruhl 1F-32H-B264, CPR PR Wet, Actual SDI Surveys V0 Ruhl 1C-32H-B264, CPR PR Wet, Actual SDI Surveys V0 Ruhl 1J-32H-B264, CPR PR Wet, Actual Cathedral Surveys V0 Ruhl 1A-32H-B264, CPR PR Wet, Actual Cathedral Surveys V0 Ruhl 1H-32H-B264, CPR PR Wet, Actual Cathedral Surveys V0 Ruhl 1G-32H-B264, CPR SI Wet, Actual Cathedral Surveys V0 Ruhl 1B-32H-B264, CPR PR Wet, Actual Cathedral Surveys V0 Ruhl 1B-32H-B264, CPR PR Wet, Actual SDI Surveys V0 	<ul style="list-style-type: none"> Ruhl 1E-32H-B264, CPR PR Wet, Actual SDI Surveys V0 KIWI 2920-01H, Wellbore #1, Design #2 V0 KIWI 2920-04H, Wellbore #1, Design #2 V0 KIWI 2920-06H, Wellbore #1, Design #2 V0 KIWI 2920-07H, Wellbore #1, Design #2 V0 KIWI 2920-05H, Wellbore #1, Design #2 V0 KIWI 2920-08H, Wellbore #1, Design #2 V0 KIWI 2920-03H, Wellbore #1, Design #2 V0 KIWI 2920-02H, Wellbore #1, Design #2 V0 NGL CSA, NGL IJ Wet, Actual Ensign Surveys V0 BELL #41-29, Noble T/A Wet, No Surveys V0
---	---	---