

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 12/02/2022 Document Number: 403208168

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

OGCC Operator Number: 46290 Contact Person: Mani Silva Company Name: KP KAUFFMAN COMPANY INC Phone: (303) 8254822 Address: 1700 LINCOLN ST STE 4550 Email: regulatory@kpk.com City: DENVER State: CO Zip: 80203 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No []

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 475652 Location Type: Production Facilities Name: Carl A Miller Sub Battery Number: County: WELD Qtr Qtr: SWSE Section: 5 Township: 1N Range: 67W Meridian: 6 Latitude: 40.075430 Longitude: -104.910660

Description of Corrosion Protection

Fiberglass pipelines are resistant to most acids, bases, oxidizing agents, metal salts, reducing gases and sulfur gases. These pipelines have been utilized by KPK because of their corrosion resistance. As such, additional corrosion protection is not needed for these pipelines.

Description of Integrity Management Program

Production and upkeep of KPK's assets involves regular hands-on operation by KPK's field crews. These field crews not only maintain safe production, but also conduct routine inspections to confirm proper integrity of the production systems. While pipeline integrity issues are minimal due to pipeline materials and low operating pressure, KPK regularly inspects and pressure tests all lines to ensure pipeline integrity is maintained.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

Construction of pipelines is generally not occurring. When necessary to remedy a pipeline issue, KPK typically assesses all conditions to determine the proper construction method. A combination of boring and open trench are utilized by KPK.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475660 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317691 Location Type: Well Site
Name: CARL A MILLER-61N67W Number: 5SWSE
County: WELD No Location ID
Qtr Qtr: SWSE Section: 5 Township: 1N Range: 67W Meridian: 6
Latitude: 40.074660 Longitude: -104.912160

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 11/10/1972
Maximum Anticipated Operating Pressure (PSI): 7 Testing PSI: 8
Test Date: 01/09/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475658 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317700 Location Type: Well Site
Name: CARL A MILLER B-61N67W Number: 5SWNE
County: WELD No Location ID
Qtr Qtr: SWNE Section: 5 Township: 1N Range: 67W Meridian: 6
Latitude: 40.081890 Longitude: -104.912250

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 12/19/1972
Maximum Anticipated Operating Pressure (PSI): 24 Testing PSI: 30
Test Date: 12/20/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475655 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 328408 Location Type: Well Site

Name: MILLER-61N67W Number: 5NWSW

County: WELD No Location ID

Qtr Qtr: NWSW Section: 5 Township: 1N Range: 67W Meridian: 6

Latitude: 40.077770 Longitude: -104.921900

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 09/22/1992

Maximum Anticipated Operating Pressure (PSI): 18 Testing PSI: 20

Test Date: 07/03/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475667 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 336099 Location Type: Well Site

Name: CARL A MILLER B-61N67W Number: 5NENE

County: WELD No Location ID

Qtr Qtr: NENE Section: 5 Township: 1N Range: 67W Meridian: 6

Latitude: 40.085720 Longitude: -104.907640

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 05/08/1973
Maximum Anticipated Operating Pressure (PSI): 12 Testing PSI: 15
Test Date: 10/10/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 483622 Flowline Type: Wellhead Line Action Type: Registration

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 323298 Location Type: _____ Well Site
Name: CARL A MILLER B-61N67W Number: 5SESW
County: WELD No Location ID
Qtr Qtr: SESW Section: 5 Township: 1N Range: 67W Meridian: 6
Latitude: 40.074270 Longitude: -104.916870

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 02/12/1986
Maximum Anticipated Operating Pressure (PSI): 24 Testing PSI: 24
Test Date: 09/28/2021

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475661 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318371 Location Type: _____ Well Site
Name: CARL A MILLER B-61N67W Number: 5SENE
County: WELD No Location ID
Qtr Qtr: SENE Section: 5 Township: 1N Range: 67W Meridian: 6
Latitude: 40.081340 Longitude: -104.907640

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 11/22/1976
Maximum Anticipated Operating Pressure (PSI): 27 Testing PSI: 33
Test Date: 12/17/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475659 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317698 Location Type: _____ Well Site
Name: CARL A MILLER-61N67W Number: 5SWSW
County: WELD No Location ID
Qtr Qtr: SWSW Section: 5 Township: 1N Range: 67W Meridian: 6
Latitude: 40.074700 Longitude: -104.921600

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 12/03/1972
Maximum Anticipated Operating Pressure (PSI): 23 Testing PSI: 25
Test Date: 07/03/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475653 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 336068 Location Type: _____ Well Site

Name: CARL A MILLER B-61N67W

Number: 5NESW

County: WELD

No Location ID

Qtr Qtr: NESW

Section: 5

Township: 1N

Range: 67W

Meridian: 6

Latitude: 40.078270

Longitude: -104.916830

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 06/17/1976

Maximum Anticipated Operating Pressure (PSI): 21 Testing PSI: 26

Test Date: 12/20/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475664

Flowline Type: Wellhead Line

Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 326707

Location Type: Well Site

Name: CARL A MILLER E-61N67W

Number: 5SWNW

County: WELD

No Location ID

Qtr Qtr: SWNW

Section: 5

Township: 1N

Range: 67W

Meridian: 6

Latitude: 40.081810

Longitude: -104.921340

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 09/16/1987

Maximum Anticipated Operating Pressure (PSI): 22 Testing PSI: 28

Test Date: 12/20/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475656 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318370 Location Type: Well Site
Name: CARL A MILLER B-61N67W Number: 5NWNE
County: WELD No Location ID
Qtr Qtr: NWNE Section: 5 Township: 1N Range: 67W Meridian: 6
Latitude: 40.085570 Longitude: -104.912400

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 12/04/1976
Maximum Anticipated Operating Pressure (PSI): 26 Testing PSI: 32
Test Date: 12/17/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475666 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318668 Location Type: Well Site
Name: CARL A MILLER B-61N67W Number: 5NWNW
County: WELD No Location ID
Qtr Qtr: NWNW Section: 5 Township: 1N Range: 67W Meridian: 6
Latitude: 40.085750 Longitude: -104.921820

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 03/19/1979
Maximum Anticipated Operating Pressure (PSI): 22 Testing PSI: 28
Test Date: 01/09/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475657 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318419 Location Type: Well Site

Name: CARL A MILLER B-61N67W Number: 5SENW

County: WELD No Location ID

Qtr Qtr: SENW Section: 5 Township: 1N Range: 67W Meridian: 6

Latitude: 40.081350 Longitude: -104.916790

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 02/16/1977

Maximum Anticipated Operating Pressure (PSI): 21 Testing PSI: 26

Test Date: 12/20/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475663 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318379 Location Type: Well Site

Name: CARL A MILLER B-61N67W Number: 5SESE

County: WELD No Location ID

Qtr Qtr: SESE Section: 5 Township: 1N Range: 67W Meridian: 6

Latitude: 40.074550 Longitude: -104.907520

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 02/19/1977
Maximum Anticipated Operating Pressure (PSI): 23 Testing PSI: 29
Test Date: 12/17/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475654 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318378 Location Type: _____ Well Site
Name: CARL A MILLER B-61N67W Number: 5NWSE
County: WELD No Location ID
Qtr Qtr: NWSE Section: 5 Township: 1N Range: 67W Meridian: 6
Latitude: 40.078320 Longitude: -104.912200

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 12/01/1976
Maximum Anticipated Operating Pressure (PSI): 6 Testing PSI: 7
Test Date: 12/20/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475665 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317751 Location Type: _____ Well Site

Name: CARL A MILLER B-61N67W

Number: 5NENW

County: WELD

No Location ID

Qtr Qtr: NENW

Section: 5

Township: 1N

Range: 67W

Meridian: 6

Latitude: 40.085880

Longitude: -104.917130

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 06/19/1973

Maximum Anticipated Operating Pressure (PSI): 23 Testing PSI: 29

Test Date: 12/17/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475662

Flowline Type: Wellhead Line

Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 332908

Location Type: Well Site



Name: CARL A MILLER B-61N67W

Number: 5NESE

County: WELD

No Location ID

Qtr Qtr: NESE

Section: 5

Township: 1N

Range: 67W

Meridian: 6

Latitude: 40.078260

Longitude: -104.907580

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 06/16/1973

Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____

Test Date: 12/20/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

OPERATOR COMMENTS AND SUBMITTAL

Comments

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 12/02/2022 Email: regulatory@kpk.com

Print Name: Jeremy Kauffman Title: Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  **Director of COGCC** Date: 1/9/2023

Conditions of Approval

COA Type

Description

--	--

Attachment Check List

Att Doc Num

Name

403208168	Form44 Submitted
403208172	PRESSURE TEST
403248224	OFF-LOCATION FLOWLINE GIS SHP

Total Attach: 3 Files

General Comments

User Group

Comment

Comment Date

GIS	GIS file should contain segments for all the lines in this form, even if no changes have been made to the lines. GIS file was modified and re-attached.	11/16/2022
-----	---	------------

Total: 1 comment(s)